

1385 West Smith Road

(360) 312-1398

Ferndale, WA 98248

(360) 380-0773 www.trivan.com

Estimate

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, California 95667

Ph

Fax

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, CA 95667

| | Rep | Due Date | Terms | P.O. No. |
|------------------|------|-----------|------------------|----------|
| Ryan Placerville | Ryan | 1/30/2018 | 25% at order, ba | |
| Ryan Placerville | Ryan | 1/30/2018 | 25% at order, ba | |

QUOTATION:

*** REVISED JAN 25/19 ***

16'6"L x 8'6"W TriVan Aluminum Specialty EOD Van Body:

GENERAL DESCRIPTION:


Custom van body to be installed on a new, customer-supplied Peterbilt 220 low-cab forward. This truck will be used as a primary response vehicle by Ed Dorado County Sheriffs Department's Bomb Squad, and will feature a dedicated slope floor robot storage area (with a purpose-built ramp-door) Also: (2) Type 3 explosive magazines installed on slider trays. 110V/12V electrical package, a roadside generator compartment, plus interior closet and overhead storage space with adjustability for bomb suits and other equipment. A forward interior work space will include bench-seating with seatbelts for 3 occupants (and under-bench-storage) A pass-through opening on the front wall of the body will allow access into the rear of the cab. Body is 2" foam insulated and lined in Kemlite (plywood under) Flooring is diamondplate aluminum coated with spray-on bedliner, 30Wx18H light-tint slider windows to be provided on both forward sides of the body. Roof to be designed for walk-on application, and is custom-built with a perimeter tie-off rail and access ladder. Hitch receiver & ball insert & trailer plug. Access to the interior of the body to be via a single man-door with a Bauer NE-electronic keypad handle. Also on the rear wall of the body will be a fold-down ramp door (for robot loading and unloading) A dedicated robot storage area (drop floor) in the rear curbside corner with ramp door. TV compartment on exterior. Body interior to be equipped with 110V outlets (that are powered through an inverter by the auxiliary batteries, or when the shore power is plugged in) Service panel, shore power outlet & automatic transfer switch are included as part of electrical package. The truck body will be self-contained with incoming power from customer's onboard Honda gas generators or thru shore power. A backup camera, exterior LED work lights and a 110V bar fridge are all supplied and installed as part of the quotation. The van body interior & exterior will include 12V interior & Whelen emergency LED exterior lighting. The flooring of the body to be aluminum diamondplate coated in spray-on bedliner with 6" dishup at base of walls. The exterior of the body (including the roof) as well as the Pete cabover cab to be painted a flat OD green. Cab repaint (including door jambs) is included to match color of body. The superstructure (walls, roof, flooring, access doors, ramp) to be all aluminum T6036 marine grade alloy construction. Note that the following items are not yet part of this quotation: alarm system (and remotes/bypass) nor remote start options, nor security film on windows. Includes custom bull bar built & installed on Peterbilt. This quotation also includes the cost of delivery of the completed truck to Placerville California.

Subtotal

Sales Tax (0.0%)

Total

19-0446 F 1 of 10





1385 West Smith Road Ferndale, WA 98248

111dale, WA 30240

(360) 380-0773

(360) 312-1398

www.trivan.com

Estimate

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Ph

Fax

Placerville, California 95667

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project | | | | | |
|----------|--|------------------|-----------------|-----------------------|-------------------------|---------------|--|--|--|--|--|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | | | | | | |
| dem | | | E. S. | | | | | | | | |
| | CHASSIS INFORMATION: To be ordered separately by El Dorado County and provided to TriVan. TriVan to deliver completed vehicle to Placerville CA. Specifications as follows: 2018 or 2019 Peterbilt 220 Low Cab Forward Diesel Chassis, 146" wheelbase, dual rear wheels. GVWR: 26,000 lb assumed. Supplied as a white cab (TriVan to paint flat OD greet A bull bar bumper is included in this quotation (towards the end) | | | | | | | | | | |
| | BODY DIMENSIONS Length: 16'6"L exterion Width: 8'6"W(od) Height: 7'H(id) | | | | | | | | | | |
| | DESIGN DRAWINGS AutoCad design draw manufacture | | vided for El Do | orado County Sheriffs | s express written appro | oval prior to | | | | | |
| | Peterbilt 220. | | | | 16" on center with lor | | | | | | |
| | INTERNAL RAMP: Sub frame of body to | include a sloped | robot ramp (d | rop floor) behind rea | r axle, on curbside cor | ner. | | | | | |
| | STEP BUMPER: A 10"D steel step bumper with galvanized steel Grip-Strut insert is provided. Bumper design includes tapered 45 degree corners. Painted black. Bumper includes a bullet-hinged flipout step (also Grip-Strut) that is compatible with the hitch receiver. | | | | | | | | | | |
| | HITCH RECEIVER: Supply & install (1) Class IV hitch with 2.5" receiver, reinforced to body frame. Includes a ball hitch insert with height-adjustability from 16" to 20" | | | | | | | | | | |

Sales Tax (0.0%)



Ferndale, WA 98248

1385 West Smith Road

Ph (360) 380-0773

www.trivan.com (360) 312-1398

Estimate

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, California 95667

Fax

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton

300 Fair Lane Placerville, CA 95667

Ship To

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project |
|----------|------------------|-----------|------|-----------|-------------|---------|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | |

WALL CONSTRUCTION:

Walls of this truck body are constructed of TriVan's extruded aluminum interlocking "Snap-Lock" panels, which form a smooth, puncture-resistant & rivet-free side wall. Exterior aluminum skin thickness is .100" and includes 1" wall posts spaced exactly 12" on center. Bottom exterior edge of body walls incorporate an extruded aluminum rub-rail with recessed bolt-heads.

SKIRTING:

Aluminum skirting (integral with body wall panels) flush to bottom of Kenworth cab (approx 16" to 18") including rounded cutouts for wheels.

WALK ON ROOF:

12ga aluminum walk-on roof with extruded aluminum roof-bows 12" o.c., Roof is crowned for water/snow runoff. Note: roof design to include a 6" H tubular aluminum perimeter "fence" for cargo securement (see SPECIALTY section of this estimate)

FLOORING WITH SLOPED SECTION

1/8" aluminum diamondplate flooring (over a 3/4" pressure-treated plywood subfloor) with seams welded and counter-sunk fasteners. Note: entire floor is coated in a black (or dark grey) spray-on bedliner. Mentioned later in PAINT section.

SLOPED ROBOT FLOOR:

Floor of rear drop section to slope up towards front of body, on right side of body only, very rear. 30"W, slopes up flush to forward floor area. Includes reinforcement to support 500lb robot (F6-A Cobra)

REAR DOOR WITH ELECTRONIC KEYPAD:

Main entry door is an extruded aluminum, insulated, double-skinned door, approx 28"W x 84"H, equipped with stainless steel hinges, a hinged camlock (padlockable) and a Bauer NE-model of paddle handle (with self-contained electronic latch with capacitive touch technology) inside release, integral pull-handle and deadbolt). Door is located on rear wall of body, to the left of the robot ramp door (mentioned in next section) which is located on extreme RHS of rear wall. Door includes a T-style door holdback (to secure it in the fully opened position against the rear exterior wall) Interior of door is insulated (with 2" urethane) and skinned in smooth Kemlite (to match body interior)

Subtotal

Sales Tax (0.0%)



1385 West Smith Road

(360) 312-1398

Ferndale, WA 98248

(360) 380-0773 www.trivan.com

Ship To

Estimate

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Ph

Fax

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, California 95667 Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project |
|----------|--|--|--|---|---|--|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | |
| | non-sagging, non-abs LINING: Complete interior of b backer board. TRIMOUT: | cluminum drop-dris equipped with endormonal processory to as necessary to as necessary to as necessary to as necessary to a getting into material lip in getting into material entered above for sed fuel filler portion of the content, vermin-prody (walls, ceiling or bent, vermin-prody (walls, ceiling of interior lining (| th camlock system of the camlock system of the camlock system of the cambon of the cam | tem, torsion spring-as HMW wear strip (on the heart strip (on the heart strip) of the perimeter of row 1 x 18"H windows instance. Ide of body, with stances, center) Inder floor) sprayed in package. of doors) lined in whith | essist, and aircraft style pottom side) and a rein obot storage area (to not alled. One on curbside | cables. End of afforced aluminum inimize wall, one on a suit chassis fuel sulation. This is a seed to a 3/8' plywooded |

Subtotal Sales Tax (0.0%) Total



1385 West Smith Road Ferndale, WA 98248 **Estimate**

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Ph Fax (360) 380-0773

(360) 312-1398

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton

300 Fair Lane

Placerville, California 95667

Ship To

www.trivan.com

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton

300 Fair Lane

Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project |
|----------|--|--|--|---|---|---------------------------------|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | |
| lluq | PASS-THROUGH OP Supply & install a cuto weatherproof rubber b | out between the | | | nt wall/kickover of bod | |
| | seats in cab) Opening the cab can swing for | & frame work to | include detac | | | |
| | EXTERIOR STORAGE Supply & install 1/8" a Door hardware to be a steel hinges. All vertice compartment doors and GENERATOR COMPA Supply & install (1) ve | luminum exterio standard 2-point al compartment re skinned in sm | r storage com stainless stee doors to be ed ooth aluminum | recessed "D" handle quipped with spring-lo n. | es (all doors keyed alik aded door checks. Ins | e) and stainless ide face of |
| | 2000W suitcase gene Location of this compa equipment (fuel tanks | rators (provided artment to be de | by EDCSO). termined in co | | | |
| | TV COMPARTMENT: On passenger side of 50" HDTV (TV not incl pass-through opening | vehicle, supply luded). Door is a | wning style wi | th gas struts. Compar | vith awing door) for suf rtment is all-aluminum | |
| | WORK COUNTER: Supply & install (1) 60 Counter to be installed stainless steel suppor the operator to sit con | d at 32" high off t tubes (with bas | the van body f | loor. Counter to be in | st front wall, right inter stalled on (2) detachal for the robot controls | ole marine-grade |
| | ROOF RAIL: Supply & Install a tube | ular aluminum pe | erimeter fence | around roof of body, | including rear (6" over | all height) |

Subtotal

Sales Tax (0.0%)



1385 West Smith Road

Ferndale, WA 98248

(360) 312-1398

(360) 380-0773

www.trivan.com

Estimate

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Ph

Fax

Placerville, California 95667

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project | | | | | |
|----------|--|--|---|--|---|-------------------|--|--|--|--|--|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | | | | | | |
| lian | | | | L-West I | | | | | | | |
| | ACCESS LADDER TO ROOF: Aluminum roof access ladder installed at rear, including an aluminum diamondplate "kick plate" to protect paint finish on rear wall of body. Tubular aluminum construction with uprights with uprights extending slightly past roof and candy-caning onto roof. Includes a key-lockable hinged cover door (to prevent unauthorized access to body roof) | | | | | | | | | | |
| | | avy-duty aluminu | | | hite) including overhea on driver side, very fro | | | | | | |
| | OVERHEAD SHELF: (1) 48"L x 24" deep up (this shelving area wil | | | | seating area, including | g 1" retainer lip | | | | | |
| | BENCH-SEAT: (1) 48"L x 18" deep 2- storage compartment | | t, including sea | atbelts, installed direc | tly atop of protruding e | xterior general | | | | | |
| | adjustable aluminum | deep enclosed a laser-cut shelves space to accome enclosed with a | lluminum stora s installed on (modate a Type ROM Rollup A | 4) Unistrut vertical tra 3 Explosives Cabine Iuminum shutter | ide. Each closet includ ticks. The forward equip et on a slideout (mention y lock. | oment storage | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Subtotal

Sales Tax (0.0%)



1385 West Smith Road

Ferndale, WA 98248

(360) 312-1398

(360) 380-0773 www.trivan.com

| Date | Estimate # | | |
|------------|------------|--|--|
| 10/23/2018 | 7858 | | |

Estimate

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Ph

Fax

Placerville, California 95667

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project |
|----------|---|---|--|--|---|------------------------------------|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | |
| Nom: | CURBSIDE INTERIO | R CABINETRY: | | Section (Co.) | | |
| | (1) 48"L x 12" deep up (this shelving area will BENCH-SEAT: (1) 25"L x 18"D 1-mar | also include a d | duplex 110V or | utlet) t, installed (forward-fa | seating area, including acing) in forward curbs toushion on this benceed | ide corner. |
| | removeable for acces *** MINI *** COUNTE For coffee machine (in | s to the storage | below. | | | |
| | capacity) and an uppe | 84"H double-doer and lower mes | sh storage she ar for large rol | lves (for bomb suits la bot to nest partially int | (1) heavy-duty hanger aying flat). Includes RC o lower portion of this | M rollup door. |
| | ROBOT OVERHEAD (1) 58"W x 24"H x 18" top-hinged with spring TYPE 3 EXPLOSIVES | D double-door o | | | y above robot storage | area) Doors are |
| | Supply & install (2) Ty commercially-availabl slideout tray in the for roadside interior. The | rpe 3 Explosive I e item that is pu ward bottom cor other is installed of each magazi | rchased "off-th ner of the forw d (also on a sli ne to be 18"L: | e-shelf" by TriVan) Or ard enclosed equipmodeout tray) in the base x 12"H x 12"D (od) Mo | ne is installed on a Tri ent ROM-door storage e of the bomb suit stor odel/make and design | closet on the age closet on the |

Subtotal

Sales Tax (0.0%)



1385 West Smith Road Ferndale, WA 98248 **Estimate**

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Ph Fax (360) 380-0773 (360) 312-1398

www.trivan.com

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Placerville, California 95667

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project |
|----------|--|---|--|--------------------------|---|-----------------------|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | |
| Nem | tubing. All wiring connections terminals. | s to cab chassis I : 1" LED bullet lig eatherproof conr | ights to be maghts. All signal nectors.(1) LEI | de via a sealed juncti | oldered and heat-shru on box, TruckLite #50- ghts to be LED and ins stalled. | 400 using ring |
| | including control pane | antrex Freedom S | stallation inclu | des BlueSea Class "T | e Sinewave Inverter w " Fuse Block (p/n 550 n vehicle alternator as | 2) and 400A fuse |
| | | roup 31 Deep Cy To be recharged | through batte | | der-body compartment d separately) when the | |
| | 12V INTERIOR LIGH Supply & install (6) M evenly spaced, switch | axxima M84426 | LED 1500 lum | en surface-mounted i | interior cargo lights (16 | 5"L x 4") on ceiling, |
| | | helen M9J "M" s all, (2) on curbsic | le, (2) on road | side, plus (2) installed | her lights (each with M d on front exterior wall de 3 compliant. | |
| | 12V WORK LIGHTIN Supply & install (4) M on roadside. Note tha | axxima MWL07S | | | tput. (2) on rear wall, (| |

Subtotal
Sales Tax (0.0%)
Total

1385 West Smith Road

(360) 312-1398

Ferndale, WA 98248

(360) 380-0773 www.trivan.com

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Estimate

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Ph


Fax

Placerville, California 95667

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project | | |
|----------|---|---|---|--|---|--|--|--|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | | | |
| fhom | | | | nter eller | | | | |
| | 12V TRAILER PLUG: Supply & install 7-blad | | trailer plug. | | | | | |
| | interior plugs, placed the work counter, (2) (1) duplex outlet in the | electrical packa in the following l duplex outlets at e robot storage a | ocations: (8) s curbside forw area and (1) sp | ingle outlets (in the for eard shelf, (2) duplex of pare duplex outlet as in ORE POWER: | e panel sized to suit, with form of a power strip) or butlets at roadside forw necessary. No exterior or receptacle (with 15A | n front wall above and overhead shell outlets. | | |
| | adaptor) located on c | urbside exterior de a basic pigtail ming power. | of body. adaptor so cu | | andard extension cord | | | |
| | Includes (1) AutoLygh | nt automatic tran | sfer switch (to | ggles between incom | ing power from shore p | olug and inverter) | | |
| | 110V: BAR FRIDGE: Supply, install & secu approved by EDCSO | | 110V-only ba | asic under-counter ba | r fridge as space allows | s, and in a location | | |
| | GENERATOR: No generator quoted. OPTIONS for self-cor | El Dorado will p | lug a 2000W l wered Onan o | Honda EU-series gen juiet generator installe | erator into the shore po | ower plug. See | | |
| WNING | AWNINGS: Supply & install (2) exterior awnings, RV-style, manually operated. 1 at rear, 1 at curbside. | | | | | | | |
| | | BACKUP CAMERA: Supply & install (1) Convoy Technologies backup camera system, including a weatherproof exterior head (at top rear wall) with an in-cab 5.6" LCD screen. | | | | | | |
| | | | OHU HOME HE SHEET | Su | ıbtotal | AND THE SHIP AND | | |





1385 West Smith Road Ferndale, WA 98248

Hadio, WA 30240

(360) 380-0773

(360) 312-1398

www.trivan.com

Estimate

| Date | Estimate # |
|------------|------------|
| 10/23/2018 | 7858 |

Name / Address

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane

Ph

Fax

Placerville, California 95667

Ship To

El Dorado County Sheriffs Office Att'n: Deputy Sheriff Jared M. Melton 300 Fair Lane Placerville, CA 95667

| P.O. No. | Terms | Due Date | Rep | Account # | FOB | Project | | | |
|----------|---|-------------------|-----------------|------------------------|--|------------------------|--|--|--|
| | 25% at order, ba | 1/30/2018 | Ryan | | Placerville | | | | |
| hom | NEW YORK | | | Deler/Liver 1 | Manager 1 | | | | |
| | PAINT: Body exterior (excludi Dorado's Bearcat. | ng roof) painted | flat OD green. | This is a PPG acryli | c urethane paint to ma | tch the color of El | | | |
| | CAB PAINT: Repaint customer-sup chassis wheels are le | | | rom factory white to f | lat OD green, including | door jambs. OEM | | | |
| | INTERIOR PAINT: All interior cabinetry (alone) Interior of over | | | h-seat bases) painte | d white (ROM-doors or | n interior closets lef | | | |
| | SPRAY-ON BEDLINER: Apply non-skid "DuraBed" spray-on type heavy duty bedliner to full floor of van body interior: | | | | | | | | |
| | UNDERCOATING: Underside of body to be fully undercoated, including bottom exterior undersides of all exterior bins. | | | | | | | | |
| | FINISHING: Extruded aluminum drip rails installed above all exterior cabinet doors and windows. | | | | | | | | |
| | MUDFLAPS: 1 pair of TriVan mudfl | aps installed, in | cluding anti-sw | ay brackets. | | | | | |
| | GRAB HANDLES: Supply & install 1 pair | of chrome grab | handles on ex | terior rear of body. | | | | | |
| BUMPER | KENWORTH BULL BUMPER: Fabricate & install custom bull bumper at front of Peterbilt 220, tubular construction. | | | | | | | | |
| | | Dorado County | | | n plant, TriVan to drive three-hour orientation | | | | |
| | | | | | | | | | |

| Subtotal | USD 139,661.88 | | |
|------------------|----------------|--|--|
| Sales Tax (0.0%) | USD 0.00 | | |
| Total | USD 139,661.88 | | |