

EL DORADO COUNTY AIR QUALITY MANAGEMENT DISTRICT

2024 ANNUAL REPORT

ON THE

AIR TOXICS "HOT SPOTS" INFORMATION & ASSESSMENT ACT

This page was intentionally left blank.

Table of Contents

Executive Summary	4
AB 2588 Evaluation Process	4
Air Toxics Hot Spot Assessments Summary	7
Appendices	7
Appendix A: Facilities Assessed Under AB 2588	A-1
Appendix B: Update Summary Facilities Evaluated	
Appendix C: Gasoline Dispensing Facilities Evaluated	
Appendix D: AB 2588 District Implementation Flow Chart	

Executive Summary

Various activities in our daily lives release pollutants into the air, impacting its quality and potentially affecting our health. These pollutants originate from sources such as vehicles, power plants, and industrial facilities, emitting substances like nitrogen oxides and benzene, which can pose health risks.

Understanding the significance of controlling these emissions, the El Dorado County Air Quality Management District (District) administers programs like the Air Toxics "Hot Spots" Information and Assessment Act (AB 2588). Under AB 2588, the District works with facilities to quantify air toxics emissions, assesses the health risks posed by these emissions, reports emissions, and takes necessary measures to mitigate such risks.

Facilities covered by AB 2588 include both large and small sources of emissions. The District publishes annual reports to inform the public about its efforts to control and reduce toxic air emissions. These reports are available online and shared with authorities and the public to ensure transparency and awareness.

AB 2588 Evaluation Process

Toxic Emission Inventory Plans and Reports

Under this act, facilities prepare Toxic Emission Inventory Plans and Reports to establish site-specific air emissions inventories. These plans provide a framework and method for calculating toxic emissions from all stationary sources within the facility, whether permitted or not. Before quantifying emissions, the District reviews and approves these plans. Reports encompass computations of the facility's toxic emissions, employing site-specific process rates and emission factors to facilitate the prioritization of air toxic emissions from the facility.

Prioritization

AB 2588 mandates air districts to prioritize facilities to ascertain their status within the program. In determining priorities, air districts are required to take into account the potency, toxicity, quantity, and volume of hazardous materials released from the facility, as well as its proximity to potential receptors and any other factors deemed relevant by the district indicating potential significant health risks posed by the facility. The District employs the prioritization methodology delineated in the California Air Pollution Control Officers Association (CAPCOA) Facility Prioritization Guidelines to rank facilities under AB 2588, utilizing the facility's approved Plan and Report as referenced in Table 1.

Table 1: AB 2588 Prioritization Thresholds and Categories

Prioritization Thresholds	Priority Category	Category Requirements
<u><</u> 1	Low Priority	The facility is conditionally exempt from further AB 2588 requirements
>1 and <u><</u> 10	Intermediate Priority	The facility is required to provide an update summary on a quadrennial basis
> 10	High Priority	The facility is required to perform a Health Risk Assessment

Health Risk Assessment

Facilities designated as "High" priority must conduct a Health Risk Assessment (HRA) to evaluate whether their toxic emissions are likely to pose a significant risk to nearby residents and workers. Under AB 2588, both the District and the Office of Environmental Health Hazard Assessment (OEHHA) review each HRA. HRAs conducted within the program must adhere to the methodologies and procedures outlined in District guidelines and OEHHA's 2015 Air Toxic Hot Spots Program "Guidance Manual for Preparation of Health Risk Assessments." A facility's standing within the program is determined based on established health risk thresholds, as referenced in Table 2:

Table 2: AB 2588 Health Risk Assessment Thresholds

Health Risk Thresholds	Risk Category
Cancer risk < 1 in a million, and Total hazard index of < 0.1	Low Risk
1 ≤ Cancer risk <10 in a million, or 0.1 ≤ Total hazard index ≤ 1.0	Intermediate Risk
Cancer risk > 100 in a million, or Total hazard index of > 10.0	Risk Reduction

Update Summary Facilities

Intermediate Priority and Intermediate Risk facilities are subject to a four-year update summary reporting procedure; these facilities are required to provide their annual activity and associated emissions inventory. This provides the District with updated facility data and assesses whether any operational alterations might impact the facility's health risk status under the program. It's imperative to emphasize that any facility changes necessitating a District permit or permit modification must gain District approval before implementation.

Industrywide and Small Single Source Facilities

According to the state's regulations, certain smaller commercial facilities fall under a streamlined assessment process known as "industrywide" assessment. These facilities, such as gasoline dispensing facilities, dry cleaning operations, and automotive coating facilities, are characterized by easily calculable and generic air toxics emissions at the individual facility Level.

Gasoline Service Station Industrywide Risk Assessment Guidance

To support air districts in fulfilling their obligations under AB 2588 regarding Gasoline Dispensing Facilities (GDF), CARB and the California Air Pollution Control Officers Association (CAPCOA) collaborated to develop an updated standardized Gasoline Service Station Industrywide Risk Assessment Guidance in 2022. This guidance furnishes a structured approach for air districts to assess public health risks associated with GDFs, replacing the outdated 1997 Gasoline Service Station Industrywide Risk Assessment Guidelines previously utilized for health risk evaluations. The 2022 technical guidance incorporates new health risk methodologies, updated emission factors specific to gas stations, and updated information regarding the toxic chemicals in gasoline. Given the substantial changes in methodology and the statewide initiative to evaluate GDFs under AB 2588, the District recently assessed permitted GDF facilities in El Dorado County, utilizing the maximum allowable permitted gallon throughput in the assessment. A detailed list of the facilities evaluated and their current status under AB 2588 can be found in Appendix C.

Air Toxics Hot Spot Assessments Summary

The District has finalized 99 AB 2588 facility assessments in 2024. Table 3 below identifies the number of facilities assessed through a prioritization analysis (after completion of a Plan and Report), applicability exemption determination, or a health risk assessment (after completion of a prioritization).

Table 3: Summary of Facilities Assessed Under AB 2588

AB 2588 Category	Number of Facilities Assessed in 2024
Low/Exempt Priority	48
Low/Exempt Risk	0
Intermediate Priority	50
Intermediate Risk	1
High Priority	0
Public Notification	0
Total	99

Appendices

Appendix A: Facilities Assessed Under AB 2588 in 2024 Appendix B: Update Summary Facilities Evaluated Appendix C: Gasoline Dispensing Facilities Evaluated Appendix D: AB 2588 District Implementation Flow Chart

Appendix A. Facilities Assessed under AB 2588 in 2024

Appendix A includes a detailed list of the facilities assessed under AB 2588 in 2024.

Table A1. Facilities Prioritized in 2024

Facility Name	City	Carcinogenic Score	Non- Carcinogenic Score	Prioritization Category
EID-SALMON FALLS BOOSTER				
PUMP STATION	EL DORADO HILLS	0.31	0.13	Low/Exempt
T-MOBILE CA1327-PHASE 1B	POLLOCK PINES	0.80	0.09	Low/Exempt
T-MOBILE SF72XC556-CA1391	SHINGLE SPRINGS	0.80	0.09	Low/Exempt
T-MOBILE SC70503A	KYBURZ	0.80	0.09	Low/Exempt
NORTHSIDE SCHOOL	COOL	0.90	0.21	Low/Exempt
SMUD-JONES FORK POWERHOUSE	POLLOCK PINES	0.32	0.01	Low/Exempt
EID-ARROWBEE PUMP STATION	PLACERVILLE	2.68	0.17	Intermediate
EID-CAMBRIDGE OAKS LIFT STATION	CAMERON PARK	3.22	0.21	Intermediate
EID-STARBUCK LIFT STATION	RESCUE	0.23	0.10	Low/Exempt
EID-PONDEROSA HEIGHTS LIFT STATION	SHINGLE SPRINGS	2.08	0.16	Intermediate
EID-HIGHLAND VIEW PUMP STATION	PLACERVILLE	2.08	0.16	Intermediate
EID-COURTSIDE MANOR LIFT STATION	DIAMOND SPRINGS	0.23	0.09	Low/Exempt
EID-RESERVOIR 11 PUMP STATION	SHINGLE SPRINGS	0.23	0.09	Low/Exempt
EID-TRAVOIS LIFT STATION	RESCUE	0.23	0.09	Low/Exempt
EID-RESERVOIR 8 PUMP STATION	PLACERVILLE	0.23	0.09	Low/Exempt
EID-SUMMIT VIEW LIFT STATION	SHINGLE SPRINGS	0.23	0.09	Low/Exempt
EID-DOLOMITE RESERVOIR PUMP STATION	EL DORADO	0.23	0.09	Low/Exempt
EID-OAKRIDGE TANK PUMP STATION	EL DORADO HILLS	5.05	0.54	Intermediate
EID-UNION MINE PUMP STATION	DIAMOND SPRINGS	2.67	0.28	Intermediate
PG&E - GEORGETOWN	GEORGETOWN	4.56	0.49	Intermediate

PG&E - CAMERON PARK	CANAEDONI DADIV	1 21	0.41	Intermediate
COMMUNITY RESOURCE CTR	CAIVIERUN PARK	1.31	0.41	Intermediate
PG&E - EDC FAIR & EVENT				
CTR	PLACERVILLE	0.85	0.27	Low/Exempt
PG&E - EL DORADO HILLS				
COMMUNITY CTR	EL DORADO HILLS	0.85	0.27	Low/Exempt
PG&E - BLACK OAK MINE USD	GEORGETOWN	2.03	0.64	Intermediate
PG&E - GOLD TRAIL SCHOOL	PLACERVILLE	1.68	0.53	Intermediate

Table A2. Facilities with Health Risk Assessments Performed in 2024

Facility Name	City	Cancer Score	Acute Score	Chronic Score	Risk Category
Barton Memorial Hospital	South Lake Tahoe	7.90E-06	0.011	0.003	Intermediate

Appendix B. Update Summary Facilities Evaluated

Appendix B includes facilities that were re-evaluated as an update summary project.

Table B1. Facilities with Assessed AB 2588 Prioritization Scores

Facility Name	City	Carcinogenic Score	Non- Carcinogenic Score	Prioritization Category	Re- Evaluation Due
EID El Dorado Hills WWTP	El Dorado Hills	4.18	0.014	Intermediate	2026
Green Valley Mortuary	Placerville	3.81	1.02	Intermediate	2028

Table B2. Facilities with Health Risk Assessments Performed

Facility Name	City	Cancer Score	Acute Score	Chronic Score	Risk Category	Re- Evaluation Due
Marshall Medical	Placerville	2.52E-06	0.0007	0.0006	Intermediate	2027
Barton Memorial Hospital	South Lake Tahoe	7.90E-06	0.011	0.003	Intermediate	2028
ITW Rippey Corporation	El Dorado Hills	Revised HRA under review*			2029	

^{*}Revised HRA submitted in 2025 and will be included in the 2025 Annual Report

Appendix C. Gasoline Dispensing Facilities Evaluated

Table C1. Gasoline Dispensing Facilities Evaluated Toxic Emissions Summary

Table CT. Gasoline Disp	ensing racilities i	acilities Evaluated Toxic Emissions Summary			
Facility Name	City	Carcinogenic Score	Non- Carcinogenic Score	Prioritization Category	
SPEEDWAY NO. 1495	PLACERVILLE	1.60	0.58	Intermediate	
KB CAMINO	CAMINO	0.39	0.55	Low/Exempt	
VINEYARD MARKET	CAMERON PARK	0.76	0.56	Low/Exempt	
FALLEN LEAF MARINA	SO LAKE TAHOE	0.22	0.01	Low/Exempt	
SAFEWAY #1724	PLACERVILLE	8.36	0.70	Intermediate	
SKI RUN MARINA	SO LAKE TAHOE	3.21	0.17	Intermediate	
GREEN VALLEY FOOD & FUEL	EL DORADO HILLS	2.01	0.58	Intermediate	
ROBINSON ENTERPRISES INC	GEORGETOWN	1.17	0.57	Intermediate	
FUEL 4 LESS	PLACERVILLE	1.67	0.57	Intermediate	
KIRKWOOD STATION	KIRKWOOD	2.23	0.12	Intermediate	
SOUTH TAHOE CHEVRON	SO LAKE TAHOE	0.39	0.55	Low/Exempt	
CAMP RICHARDSON MARINA	SO LAKE TAHOE	0.47	0.02	Low/Exempt	
TAHOE ROADRUNNER	SO LAKE TAHOE	0.84	0.56	Low/Exempt	
AMERICAN GASOLINE	SO LAKE TAHOE	0.50	0.55	Low/Exempt	
BONFARE MARKETS #46	DIAMOND SPRINGS	1.67	0.58	Intermediate	
FRESH POND PETRO INC	POLLOCK PINES	0.10	0.14	Low/Exempt	
SAFEWAY #2683	EL DORADO HILLS	6.42	0.70	Intermediate	
ARCO AM/PM MINI MARKET	CAMERON PARK	5.14	0.67	Intermediate	
SHELL AT PLACERVILLE	PLACERVILLE	1.28	0.58	Intermediate	
SHELL CRYSTAL VIEW STATION	POLLOCK PINES	1.16	0.57	Intermediate	
QUIK STOP MARKET #161	DIAMOND SPRINGS	2.77	0.61	Intermediate	
H&S ENERGY #3064	SO LAKE TAHOE	1.22	0.57	Intermediate	
LIQUOR SHACK	SO LAKE TAHOE	0.50	0.55	Low/Exempt	
ROCKET #7237	SHINGLE SPRINGS	3.85	0.64	Intermediate	
H&S ENERGY #3073	CAMERON PARK	1.99	0.59	Intermediate	
AISLE 1 #2177	SO LAKE TAHOE	4.60	0.63	Intermediate	
TAHOE TOMS	SO LAKE TAHOE	0.39	0.55	Low/Exempt	
SEERAT INC AMERICAN GAS	SO LAKE TAHOE	0.50	0.55	Low/Exempt	
ARCO AMPM CAMINO	CAMINO	0.64	0.56	Low/Exempt	
PLACERVILLE CHEVRON	PLACERVILLE	0.54	0.56	Low/Exempt	
HANGTOWN FUEL STOP	PLACERVILLE	0.50	0.55	Low/Exempt	
EDH - 76	EL DORADO HILLS	1.60	0.58	Intermediate	

SAFEWAY #1824 FUEL				
CENTER	SO LAKE TAHOE	5.14	0.67	Intermediate
U.S. GASOLINE	SO LAKE TAHOE	0.50	0.55	Low/Exempt
CAMERON PARK CHEVRON	CAMERON PARK	2.12	0.60	Intermediate
GREEN VALLEY CONVENIENCE			0.00	carace
CENTER	EL DORADO HILLS	5.02	0.64	Intermediate
MOTHER LODE MINI MART	PLACERVILLE	0.51	0.55	Low/Exempt
KWIK SERV	CAMERON PARK	1.60	0.58	Intermediate
SAFEWAY #0748 FUEL				
CENTER	EL DORADO HILLS	3.08	0.62	Intermediate
7-ELEVEN #1046416	PLACERVILLE	0.64	0.55	Low/Exempt
AVORY'S 13 MILE POST	POLLOCK PINES	0.96	0.57	Low/Exempt
HASSAN #1006	CAMERON PARK	3.21	0.62	Intermediate
7-ELEVEN #42085	PLACERVILLE	1.25	0.57	Intermediate
PLACERVILLE VALERO	PLACERVILLE	1.67	0.58	Intermediate
KWIK SERV	PLACERVILLE	3.34	0.61	Intermediate
CAMERON PARK SINCLAIR	CAMERON PARK	2.51	0.59	Intermediate
H&S ENERGY #3032	DIAMOND SPRINGS	1.59	0.57	Intermediate
HUNT & SONS	SHINGLE SPRINGS	0.50	0.55	Low/Exempt
SILVER FORK STORE	KYBURZ	0.50	0.55	Low/Exempt
RIVERSIDE MINI MART	LOTUS	0.50	0.55	Low/Exempt
7-ELEVEN #42084	COOL	0.92	0.56	Low/Exempt
VP RACING FUELS	PLACERVILLE	0.96	0.57	Low/Exempt
GOLD HARVEST MARKET	SHINGLE SPRINGS	0.96	0.57	Low/Exempt
CAMERON PARK AIRPORT DISTRICT	CAMERON PARK	0.18	0.59	Low/Exempt
ROCKET #7966	CAMERON PARK	0.96	0.57	Low/Exempt
JIFFY MART	DIAMOND SPRINGS	1.84	0.57	Intermediate
SEERAT INC SWISS MART	SO LAKE TAHOE	0.80	0.56	Low/Exempt
MT AUKUM GENERAL STORE	MT. AUKUM	0.02	0.02	Low/Exempt
13 FUEL & FOOD	CAMINO	0.51	0.55	Low/Exempt
PLEASANT VALLEY CHEVRON	PLACERVILLE	0.50	0.55	Low/Exempt
7-ELEVEN #42031	GARDEN VALLEY	0.50	0.55	Low/Exempt
GRAYS MART & GAS	SOMERSET	0.39	0.55	Low/Exempt
SLY PARK RESORT	POLLOCK PINES	0.42	0.55	Low/Exempt
CAMP RICHARDSON MARINA	SO LAKE TAHOE	2.23	0.12	Intermediate
EDH - SHELL	EL DORADO HILLS	2.57	0.61	Intermediate
7-ELEVEN #41230	EL DORADO HILLS	4.01	0.62	Intermediate
КВ ТАНОЕ	SO LAKE TAHOE	1.93	0.59	Intermediate
EDH - VALERO	EL DORADO HILLS	1.60	0.58	Intermediate
TAHOE KEYS MARINA	SO LAKE TAHOE	2.69	0.14	Intermediate

2024 Annual Report on the District's Air Toxics Program

RANCHO CONVENIENCE CENTER	PLACERVILLE	2.89	0.61	Intermediate
HUNT & SONS	PLACERVILLE	2.21	0.12	Intermediate
FLYERS #751	SO LAKE TAHOE	3.12	0.17	Intermediate
DAWSON OIL CARDLOCK	DIAMOND SPRINGS	4.36	0.23	Intermediate

Appendix D. AB 2588 District Implementation Flow Chart

