# Draft Interim Design Standards and Guidelines for Multifamily, Mixed-Use, and Commercial Development

### Summary of Draft Revisions Following the PC-BOS Public Workshop, **September 17, 2024 Draft Revision** Topic Commenter **Draft Revision** Reference Section 1.1.B Additions / alterations to existing Planning Clarified and updated process for additions buildings Commission (PC) and alterations to structures. Section 2.0.B Architectural Design Zones Board of Moved Georgetown to Supervisors (BOS) Mid-Foothill Zone, (Architectural Design Zone because the requirements) Mountain/Lodge architectural style is not the best fit for this community. Section 2.0.B.3 Industrial Farmhouse architectural BOS Changed name from "Mill/Agrarian" to style "Industrial Farmhouse" because the name for the style is more commonly understood Section 2.0.B.4 Requirement of a proposed Staff Required that projects within Suburban Zone (Suburban Zone) architectural style provide plans and descriptions of architectural style and features. Section 2.0.C Alternative architectural styles and PC, Public Provided process for deviations from standards alternative architectural (Alternative architectural styles) styles or deviations. and Section 2.0.D (Deviations from use-specific or architectural style standards) Section 3.1.A. Wildlife-friendly fencing BOS, Public Prohibited barbed wire, Design Standard 3 chain link, and wire fencing. Prohibited sharp spikes atop ornamental metal

fencing.

Draft Revision	Topic	Commenter	Draft Revision
Reference			
Section 3.1.A, Design Standard 4	Masonry wall for projects abutting single-family residential zoned properties	Public	Specified height and provided texture requirement.
Section 3.1.B, Design Standard 1	Separation of apartment building walls that face one another for indoor privacy	Public	Specified distance and provided clarification for standard.
Section 3.1.D, Design Guideline 3	Access to public transportation and trails	Public	Encouraged projects to provide access to public transportation and trails.
Section 3.1.G (Parking garages)	Parking garage height	Public	The parking garage height will rely on current zone development standards. There is also a requirement of screening all parking areas, including parking garages, from streets and property lines.
Section 3.1.I, Design Standard 3	Required children's play area	Board of Supervisors (BOS)	Modified language to exempt age-restricted multifamily or mixed use projects from this requirement.
Section 3.1.J (Utilities, service areas, and storage)	Snow considerations	PC	DOT and Fire will review access requirements. If applicable, DOT Maintenance may provide a condition of approval regarding snow storage.

Draft Revision	Торіс	Commenter	Draft Revision
Reference			
Section 3.2.A (Wall form and massing)	Building step back requirement	Staff	Removed this requirement, because it is not compatible with several architectural styles (e.g., Mountain / Lodge). Massing break and articulation requirements will minimize perception of bulk. Also, in areas with snow, step backs will lead to snow drift and require roofs that accommodate heavier snow loads.
Section 3.2.B (Exterior building materials)	Brick	Public	Removed restrictions on unpainted brick in permitted building materials.
Section 3.2.B, Design Standard 3.c.1	Stucco	Public	Increased percentage of allowed stucco on a building, because it is a fire-resistant material and may be attractive in conjunction with other high quality and durable materials.
Section 3.2.B, Design Standard 3.c.3	Vinyl windows	BOS	Permitted vinyl when applied to windows.
Section 3.2.F, Design Standard 1	Integration of roofline with building design	BOS	Incorporated existing El Dorado Hills Town Center West design guideline as part of this design standard.
Section 4.1, Design Standard 3	Clarification of density	Staff	Made density requirements for mixed use projects consistent with Zoning Ordinance and Mixed Use Design Manual

Draft Revision	Торіс	Commenter	Draft Revision
Reference			
Section 5.1.A, Design Standard 4	Wildlife-friendly fencing	BOS, Public	Prohibited barbed wire, chain link, and wire fencing. Prohibited sharp spikes atop ornamental metal fencing.
Section 5.1.C, Design Standards 3 & 4	Access to public transportation and trails	Public	Encouraged projects to provide access to public transportation and trails.
Section 5.1.D (Parking)	Parking garage height	Public	The parking garage height will rely on current zone development standards. There is also a requirement of screening all parking areas, including parking garages, from streets and property lines.
Section 5.1.E, Design Guideline 7	Amenities for plazas & outdoor spaces	BOS	Incorporated El Dorado Hills Town Center West guideline regarding works of art as part of this guideline.
Section 5.2.D, Design Standard 1	Roofline articulation	Staff	Removed requirement of vertical articulation every fifty (50) feet in order to prevent scenario where different commercial uses may require deviation from this standard. The standard states that roofline articulation is required.
Chapter 6.0 (Architectural Styles)	Wood alternatives	Public	Provided fire-resistant alternatives to wood, such as fiber cement.

Draft Revision	Topic	Commenter	Draft Revision
Reference			
Chapter 6.0	Standards vs. guidelines	PC	Crafted and updated
(Architectural			standards that mandate
Styles)			basic elements while
			allowing for flexibility
			and economy (e.g.,
			requiring "minimum"
			standards). Created
			guidelines to share
			preferred characteristics
			or features.
Chapter 7.0	Glossary	BOS, PC, and Public	Provided visual
(Glossary)	_		glossary.
Throughout	Edits for internal and external	Staff	Made edits to the
document	consistency, objectivity, and		document to ensure
	enforceability.		clarity and consistency
			within this document
			and with other County
			standards, prevent
			conflicts with existing
			regulations, and
			establish objective and
			enforceable standards.