

Bids/Quotes Evaluation		VENDOR	Sourcewell Contract #120617-CAT Pricing from Holt of California		Holt of California Standard Discount Pricing for EDC		WW Grainger	
		LOCATION	West Sacramento, CA		West Sacramento, CA		Lake Forest, IL	
Bid / RFQ # XQ125 Generator		DATE CALLED	4/12/2022		4/12/2022			
Department Procurement & Contracts		Date Quoted / Quote Firm # days						
		CONTACT	David Harris		David Harris		Yolanda Winters	
Buyer/Phone Rick Blake (530) 621-5873		PHONE / FAX	916-373-4197		916-373-4197		209-483-1182	
QTY	U/M	DESCRIPTION	UNIT PRICE	EXTENSION	UNIT PRICE	EXTENSION	UNIT PRICE	EXTENSION
1	Each	Caterpillar XQ125 Mobile Deisel Powered Generator Set (Note: WW Grainger quoted an "equivalent" Generac brand product).	\$93,204.00	\$93,204.00	\$99,417.00	\$99,417.00	\$125,855.96	\$125,855.96
			DELIVERY / ARO		DELIVERY / ARO		DELIVERY / ARO	
			\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
			DELIVERY / ARO		DELIVERY / ARO		DELIVERY / ARO	
			\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
			DELIVERY / ARO		DELIVERY / ARO		DELIVERY / ARO	
				\$0.00		\$0.00		\$0.00
			DELIVERY / ARO		DELIVERY / ARO		DELIVERY / ARO	
NOTES  WW Grainger quoted an "equivalent" Generac brand product.			SUBTOTAL		SUBTOTAL		SUBTOTAL	
			\$93,204.00		\$99,417.00		\$125,855.96	
			DISC. %	\$0.00	DISC. %	\$0.00	DISC. %	\$0.00
			L.V.P. 5%		L.V.P. 5%		L.V.P. 5%	
			FREIGHT		FREIGHT		FREIGHT	
			\$0.00		\$0.00		\$0.00	
TAX %	\$0.00	TAX %	\$0.00	TAX %	\$0.00			
			TOTAL		TOTAL		TOTAL	
			\$93,204.00		\$99,417.00		\$125,855.96	

April 12, 2022

Project: El Dorado County 120617-CAT

Quote # ddh020322C – Sourcewell Pricing – ID # 101387

---

Holt of California, Inc is pleased to present the following quotation:

**XQ125 – 110kW – Diesel Powered Genset - \$93,204.00**

EPA/CARB TIER 4 FINAL EMISSION CERTIFIED

60 Hz, 110kW STANDBY - 277V/480V

125C TEMP RISE OVER 40C AMBIENT

STANDARD ALTERNATOR

ALTERNATOR SPACE HEATER

EMCP4.2B CONTROL PANEL

STANDARD 2-YEAR STANDBY WARRANTY

STANDARD GOVERNOR

DFA CONTRACT NUMBER

3POLE CB

STANDARD BASE

STANDARD ENCLOSURE – Rated 66dBA @ 23 Feet

TRAILER HYDRAULIC BRAKES

HITCH PINTLE

STANDARD RADIATOR

STANDARD MUFFLER

IVR12 PERMANENT MAGNET

INTEGRATED VOLTAGE REGULATOR

WET BATTERY - BATTERY CHARGER UL10A 120VAC

JACKET WATER HEATER

**Cat Clean Emissions Module (CEM)**

•Engine mounted Aftertreatment module contains of Diesel Oxidation Catalyst (DOC)and Selective Catalytic Reduction (SCR)

•Aftertreatment remains invisible to the equipment operator when in use

•No requirement for ash servicing

•Service free for life of the engine

**Diesel Exhaust Fluid (DEF) System**

•DEF tank provides more than 24 hrs runtime@ 75% load.

•Electrically heated DEF lines

Power Systems Division

3850 Channel Drive  
West Sacramento, CA 95691-3443  
(916) 373-4197  
(888) 373-1359 Toll Free  
(916) 373-4146 Fax

1521 West Charter Way  
Stockton, CA 95206-1112  
(209) 466-6000  
(800) 347-4658 Toll Free  
(209) 467-4658 Fax

[www.holtca.com](http://www.holtca.com)

**DEF System**

- 8 gal (30 L) plastic DEF tank provides capacity to meet or exceed fuel tank run time at any given load.
- DEF tank is equipped with integrated level sensor and heating element to aid in cold weather operation.
- Electrically heated DEF lines
- DEF level gauge located on the control panel
- Equipped with low and critically-low level alarms and a critically-low shutdown

**Fuel System**

- 150 gal (568 L) double-wall fuel tank
- Fuel fill located in an isolated enclosed space away from the engine compartment with a lockable door
- Designed to meet UL 142, ULC 601
- Provides 24-hour runtime @ 75% prime
- Engine mounted electric priming pump
- Auxiliary connections for customer-supplied fuel transfer system with 3-way fuel transfer valve
- Engine mounted primary fuel filter with integral water separator
- Engine-mounted secondary fuel filter

**Pre-Deliver Inspection at Holt's West Sacramento Facility – Training Included**

**(Sales Tax Not Included in this Quote)**

**Delivery**

Pricing includes delivery. Depending on time of delivery lead-time can change' current lead time is 58 to 61 weeks.

**Exception and Clarification:**

**This quote is based on verbal specifications with the following exceptions/clarifications.**

**Note: The material listed in this quotation is our interpretation of the system requirements. We do not guarantee quantities, descriptions, etc. other than those shown. This quotation and Accompanying Bill of Material is to be considered as one entity. Any item not included in the Bill of Material is hereby excluded from our offer. Any deviations or additions will be subject to a revised quotation and may result in additional charges.**

**Power Systems Division**

3850 Channel Drive  
West Sacramento, CA 95691-3443  
(916) 373-4197  
(888) 373-1359 Toll Free  
(916) 373-4146 Fax

1521 West Charter Way  
Stockton, CA 95206-1112  
(209) 466-6000  
(800) 347-4658 Toll Free  
(209) 467-4658 Fax

[www.holtca.com](http://www.holtca.com)

**April 12, 2022**

**Project: El Dorado County**

**Quote # ddh020322D – Non-Sourcewell Pricing**

---

**Holt of California, Inc is pleased to present the following quotation:**

**XQ125 – 110kW – Diesel Powered Genset - \$99,417.00**

EPA/CARB TIER 4 FINAL EMISSION CERTIFIED

60 Hz, 110kW STANDBY - 277V/480V

125C TEMP RISE OVER 40C AMBIENT

STANDARD ALTERNATOR

ALTERNATOR SPACE HEATER

EMCP4.2B CONTROL PANEL

STANDARD 2-YEAR STANDBY WARRANTY

STANDARD GOVERNOR

DFA CONTRACT NUMBER

3POLE CB

STANDARD BASE

STANDARD ENCLOSURE – Rated 66dBA @ 23 Feet

TRAILER HYDRAULIC BRAKES

HITCH PINTLE

STANDARD RADIATOR

STANDARD MUFFLER

IVR12 PERMANENT MAGNET

INTEGRATED VOLTAGE REGULATOR

WET BATTERY - BATTERY CHARGER UL10A 120VAC

JACKET WATER HEATER

**Cat Clean Emissions Module (CEM)**

•Engine mounted Aftertreatment module contains of Diesel Oxidation Catalyst (DOC)and Selective Catalytic Reduction (SCR)

•Aftertreatment remains invisible to the equipment operator when in use

•No requirement for ash servicing

•Service free for life of the engine

**Diesel Exhaust Fluid (DEF) System**

•DEF tank provides more than 24 hrs runtime@ 75% load.

•Electrically heated DEF lines

**Power Systems Division**

3850 Channel Drive  
West Sacramento, CA 95691-3443  
(916) 373-4197  
(888) 373-1359 Toll Free  
(916) 373-4146 Fax

1521 West Charter Way  
Stockton, CA 95206-1112  
(209) 466-6000  
(800) 347-4658 Toll Free  
(209) 467-4658 Fax

[www.holtca.com](http://www.holtca.com)

**DEF System**

- 8 gal (30 L) plastic DEF tank provides capacity to meet or exceed fuel tank run time at any given load.
- DEF tank is equipped with integrated level sensor and heating element to aid in cold weather operation.
- Electrically heated DEF lines
- DEF level gauge located on the control panel
- Equipped with low and critically-low level alarms and a critically-low shutdown

**Fuel System**

- 150 gal (568 L) double-wall fuel tank
- Fuel fill located in an isolated enclosed space away from the engine compartment with a lockable door
- Designed to meet UL 142, ULC 601
- Provides 24-hour runtime @ 75% prime
- Engine mounted electric priming pump
- Auxiliary connections for customer-supplied fuel transfer system with 3-way fuel transfer valve
- Engine mounted primary fuel filter with integral water separator
- Engine-mounted secondary fuel filter

**Pre-Deliver Inspection at Holt's West Sacramento Facility – Training Included**

**(Sales Tax Not Included in this Quote)**

**Delivery**

Pricing includes delivery. Depending on time of delivery lead-time can change' current lead time is 58 to 61 weeks.

**Exception and Clarification:**

**This quote is based on verbal specifications with the following exceptions/clarifications.**

**Note: The material listed in this quotation is our interpretation of the system requirements. We do not guarantee quantities, descriptions, etc. other than those shown. This quotation and Accompanying Bill of Material is to be considered as one entity. Any item not included in the Bill of Material is hereby excluded from our offer. Any deviations or additions will be subject to a revised quotation and may result in additional charges.**

**Power Systems Division**

3850 Channel Drive  
West Sacramento, CA 95691-3443  
(916) 373-4197  
(888) 373-1359 Toll Free  
(916) 373-4146 Fax

1521 West Charter Way  
Stockton, CA 95206-1112  
(209) 466-6000  
(800) 347-4658 Toll Free  
(209) 467-4658 Fax

[www.holtca.com](http://www.holtca.com)



# Customer Quotation.

<b>Ship To:</b> EL DORADO CNTY BUILDING & GROUND  2850 FAIRLANE CT PLACERVILLE, CA 95667-4100 US Shipper Account:	<b>Information</b> Grainger Quote Number 2050573560 Print Date 04/05/2022 Customer Account 822964821 Department Number Contact Name KEVIN GILLILAND Contact Phone 5306215377 Contact Fax Contact Email kevin.gilliland@edcgov.us Customer PO Customer Job Name
---	--

**eQuote Information:**  
 Quote 2050573560 has been delivered to Grainger websites and Kevin Gilliland has been notified via email that the quote is available for on-line purchasing.

**Comments:** One or more items may be non-cancelable /non-returnable. Please see item notes below.

Line	Description	MFG Part No	Lead Time Bus.days	Qty.	Unit	Quote Price	Extended Price
10	MDG MOBILE DIESEL GENERATORS Mfr Brand Name GENERAC Customer Part No.: Carrier: 22327 - FDX GROUND Cost expiration date: 06/30/2022 Taxable: NO	MDG150DF4	15	1	EA	123,900.59	123,900.59
20	CAM FEED BND 2SC 5W ABCDE 50FT Mfr Brand Name GENERAC Customer Part No.: Carrier: 22327 - FDX GROUND Cost expiration date: 06/30/2022 Taxable: NO Notes: Product is Non-Cancelable/Non-Returnable.	A0000493097	15	1	EA	1,955.37	1,955.37
Total Sell Price in USD							125,855.96

Thank You!

WW GRAINGER INC  
 827 FISHER DR  
 WATERLOO IA 50701-9371



# Customer Quotation.

## Information

Grainger Quote Number	2050573560
Print Date	04/05/2022
Customer Account	822964821
Page	2 / 2

This is not an invoice. Changes to product or quantities may result in different pricing. Availability and lead times are subject to change and can be confirmed at order placement. Additional lead time may apply for AK and HI. Unless otherwise stated, these items are sold for domestic consumption in the United States. If exported, purchaser assumes full responsibility for compliance with U. S. export control. Contact Sales Rep. or Grainger branch listed below for questions, order placement or to submit a new request. RETURN POLICY: Sourced Product is subject to the manufacturer's return policy and may not be returnable. Please contact Grainger at Customer Care at 1-800-GRAINGER (472-4643) to verify whether your Sourced Product item(s) can be returned. A restocking fee and other charges may apply. Returned Sourced Product must be in new/unused and in original packaging. Customer is responsible for return shipping costs for Sourced Products. No cancellations, refunds or credits are allowed for items marked in Sourced Product quotations or invoices as "Non-Cancellable" or "Non-Returnable".

Thank You!

WW GRAINGER INC  
827 FISHER DR  
WATERLOO IA 50701-9371

800-Grainger  
[www.grainger.com](http://www.grainger.com)

Page 2 / 2

22-0716 C 7 of 7