Winner Chevrolet

1624 S Canyon Way Colfax, Ca 95713 (916) 509-8597 To: Nathan Haynes El Dorado County 2443 Headington Rd Placerville, Ca 95667 (530) 642-4900 Replaces 11-699, 12-345, 11-220 **DATE** June 27, 2024 **Quotation #** D4569

Prepared by: David Brewer

Comments or special instructions: Vehicle build and options are in additional pages. State Contract # 1-22-23-20D

	Description			AMOUNT
Line 29				\$ 42,685.00
Estimated options/2025 price				\$ 5,850.00
***** QUOTE WILL BE UPDATED	ONCE PRICIN	<mark>G IS RELEASED E</mark>	BY GM *****	
**** Please review, sign, ar				
**** specs with the PO or	the vehicle w	vill not be ordere	ed. ****	
****Shipping charge added for deliver	ies beyond Sacra	amento. No charge	for will call.****	
			Subtotal	\$ 48,535.00
		-	DOC Fee	\$ 85.00
(Order Acknowledgment Signature	e) (Date)	-	Faxable Subtotal:	\$ 48,620.00
	Tax Rate(Su	ibject to change):	7.250%	\$ 3,524.95
CA Tire Fee: \$1.75 / Per Tire			Tire Fee:	\$8.75
			Delivery Charge:	\$ 150.00
			Total:	\$ 52,303.70

If you have any questions concerning this quotation, contact David Brewer at 916-509-8597 or email at Dbrewer@Lasherauto.com

THANK YOU FOR YOUR BUSINESS!

<mark>Qua</mark>	<mark>antity:</mark> 3	Description: 2023 Chevy Silverado 1500 Double Cab, Standard Bed	0 WT 4x	⁴ Class: 12XC
Rep	blaces: 11-699, 12-345, 11			
	ndard rranty:		Deliv	ery: a after receipt of order
	COMPONENT	SPECIFICATIONS	Y/N	Exceptions
1	Engine	TurboMax	Yes	
2	Wheelbase	Standard	Yes	
3	GVWR	7000 lbs.	Yes	
4	Steering	Power Assist w/Tilt Wheel & Cruise	Yes	
5	Transmission	8 Speed Automatic Transmission	Yes	
6	Differential	Rear axle 3.42 ratio w/ auto locking diff	Yes	
		Power 4 wheel disc w/anti-lock and		
7	Brakes	Traction Control	Yes	
8	Battery	Standard	Yes	
9	Alternator	Standard	Yes	
10	Cooling System	Standard	Yes	
11	Suspension	Standard	Yes	
12	Air Conditioning	Full Cabin Dual Zone HVAC System	-	Single zone
13	Air Bags	Standard	Yes	
14	Miles Per Gallon	N/A	-	
15	Wheels	17" Ultra Silver Painted Steel	Yes	
16	Tires	LT265/70R17 All Terrain	Yes	
17	Hub Caps	N/A	-	
18	Spare Tire	17" 265/70R17	Yes	
19	Windows	All Power, Front w/express up/dwn	Yes	
20	Wipers	Intermittent Adjustable	Yes	
21	Rear Window Defroster	Electronic Defogger	Yes	
22	Mirrors	Power/Heated outside Mirrors	Yes	
		Infotainment 3 plus 8" with Bluetooth		
23	Radio	hands free calling	Yes	
		Cloth Seating, Front 40/20/40 Bench,		
24	Seat(s)	rear bench w/fold up under seat storage	Yes	
25	Flooring	Vinyl	Yes	
26	Exterior Color	Summit White	Yes	
27	Interior Trim Color	Jet Black Vinyl	Yes	
28	Keys	3 Complete Sets Per Vehicle with Fobs	Yes	4 in total with 5H1 (Cheaper than ordering a single key/fob aftermarket)
29	Keyless Entry	Remote Fob	Yes	
30	Door Locks	All Power	Yes	
	DITIONAL FEATURES:		100	
	ar Camera	HD Rear Vision Camera	Yes	
	rk Truck Package	HD Air Filter, Skid Plates,	Yes	
	<u> </u>	Hitch Guidance, Trailer hitch, 4&7 pin	103	
	ilering Package	Connections, incl trailer brake controller	Yes	
	rk Truck Convenience	Rear window defogger, heated power	Yes	
	kage	mirrors, Cruise control		
	rk Truck Safety Package	Lane change alert, rear park assist, etc	Yes	
Che	evyTec Sprayon Bedliner		Yes	
Line	er protection package	Front and rear floor liners	No	No floor liner options available with vinyl flooring
	go Bed Lighting		Yes	
	V interior & bed outlets		Yes	
Ror	note start option available?		No	Available in higher trims





Note:Photo may not represent exact vehicle or selected equipment.

Specs for 2025 Silverado 1500 for El Dorado County D4569 11-699



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Table of Contents

- Vehicle Image
- Dealership Information
- Window Sticker
- Selected Model and Options
- Standard Equipment
- Weight Rating
- Technical Specifications

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Winner Chevrolet / Elk Grove Auto Group

Prepared By:

Winner Chevrolet / Elk Grove Auto Group

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Window Sticker

5

SUMMARY						
	Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck		MSRP:W/A			
	Interior:Jet Black, Cloth seat trim					
Exterior 1:Summit Whit	Exterior 1:Summit White					
Exterior 2:No color has	been selected.					
Engine, TurboMax						
Transmission, 8-speed	automatic, electronically controlled					
OPTIONS						
CODE	MODEL		MSRP			
CK10753	[Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck	W/A				
	OPTIONS					
1WT	Work Truck Preferred Equipment Group	W/A				
5H1	Key equipment, two additional key fobs.	W/A				
AKO	Glass, deep-tinted	Inc.				
AZ3	Seats, front 40/20/40 split-bench	W/A				
BAQ	Work Truck Package	W/A				
C49	Defogger, rear-window electric	Inc.				
CGN	Chevytec spray-on bedliner, Black	W/A				
CTT	Hitch Guidance	Inc.				
DLF	Mirrors, outside heated power-adjustable	Inc.				
DP6	Mirror caps, painted	Inc.				
G80	Auto-locking rear differential	W/A				
GAZ	Summit White	W/A				
GU6	Rear axle, 3.42 ratio	W/A				
H1T	Jet Black, Cloth seat trim	W/A				
IOR	Audio system, Chevrolet Infotainment 3 system	W/A				
JL1	Trailer brake controller, integrated	W/A				
K47	Air filter, heavy-duty	Inc.				
KC9	Power outlet, bed mounted, 120-volt	Inc.				

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Z82	Trailering Package	Inc.
YF5	Emissions, California state requirements	W/A
VQ2	Fleet Processing Option	W/A
VK3	License plate kit, front	W/A
VJH	Bumper, rear chrome	Inc.
V46	Bumper, front chrome	Inc.
UKK	Rear Pedestrian Alert	Inc.
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.
UFB	Rear Cross Traffic Braking	Inc.
UF2	LED Cargo Area Lighting	W/A
UD5	Front and Rear Park Assist, ultrasonic	Inc.
UBI	USB ports, rear, dual, charge-only	Inc.
U12	Lighting, perimeter	Inc.
RHM	Tire, spare, LT265/70R17, all-terrain, blackwall	Inc.
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel	W/A
RC5	Tires, LT265/70R17C all-terrain, blackwall	W/A
R9L	Deleted OnStar One Essentials (OnStar One Business Essentials for Fleet)	W/A
QT5	Tailgate, gate function manual with EZ Lift	W/A
PQA	WT Safety Package	W/A
PEB	WT Value Package	W/A
PCV	WT Convenience Package	Inc.
NZZ	Skid Plates	Inc.
MFC	Transmission, 8-speed automatic, electronically controlled	W/A
L3B	Engine, TurboMax	W/A
KI4	Power outlet, interior power outlet, 120-volt	W/A

FUEL ECONOMY

Est City:18 (2024) MPG

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Est Highway:21 (2024) MPG Est Highway Cruising Range:504.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Selected Model and Options

5

MODEL			
CODE	MODEL		
CK10753	2025 Chevrolet Silverado 1500 4WD Double	e Cab 147" Work Truck	
COLORS			
CODE	DESCRIPTION		
GAZ	Summit White		
EMISSIONS			
CODE	DESCRIPTION	_	REAR WEIGHT
YF5	Emissions, California state requirements	0.00 lbs	0.00 lbs
ENGINE			
CODE	DESCRIPTION	-	REAR WEIGHT
L3B	Engine, TurboMax (310 hp [231 kW] @ 5600 rpr torque [583 Nm] @ 3000 rpm) (STD) (Not availa Off-Road Package, (VYU) Snow Plow Prep Pack pickup bed delete.)	ble with (Z71) Z71	0.00 lbs
TRANSMISSI	N		
CODE	DESCRIPTION	_	REAR WEIGHT
MFC	Transmission, 8-speed automatic, electronically overdrive and tow/haul mode. Includes Cruise G Powertrain Grade Braking (STD) (Included and o (L3B) TurboMax engine. Requires (AZ3) front 40 seats.)	rade Braking and only available with	0.00 lbs
AXLE			
CODE	DESCRIPTION		REAR WEIGHT
GU6	Rear axle, 3.42 ratio	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

	UIPMENT GROUP		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs
WHEELS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)	0.00 lbs	0.00 lbs
TIRES			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RC5	Tires, LT265/70R17C all-terrain, blackwall	0.00 lbs	0.00 lbs
SPARE TIRE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RHM	Tire, spare, LT265/70R17, all-terrain, blackwall (When equipped with (E63) Durabed, pickup bed, included and only available with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete and requires (RC5) LT265/70R17C all- terrain, blackwall tires.)	0.00 lbs	0.00 lbs
PAINT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GAZ	Summit White	0.00 lbs	0.00 lbs
SEAT TYPE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

SEAT TRIM					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
H1T	Jet Black, Cloth seat trim	0.00 lbs	0.00 lbs		
RADIO					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs		
ADDITIONAL EQU	IIPMENT - PACKAGE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
PEB	WT Value Package includes (PCV) WT Convenience Package and (Z82) Trailering Package (Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs		
PQA	WT Safety Package includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFB) Rear Cross Traffic Braking, (V46) Chrome front bumper, (VJH) Chrome rear bumper, (UKK) Rear Pedestrian Alert and (DP6) high gloss Black mirror caps (Includes (U12) Perimeter Lighting. Requires (PCV) WT Convenience Package or (PEB) WT Value Package and (KI4) 120-volt power outlet. Not available with (DPO) trailer mirrors or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs		
PCV	WT Convenience Package includes (AKO) tinted windows, (C49) rear-window defogger and (DLF) power mirrors (Upgradeable to (DPO) trailer mirrors and includes (DD8) auto dimming rearview mirror.)	0.00 lbs	0.00 lbs		
Z82	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L84) 5.3L EcoTec3 V8 engine requires (G80) locking differential. Included with (PEB) WT Value Package.)	0.00 lbs	0.00 lbs		
BAQ	Work Truck Package Includes (NZZ) skid plates and (K47) heavy- duty air filter (Requires (QDV) 265/70R17 blackwall all-terrain tires or (RC5) LT265/70R17C all-terrain tires. Not available with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep Package.)	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
G80	Auto-locking rear differential (Required with (L84) 5.3L EcoTec3 V8 engine when (Z82) Trailering Package is ordered. Included with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
K47	Air filter, heavy-duty (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package. Available free flow as a SEO.)	0.00 lbs	0.00 lbs
JL1	Trailer brake controller, integrated (Requires (Z82) Trailering Package.)	0.00 lbs	0.00 lbs
NZZ	Skid Plates (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (9C1) Police Pursuit Package. Available free flow with Fleet or Government order type.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
V46	Bumper, front chrome (Requires (VJH) Chrome rear bumper and (E63) Durabed, pickup bed. Included with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
VJH	Bumper, rear chrome (Requires (V46) Chrome front bumper. Included with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
CGN	Chevytec spray-on bedliner, Black (does not include spray-on liner on tailgate due to Black composite inner panel) (Not available with (ZW9) pickup bed delete. Double Cab and Crew Cab models are available with Ship Thru codes (VCO), (VDT), (VYC) or (VYS). Crew Cab and Regular Cab models are available with Ship Thru codes (A6T), (TW3), (VI1), (VDJ), (VKZ) or (WEZ).)	0.00 lbs	0.00 lbs
U12	Lighting, perimeter (Included and only available with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
UF2	LED Cargo Area Lighting located in pickup bed, activated with switch on center switch bank or key fob	0.00 lbs	0.00 lbs
DLF	Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)	0.00 lbs	0.00 lbs
DP6	Mirror caps, painted (High gloss Black. Included and only available with (PQA) WT Safety Package. Not available with (DPO) trailering mirrors.)	0.00 lbs	0.00 lbs
АКО	Glass, deep-tinted (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
VK3	License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	0.00 lbs	0.00 lbs
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
КІ4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (QT5) EZ Lift power lock and release tailgate. Included with (5W4) Special Service Package and (9C1) Police Pursuit Package. Includes (UBI) USB ports.)	0.00 lbs	0.00 lbs
UBI	USB ports, rear, dual, charge-only (Included and only available with (KI4) 120-volt power outlet on Crew and Double Cab models only.)	0.00 lbs	0.00 lbs
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
5H1	Key equipment, two additional key fobs. Provides two additional spare key fobs for a total of (4). NOTE: programming of key fobs is at customer's expense. (Requires (SAF) spare tire lock. Not available with SEO (5Z4) spare wheel, carrier and lock delete or (AMF) Remote keyless entry package.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
UFB	Rear Cross Traffic Braking (Included and only available with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
UD5	Front and Rear Park Assist, ultrasonic (Included and only available with (PQA) WT Safety Package. Requires (KI4) Power Outlet.)	0.00 lbs	0.00 lbs
СТТ	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Included and only available with (Z82) Trailering Package.)	0.00 lbs	0.00 lbs
UKC	Lane Change Alert with Side Blind Zone Alert (Included and only available with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
UKK	Rear Pedestrian Alert (Included and only available with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
R9L	Deleted OnStar One Essentials (OnStar One Business Essentials for Fleet) (Requires (UE1) OnStar. Included and only available on vehicles being shipped to Puerto Rico, the Virgin Islands, or Guam.	0.00 lbs	0.00 lbs
ADDITIONAL EQUIP	PMENT - OTHER		

WEIG	
CODE DESCRIPTION FROM WEIG	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Standard Equipment

5

Package	
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Mechanical	
	Durabed, pickup bed
	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)
	GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.42 ratio
	Push Button Start
	Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included with (L3B) TurboMax engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Exterior	
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumpers, front, Black (semi-gloss)
	Bumpers, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed rated at 500 lbs per corner
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side o steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
	Taillamps with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black (Standard on Crew Cab and Double Cab models only. Not available on Regular Cab models.)
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
	Tailgate, gate function manual, no EZ Lift
Intertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Sirius XM, delete (Can be upgraded to (U2K) SiriusXM.)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Wireless phone projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
nterior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Interior	
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Steering column lock, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone manual
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Davtime Running Lamps with automatic exterior lamp control

Daytime Running Lamps with automatic exterior lamp control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	OnStar One Essentials (OnStar One Business Essentials for Fleet) Drive confidently with core OnStar services including select mobile app commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar One Essentials includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar One Essentials is standard for 8 years; services may require an OnStar paid plan to continue thereafter. See OnStar.com for service descriptions and terms.)
	HD Rear Vision Camera
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



WARRANTY

Warranty Note: <<< Preliminary 2025 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: Silverado TurboMaxTM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and gualified fleet vehicles: 5 years/100,000 miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60.000 Roadside Assistance Note: Silverado TurboMaxTM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Weight Ratings				
WEIGHT RATINGS				
Front Gross Axle Weight Rating:	3800 lbs			
Rear Gross Axle Weight Rating:	3800 lbs			
Gross Vehicle Weight Rating:	7000.00 lbs			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22820. Data Updated: Jun 26, 2024 6:44:00 PM PDT.

5

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
<i>l</i> ileage			
EPA Fuel Economy Est - Hwy	21 (2024) MPG	Cruising Range - City	432.00 mi
EPA Fuel Economy Est - City	18 (2024) MPG	Fuel Economy Est-Combined	19 (2024) MF
Cruising Range - Hwy	504.00 mi	Estimated Battery Range	N/A
Engine			
Engine Order Code	L3B	Engine Type	Turbocharge Gas I4
Displacement	2.7L/166	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220
Cooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

hicle			
missions			
Tons/yr of CO2 Emissions @ 15K mi/year	9.3 (2024)	EPA Greenhouse Gas Score	4 (2024)
nassis			
leight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2878 lbs
Curb Weight - Rear	1939 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	922.00 lbs
Reserve Axle Capacity - Rear	1861.00 lbs	As Spec'd Curb Weight	4817.00 lbs
As Spec'd Payload	2183.00 lbs	Maximum Payload Capacity	2183.00 lbs
Gross Combined Wt Rating	14500 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4817.00 lbs	Reserve Axle Capacity	2783.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7000.00 lbs
railering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9000 lbs	Wt Distributing Hitch - Max Tongue Wt.	900 lbs
Fifth Wheel Hitch - Max Trailer Wt.	9000 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2250 lbs
Maximum Trailering Capacity	9400 lbs		
rame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent coil- over-shock	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Chassis

Suspension			
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	RC5	Rear Tire Order Code	RC5
Spare Tire Order Code	RHM	Front Tire Size	LT265/70R17C
Rear Tire Size	LT265/70R17C	Spare Tire Size	LT265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

assis				
iel Tank				
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A	
nensions				
terior Dimensions				
Passenger Capacity	6	Front Head Room	43.03 in	
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in	
Front Hip Room	61.18 in	Second Head Room	39.88 in	
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in	
Second Hip Room	60.24 in			
aterior Dimensions				
Wheelbase	147.4 in	Length, Overall w/o rear bumper	N/A	
Length, Overall w/rear bumper	N/A Length, Overall		231.88 in	
Width, Max w/o mirrors	81.24 in	Height, Overall	75.63 in	
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A	
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A	
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A	
Ground to Top of Frame	N/A	Frame Width, Rear	N/A	
Ground Clearance, Front	8.08 in	Ground Clearance, Rear	8.08 in	
Body Length	0.00 ft	Cab to Body	N/A	
argo Area Dimensions				
Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in	
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A	
Cargo Volume	71.7 ft ³	Ext'd Cab Cargo Volume	N/A	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Winner Chevrolet

1624 S Canyon Way Colfax, Ca 95713 (916) 509-8597 To: Nathan Haynes El Dorado County 2443 Headington Rd Placerville, Ca 95667 (530) 642-4900 (1) New Add

Prepared by: David Brewer

Comments or special instructions: Vehicle build and options are in additional pages. State Contract # 1-22-23-20D

	Description			AMOUNT
Line 35				\$ 44,377.00
Upgrade to Double Cab long bed				\$ 5,575.00
Options				\$ 3,385.00
**** Please review, sign, a	nd return a co	py of the quote a	and ****	
**** specs with the PO o	r the vehicle w	/ill not be ordere	ed. ****	
****Shipping charge added for delive	ries beyond Sacra	amento. No charge	for will call.****	
			Subtotal	\$ 53,337.00
		_	DOC Fee	\$ 85.00
(Order Acknowledgment Signatur	e) (Date)	-	Taxable Subtotal:	\$ 53,422.00
	Tax Rate(Si	ubject to change):	7.250%	\$ 3,873.10
CA Tire Fee: \$1.75 / Per Tire			Tire Fee:	\$8.75
			Delivery Charge:	\$ 150.00
			Total:	\$ 57,453.85

If you have any questions concerning this quotation, contact David Brewer at 916-509-8597 or email at Dbrewer@Lasherauto.com

THANK YOU FOR YOUR BUSINESS!

Quantity: 1		Description: New (24/25) Chevrolet 2500F Truck, WT, 4x4, Double Cab, Long Bed (9		Class: 13XCD	
Rep	Replacing: (1) New Adds Unit Price:				
	ndard Delivery:			ery:	
vva	rranty:			after receipt of order	
4	COMPONENT	SPECIFICATIONS	Y/N	Exceptions	
1	Engine Wheelbase	6.6L V8 Gasoline	Yes Yes		
2	GVWR	Standard w/double cab long bed config 10,500LBS. Minimum	Yes	10 500 lb'a	
3			1	10,500 lb's	
4	Steering	POWER W/TILT WHEEL, CRUISE CONT.	Yes		
5	Transmission/TC	AUTOMATIC 10 SPEED W/MANUAL SHIFT-ON-THE-FLY TRANSFER CASE	Yes	Electric	
6	Differential(s)	4X4 3.73 Gear ratio, Limited-slip rear locker	Yes		
7	Brakes	POWER ANTI-LOCK DISC	Yes		
8	Battery	720 AMP MINIMUM MAINT FREE	Yes		
9	Alternator	150 AMP MINIMUM	Yes		
10	Cooling System	HEAVY DUTY TRAILER TOW, ENGINE OIL COOLER, TRANSMISSION COOLER	Yes		
11	Suspension	HEAVY DUTY TOW / OFF ROAD	Yes		
12	Air Conditioning	CAB HVAC	Yes		
13	Air Bags	STANDARD	Yes		
14	Miles Per Gallon	STANDARD	Yes		
15	Wheels	17" STEEL STAMPED STANDARD	Yes		
16	Tires	LT RATED ALL TERRAIN RADIAL	Yes		
17	Hub Caps	STANDARD	Yes		
18	Spare Tire	MATCHING FULL SIZE	Yes		
19	Windows	POWER W/DRIVER EXPRESS UP/DWN	Yes		
20	Wipers	INTERMITANT ADJUSTABLE	Yes		
21	Rear Window Defroster	ELECTRONIC	Yes		
22	Mirrors	POWER ADJUST, HEATED W/TOW EXTEND, MANUAL FOLDING	Yes		
23	Radio	AM/FM W/ HANDS FREE BLUETOOTH	Yes		
24	Seat(s)	HD WORK-GRADE VINYL 40/20/40, REAR BENCH FOLD UP	Yes		
25	Flooring	HD VINYL/RUBBER MAT (CARPET DELETE)	Yes		
26	Exterior Color	SUMMIT WHITE	Yes		
27	Interior Trim Color	Jet Black	Yes		
28	Keys/FOBS	3 Complete Sets Per Vehicle	Yes	Ordered with 5H1, cheaper than ordering a single set aftermarket	
29	Keyless Entry	REMOTE KEYLESS ENTRY FOBS	Yes		
30	Door Locks	POWER	Yes		
	DITIONAL FEATURES:		·		
	iler Control	Integral Trailer Brake Control (OEM)	Yes		
Тои	v Package	Trailer Hitch Pkg w/4 & 7 way Electrical	Yes		
	v Hooks	(2) front mounted recovery hooks	Yes		
Bac	kup Camera	OEM Backup Camera & Monitor	Yes		
	verse Sensor	Reverse Impact Warning Sensors	Yes		
Acc	. Switches	Up-fitter switches, 4 minimum toggle OEM	Yes		
Pac	kages	 (1) Z71 off road package with skid plates and off-road suspension, hill descent and LT265/70R17 all-terrain tires (2) Work Truck Convenience Package (3) W/T Safety Package 	Yes		

ITEMS 1- 30 --- if not a required spec item, enter "N/A" Additional Features: if not required, delete table row





Note:Photo may not represent exact vehicle or selected equipment.

Specs for 2025 Silverado 2500 for El Dorado County D4573 New Add



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Table of Contents

- Vehicle Image
- Dealership Information
- Window Sticker
- Selected Model and Options
- Standard Equipment
- Weight Rating
- Technical Specifications

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Winner Chevrolet / Elk Grove Auto Group

Prepared By:

Winner Chevrolet / Elk Grove Auto Group

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Window Sticker

Window Sticker			
SUMMARY			
[Fleet] 2025 Chevro	olet Silverado 2500HD (CK20953) 4WD Double Cab 162" Work Truck		MSRP:W/A
Interior:Jet Black, \	/inyl seat trim		
Exterior 1:Summit	White		
Exterior 2:No color	has been selected.		
Engine, 6.6L V8			
Transmission, Allis	on 10-Speed automatic		
OPTIONS			
CODE	MODEL		MSRP
CK20953	[Fleet] 2025 Chevrolet Silverado 2500HD (CK20953) 4WD Double Cab 162" Work Truck	W/A	
	OPTIONS		
1WT	Work Truck Preferred Equipment Group		\$0.00
5H1	Key equipment, two additional key fobs		\$45.00
9L7	Upfitter switch kit, (5)		\$150.00
AKO	Glass, deep-tinted	Inc.	
AZ3	Seats, front 40/20/40 split-bench		\$0.00
C49	Defonder rear-window electric	Inc	

AZ3	Seats, from 40/20/40 spin-bench		Ф 0.00
C49	Defogger, rear-window electric	Inc.	
C7G	GVWR, 10,500 lbs. (4763 kg)		\$0.00
DD8	Mirror, inside rearview auto-dimming	Inc.	
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass		\$660.00
E63	Durabed, pickup bed		\$0.00
GAZ	Summit White		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
H2G	Jet Black, Vinyl seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
JHD	Hill Descent Control	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI4	Power outlet, interior, 120-volt		\$225.00
L8T	Engine, 6.6L V8		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

МКМ	Transmission, Allison 10-Speed automatic		\$0.00
NQH	Transfer case, two-speed active		\$200.00
NZZ	Skid Plates	Inc.	
PCV	WT Convenience Package		\$785.00
PQA	WT/CX Safety Package		\$795.00
PYN	Wheels, 17" (43.2 cm) painted steel, Silver		\$0.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
QXT	Tires, LT265/70R17E all-terrain, blackwall	Inc.	
R9L	Deleted OnStar One Essentials (OnStar One Business Essentials for Fleet)	W/A	
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
UFG	Rear Cross Traffic Alert	Inc.	
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
V46	Bumper, front chrome	Inc.	
VJH	Bumper, rear chrome	Inc.	
VK3	License plate kit, front		\$0.00
VQ2	Fleet Processing Option		\$0.00
YF5	Emissions, California state requirements		\$0.00
Z71	Z71 Off-Road Package		\$525.00
ZXT	Tire, spare LT265/70R17E all-terrain, blackwall	Inc.	
	Suspension, Off-Road	Inc.	
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Destination Charge	W/A	
	TOTAL PRICE	W/A	

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Selected Model and Options

5

MODEL			
CODE	MODEL		
CK20953	2025 Chevrolet Silverado 2500HD 4WD Double Cab 162" Work	Truck	
COLORS			
CODE	DESCRIPTION		
GAZ	Summit White		
BODY CODE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
E63	Durabed, pickup bed (STD)	0.00 lbs	0.00 lbs
EMISSIONS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
YF5	Emissions, California state requirements	0.00 lbs	0.00 lbs
ENGINE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs
TRANSMISSION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
МКМ	Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs
GVWR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
C7G	GVWR, 10,500 lbs. (4763 kg) (STD) (Included and only available with CK20953 and (L8T) 6.6L V8 gas engine with 17" wheels.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

AXLE					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs		
PREFERRED EQUI	PMENT GROUP				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs		
WHEELS					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
PYN	Wheels, 17" (43.2 cm) painted steel, Silver (STD)	0.00 lbs	0.00 lbs		
TIRES					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
QXT	Tires, LT265/70R17E all-terrain, blackwall (Included with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs		
SPARE TIRE					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
ZXT	Tire, spare LT265/70R17E all-terrain, blackwall (Included and only available with (QXT) LT265/70R17E all-terrain, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QXT) LT265/70R17E all-terrain, blackwall tires are ordered.)	0.00 lbs	0.00 lbs		
PAINT					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT		
GAZ	Summit White	0.00 lbs	0.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

SEAT TYPE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs
SEAT TRIM			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs
RADIO			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
PQA	WT/CX Safety Package includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert and (UFG) Rear Cross Traffic Alert (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Requires (C49) rear-window defogger, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet and (DWI) trailer mirrors. Includes (V46) Chrome front bumper and (VJH) Chrome rear bumper. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
PCV	WT Convenience Package includes (QT5) EZ Lift power lock and release tailgate, (AKO) tinted windows, (C49) rear-window defogger, (DBG) power trailer mirrors with heated upper glass and manual extending/folding (Required on Regular Cab models with (L5P) Duramax 6.6L Turbo-Diesel V8 engine. (DBG) trailering mirrors may be upgraded to (DWI) trailer mirrors or (DLN) mirrors. Regular Cab models require (DWI) trailer mirrors or (DLN) mirrors.)	0.00 lbs	0.00 lbs
Z71	Z71 Off-Road Package includes (Z71) Off-Road suspension with off-road tuned twin tube Rancho shocks, (JHD) Hill Descent Control and (NZZ) skid plates (transfer case and oil pan) (Requires 4WD model. Includes (QXT) LT265/70R17 all-terrain, blackwall tires. "4X4" decals on bed are replaced with "Z71" fender badge. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
JHD	Hill Descent Control (Included and only available with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs
NQH	Transfer case, two-speed active electronic Autotrac with push button control (Requires a Fleet or Government Sales order and 4WD.)	0.00 lbs	0.00 lbs
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep/Camper Package.)	0.00 lbs	0.00 lbs
	Suspension, Off-Road includes twin-tube shocks (Included and only available with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
V46	Bumper, front chrome (Requires (VJH) Chrome rear bumper with (E63) Durabed, pickup bed. Available with (ZW9) pickup bed delete. Included with (PQA) WT/CX Safety Package.)	0.00 lbs	0.00 lbs
VJH	Bumper, rear chrome (Requires (V46) Chrome front bumper. Included with (PQA) WT/CX Safety Package.)	0.00 lbs	0.00 lbs
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass lower convex mirrors, turn signal indicators, puddle lamps, (U12) perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package. Includes (DD8) auto-dimming rearview mirror. (DD8) auto-dimming mirror will be upgraded to (DRZ) Rear Camera Mirror or (DRC) Partial video display rearview mirror when (UVO) Bed View Camera is ordered.)	0.00 lbs	0.00 lbs
AKO	Glass, deep-tinted (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
VK3	License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	0.00 lbs	0.00 lbs
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release (Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories. Kit with all required parts will be shipped loose with the truck for installation by the dealer or upfitter at customer expense. Installation instructions and technical assistance available at www.gmupfitter.com.	0.00 lbs	0.00 lbs
KI4	Power outlet, interior, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)	0.00 lbs	0.00 lbs
КС9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
DD8	Mirror, inside rearview auto-dimming (Included and only available with (DWI) trailer mirrors. Not available with (DRZ) Rear Camera Mirror.)	0.00 lbs	0.00 lbs
5H1	Key equipment, two additional key fobs Provides two additional spare key fobs for a total of (4). Note: programming of key fobs is at customer's expense. (Requires (SAF) spare tire lock. Not available with SEO (5Z4) spare wheel, carrier and lock delete or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
UD5	Front and Rear Park Assist, ultrasonic (Included and only available with (PQA) WT/CX Safety Package or (ZLQ) WT Fleet Convenience Package. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
UFG	Rear Cross Traffic Alert (Included and only available with (PQA) WT/CX Safety Package.)	0.00 lbs	0.00 lbs
UKC	Lane Change Alert with Side Blind Zone Alert (Included and only available with (PQA) WT/CX Safety Package. Not available with (ZW9).)	0.00 lbs	0.00 lbs
R9L	Deleted OnStar One Essentials (OnStar One Business Essentials for Fleet) (Requires (UE1) OnStar. Included and only available on vehicles being shipped to Puerto Rico, the Virgin Islands, or Guam.	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - OTHER				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
VQ2	Fleet Processing Option	0.00 lbs	0.00 lbs	
	Options Total	0.00 lbs	0.00 lbs	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Standard Equipment

5

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 10,500 lbs. (4763 kg) (STD) (Included and only available with CK20953 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
	Exhaust, single, side

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

xterior	
	Wheels, 17" (43.2 cm) painted steel, Silver (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17 all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bec delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) picku bed delete is ordered.)
	Moldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black (Not included on Regular Cab models.)
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
ntertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Entertainment	
	Wireless phone projection for Apple CarPlay and Android Auto
	Bluetooth for phone connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB Ports, 2, Charge/Data ports located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Interior	
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 2500 for El Dorado County D4573 New Add (Complete)

Safety-Interior	
	OnStar One Essentials (OnStar One Business Essentials for Fleet) Drive confidently with core OnStar services including select mobile app commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar One Essentials includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar One Essentials is standard for 8 years; services may require an OnStar paid plan to continue thereafter. See OnStar.com for service descriptions and terms.)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2025 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Corrosion Years (Rust-Through): 6 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Years: 5 Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Weight Ratings	
WEIGHT RATINGS	
Front Gross Axle Weight Rating:	N/A
Rear Gross Axle Weight Rating:	N/A
Gross Vehicle Weight Rating:	10500.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22820. Data Updated: Jun 26, 2024 6:44:00 PM PDT.

5

Technical Specifications

Powertrain

Transmission

Total Cooling System Capacity	N/A		
ooling System			
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
lectrical			
Engine Oil Cooler	Yes		
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Displacement	6.6L/-TBD-	Fuel System	Direct Injectio
Engine Order Code	L8T	Engine Type	Gas V8
ngine			
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
lileage			
Tenth Gear Ratio (:1)	N/A		
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Trans Type	10	Trans Description Cont.	Automatic

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

/ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	4012 lbs
Curb Weight - Rear	2817 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	6829.00 lbs
As Spec'd Payload	3671.00 lbs	Maximum Payload Capacity	3671.00 lbs
Gross Combined Wt Rating	24500 lbs	Gross Axle Weight Rating	N/A
Curb Weight	6829.00 lbs	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	10500.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	16000 lbs	Wt Distributing Hitch - Max Tongue Wt.	1600 lbs
Fifth Wheel Hitch - Max Trailer Wt.	18000 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4500 lbs
Maximum Trailering Capacity	17600 lbs		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22820. Data Updated: Jun 26, 2024 6:44:00 PM PDT.

5

Chassis

Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT	Front Tire Size	LT265/70R1
Rear Tire Size	LT265/70R17	Spare Tire Size	LT265/70R1
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- ir
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53.9 ft	Turning Diameter - Wall to Wall	N/A
srakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A

specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ssis				
el Tank				
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A	
nensions				
terior Dimensions				
Passenger Capacity	6	Front Head Room	43.03 in	
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in	
Front Hip Room	61.18 in	Second Head Room	39.88 in	
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in	
Second Hip Room	60.24 in			
terior Dimensions				
Wheelbase	162.48 in	Length, Overall w/o rear bumper	N/A	
Length, Overall w/rear bumper	N/A	Length, Overall	256.54 in	
Width, Max w/o mirrors	81.85 in	Height, Overall	79.8 in	
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A	
Front Bumper to Back of Cab	N/A	Cab to Axle	55.24 in	
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A	
Ground to Top of Frame	N/A	Frame Width, Rear	N/A	
Ground Clearance, Front	10.12 in	Ground Clearance, Rear	10.12 in	
Body Length	0.00 ft	Cab to Body	N/A	
argo Area Dimensions				
Cargo Box Length @ Floor	98.27 in	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.55 in	
Cargo Box (Area) Height	21 in	Tailgate Width	N/A	
Cargo Volume	83.5 ft ³	Ext'd Cab Cargo Volume	N/A	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Winner Chevrolet

1624 S Canyon Way Colfax, Ca 95713 (916) 509-8597 To: Nathan Haynes El Dorado County 2443 Headington Rd Placerville, Ca 95667 (530) 642-4900 Replaces 14-221

Prepared by: David Brewer

Comments or special instructions: Vehicle build and options are in additional pages. State Contract # 1-22-23-20D

	Description			AMOUNT
Line 41				\$ 43,462.00
Upgrade to Crew Cab 4x4				\$ 9,950.00
Options				\$ 4,050.00
**** Please review, sign, an	d return a co	py of the quote	and ****	
**** specs with the PO or	the vehicle w	vill not be order	ed. ****	
****Shipping charge added for deliveri	es beyond Sacra	amento. No charge	for will call.****	
			Subtotal	\$ 57,462.00
		-	DOC Fee	\$ 85.00
(Order Acknowledgment Signature)) (Date)		Taxable Subtotal:	\$ 57,547.00
	Tax Rate(Su	ubject to change):	7.250%	\$ 4,172.16
CA Tire Fee: \$1.75 / Per Tire			Tire Fee:	\$8.75
			Delivery Charge:	\$ 150.00
			Total:	\$ 61,877.91

If you have any questions concerning this quotation, contact David Brewer at 916-509-8597 or email at Dbrewer@Lasherauto.com

THANK YOU FOR YOUR BUSINESS!

Bid Vehicle State of Ca. Contract #; ORDERED WITH BED, BED DELETE REMOVES MOST OF SELECTED OPTIONS/PACKAGES

	antity: 1	Description: New (24/25) Chevrolet 3500 Crew Cab, Gas, SWR, 57" CA Cab & Chas		^{4x4} Class: 14XD
Rep	places 14-221 & New add	Unit Price:		
	ndard rranty:	· · · ·	Deliv # Days	ery: after receipt of order
	COMPONENT	SPECIFICATIONS	Y/N	Exceptions
1	Engine	HD 6.6L Gas Engine	Yes	
2	Wheelbase	Standard		172" wheelbase
3	GVWR	12,150 lbs. Minimum	No	11,700 lb's, DRW or Diesel needed for higher GVWR
4	Steering	POWER W/TILT WHEEL, CRUISE CONT.	Yes	Ĭ
5	Transmission/TC	AUTOMATIC 10 SPEED W/MANUAL SHIFT-ON-THE-FLY TRANSFER CASE	Yes	Electronic
6	Differential	4X4 W/HD REAR LOCKING 3.42 RATIO	Y/N	3.42 only available w/Diesel
7	Brakes	Power anti-lock disc brake	Yes	
8	Battery	720 AMP MAINT FREE	Yes	
9	Alternator	220 AMP HD	Yes	
10	Cooling System	HEAVY DUTY TRAILER TOW, ENGINE OIL COOLER, TRANSMISSION COOLER	Yes	
11	Suspension	HEAVY DUTY TRAILER TOW	Yes	
12	Air Conditioning	CAB HVAC	Yes	
13	Air Bags	STANDARD	Yes	
15	Wheels	18" Silver Painted Steel	Yes	
16	Tires	LT275/70R18 All terrain radials	Yes	
18	Spare Tire	MATCHING FULL SIZE	Yes	
19	Windows	POWER W/DRIVER EXPRESS UP/DWN	Yes	
20	Wipers	INTERMITANT ADJUSTABLE	Yes	
21	Rear Window Defroster	ELECTRONIC	Yes	
22	Mirrors	Larger Tow Mirrors, POWER ADJUST, HEATED W/ EXTEND, MANUAL FOLDING	Yes	
23	Radio	AM/FM STANDARD, Bluetooth	Yes	
24	Seat(s)	HD WORK-GRADE VINYL 40/20/40,	Yes	
25	Flooring	HD VINYL/RUBBER MAT (CARPET DELETE)	Yes	
26	Exterior Color	Summit White	Yes	
27	Interior Trim Color	Jet Black Vinyl	Yes	
28	Keys/FOBS	3 Complete Sets Per Vehicle	Yes	Ordered with 5H1 (2 extra sets), cheaper than ordering a single set aftermarket
29	Keyless Entry	REMOTE KEYLESS ENTRY FOBS	Yes	
30	Door Locks	POWER	Yes	
AD	DITIONAL FEATURES:			
	ler Control	Integral Trailer Brake Control (OEM)	Yes	
	/ Package	Trailer Hitch Pkg w/4 & 7 way Electrical	Yes	
	kup Camera	OEM Backup Camera & Monitor	Yes	
	. Świtches	Up-fitter switches, 4 minimum toggle OEM	Yes	
	ning Boards	Black Flat Type Full Cab Work-Steps	Yes	
	Off-road Package	Skid Plate Protection Pkg., Hill descent	Yes	
	k Truck Safety Package	Rear park assist, Lane change alert	Yes	

ITEMS 1- 30 --- if not a required spec item, enter "N/A" Additional Features: if not required, delete table row



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)



Note:Photo may not represent exact vehicle or selected equipment.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Table of Contents

- Vehicle Image
- Dealership Information
- Window Sticker
- Selected Model and Options
- Standard Equipment
- Weight Rating
- Technical Specifications

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Winner Chevrolet / Elk Grove Auto Group

Prepared By:

Winner Chevrolet / Elk Grove Auto Group

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Window Sticker

SUMMARY [Fleet] 2025 Chevrolet Silverado 3500HD (CK30943) 4WD Crew Cab 172" Work Truck MSRP:W/A Interior: Jet Black, Vinyl seat trim Exterior 1:Summit White Exterior 2:No color has been selected. Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline Transmission, Allison 10-speed automatic **OPTIONS** CODE MODEL **MSRP** CK30943 [Fleet] 2025 Chevrolet Silverado 3500HD (CK30943) 4WD Crew Cab W/A 172" Work Truck **OPTIONS** 1WT Work Truck Preferred Equipment Group \$0.00 5H1 Key equipment, two additional key fobs. \$45.00 9L7 Upfitter switch kit, (5) \$150.00 AZ3 Seats, front 40/20/40 split-bench \$0.00 C49 Defogger, rear-window electric \$225.00 DD8 Mirror, inside rearview auto-dimming Inc. \$660.00 DWI Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass E63 Durabed, pickup bed \$0.00 GVWR, 11,700 lbs. (5307 kg) with single rear wheels G3I \$0.00 Summit White \$0.00 GAZ GT4 Rear axle, 3.73 ratio \$0.00 H2G \$0.00 Jet Black, Vinyl seat trim IOR Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color \$0.00 touchscreen, AM/FM stereo JHD Hill Descent Control Inc. KC9 Power outlet, bed mounted, 120-volt Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Power outlet, interior, 120-volt

Data Version: 22820. Data Updated: Jun 26, 2024 6:44:00 PM PDT.

KI4

\$225.00



	TOTAL PRICE	W/A	
	Destination Charge	W/A	
	Adjustments Total	W/A	
	SUBTOTAL	W/A	
	Suspension, Off-Road	Inc.	
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall		\$0.00
ZLQ	WT Fleet Convenience Package		\$360.00
Z71	Z71 Off-Road Package		\$525.00
YF5	Emissions, California state requirements		\$0.00
VQO	LPO, Black work step		\$575.00
VQ2	Fleet Processing Option		\$0.00
VK3	License plate kit, front		\$0.00
VJH	Bumper, rear chrome	Inc.	
V46	Bumper, front chrome		\$200.00
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
UFG	Rear Cross Traffic Alert	Inc.	
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
SRW	Single Rear Wheels		\$0.00
R9L	Deleted OneStar One Essentials (OnStar One Business Essentials for Fleet)	W/A	
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall		\$0.00
PYT	Wheels, 18" (45.7 cm) painted steel		\$0.00
PQA	WT/CX Safety Package		\$795.00
NZZ	Skid Plates	Inc.	
NQH	Transfer case, two-speed active		\$200.00
МКМ	Transmission, Allison 10-speed automatic		\$0.00
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline		\$0.00
KW5	Alternator, 220 amps		\$150.00

FUEL ECONOMY

Est City:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14	-221 (🗸 Complete)
---	---------------------

DEL			
CODE	MODEL		
CK30943	2025 Chevrolet Silverado 3500HD 4WD Crew Cab 172" Work T	ruck	
DLORS			
CODE	DESCRIPTION		
GAZ	Summit White		
ODY CODE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
E63	Durabed, pickup bed (STD)	0.00 lbs	0.00 lbs
EAR WHEEL CO	NFIGURATION		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
SRW	Single Rear Wheels (STD)	0.00 lbs	0.00 lbs
MISSIONS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
YF5	Emissions, California state requirements	0.00 lbs	0.00 lbs
NGINE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs
RANSMISSION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
МКМ	Transmission, Allison 10-speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221	(🗸 Complete)
---	----------------

SVWR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
G3I	GVWR, 11,700 lbs. (5307 kg) with single rear wheels (STD) (Included and only available with CK30943 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)	0.00 lbs	0.00 lbs
XLE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GT4	Rear axle, 3.73 ratio (STD) (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs
PREFERRED EQU	IPMENT GROUP		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs
WHEELS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
ΡΥΤ	Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)	0.00 lbs	0.00 lbs
TIRES			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
QF6	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)	0.00 lbs	0.00 lbs
SPARE TIRE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models. Not available with dual rear wheels.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



PAINT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GAZ	Summit White	0.00 lbs	0.00 lbs
SEAT TYPE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs
SEAT TRIM			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs
RADIO			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
PQA	WT/CX Safety Package includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFG) Rear Cross Traffic Alert and (VJH) Chrome rear bumper (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Requires (C49) rear-window defogger, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet and (DWI) trailer mirrors. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
ZLQ	WT Fleet Convenience Package includes (QT5) EZ Lift power lock and release tailgate and (DBG) outside power-adjustable vertical trailering with heated upper glass (Requires a Fleet or Government Sales order and (UD5) Front and Rear Park Assist. Not available with (PCV) WT Convenience Package. (DBG) outside power- adjustable vertical trailering with heated upper glass can be upgraded to (DWI) trailer mirrors or (DLN) outside heated power- adjustable, manual folding mirrors.)	0.00 lbs	0.00 lbs
Z71	Z71 Off-Road Package includes (Z71) Off-Road suspension with off-road tuned twin tube Rancho shocks, (JHD) Hill Descent Control and (NZZ) skid plates (transfer case and oil pan) (Requires 4WD model. "4X4" decals on bed are replaced with "Z71" fender badge. Not available with dual rear wheels or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - MECHANICAL

0005			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
NQH	Transfer case, two-speed active electronic Autotrac with push button control (Requires a Fleet or Government Sales order and 4WD.)	0.00 lbs	0.00 lbs
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo- Diesel V8 engine or (VYU) Snow Plow Prep/Camper Package. Free flow on (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep/Camper Package.)	0.00 lbs	0.00 lbs
	Suspension, Off-Road includes twin-tube shocks (Included and only available with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



	EQUIPMENT -	EXTERIOR
ADDITIONAL		

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
V46	Bumper, front chrome (Requires (VJH) Chrome rear bumper with (E63) Durabed, pickup bed. Available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
VJH	Bumper, rear chrome (Requires (V46) Chrome front bumper. Included with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package. Includes (DD8) auto-dimming rearview mirror. (DD8) auto-dimming mirror will be upgraded to (DRZ) Rear Camera Mirror or (DRC) Partial video display rearview mirror when (UVO) Bed View Camera is ordered.)	0.00 lbs	0.00 lbs
VK3	License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	0.00 lbs	0.00 lbs
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release (Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories. Kit with all required parts will be shipped loose with the truck for installation by the dealer or upfitter at customer expense. Installation instructions and technical assistance available at www.gmupfitter.com.	0.00 lbs	0.00 lbs
KI4	Power outlet, interior, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)	0.00 lbs	0.00 lbs
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
DD8	Mirror, inside rearview auto-dimming (Included and only available with (DWI) trailer mirrors.	0.00 lbs	0.00 lbs
5H1	Key equipment, two additional key fobs. Provides two additional spare key fobs for a total of (4). NOTE: programming of key fobs is at customer's expense. (Requires (SAF) spare tire lock. Not available with SEO (5Z4) spare wheel, carrier and lock delete or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
JHD	Hill Descent Control (Included and only available with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
UD5	Front and Rear Park Assist, ultrasonic (Included and only available with (PQA) WT/CX Safety Package or (ZLQ) WT Fleet Convenience Package. Rear Park Assist not available with (ZW9).)	0.00 lbs	0.00 lbs
UFG	Rear Cross Traffic Alert (Included and only available with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
UKC	Lane Change Alert with Side Blind Zone Alert (Included and only available with (PQA) WT Safety Package. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
R9L	Deleted OneStar One Essentials (OnStar One Business Essentials for Fleet) (Requires (UE1) OnStar. Included and only available on vehicles being shipped to Puerto Rico, the Virgin Islands, or Guam.	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - LPO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
VQO	LPO, Black work step (dealer-installed) (Not available with any other assist steps.)	0.00 lbs	0.00 lbs	
ADDITIONAL EQ	QUIPMENT - OTHER			
CODE	DESCRIPTION	FRONT	REAR	

-	Options Total	0.00 lbs	0.00 lbs
VQ2	Fleet Processing Option	0.00 lbs	0.00 lbs
		WEIGHT	WEIGHT

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb- ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (STD) (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo- Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 11,700 lbs. (5307 kg) with single rear wheels (STD) (Included and only available with CK30943 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package
	Steering, Recirculating ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
	Exhaust, single, side

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete) Exterior Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.) Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.) Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E allterrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models. Not available with dual rear wheels.) Single Rear Wheels (STD) Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.) Bumpers, front, Black Bumpers, rear, Black BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.) CornerStep, rear bumper Moldings, beltline, Black Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.) Headlamps, halogen reflector with halogen Daytime Running Lamps IntelliBeam, automatic high beam on/off Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.) Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black (Not included on Regular Cab models.) Mirror caps, Black Glass, solar absorbing, tinted Door handles, Black grained Tailgate, standard (Deleted with (ZW9) pickup bed delete.) Tailgate and bed rail protection cap, top Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)

Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass, located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Interior	
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	OnStar One Essentials (OnStar One Business Essentials for Fleet) Drive confidently with core OnStar services including select mobile app commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar One Essentials includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar One Essentials is standard for 8 years; services may require an OnStar paid plan to continue thereafter. See OnStar.com for service descriptions and terms.)
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Indicator-Seat Belt WARNING, Rear Seat (Requires Crew Cab or Double Cab model.)
	Seat Belt Adjustable Guide Loops front row only (Included and only available on Crew Cab and Double Cab models.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire) (Not included on dual rear wheel models.)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2025 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Corrosion Years: 3 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Weight Ratings	
WEIGHT RATINGS	
Front Gross Axle Weight Rating:	5200 lbs
Rear Gross Axle Weight Rating:	7250 lbs
Gross Vehicle Weight Rating:	11700.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (
 Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MKM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
ileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
ngine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



wertrain			
Cooling System			
Total Cooling System Capacity	N/A		
hicle			
missions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
nassis			
Veight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	7250 lbs	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A
Gross Combined Wt Rating	26000 lbs	Gross Axle Weight Rating	12450.00 lk
Curb Weight	N/A	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	11700.00 lk
railering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	16000 lbs	Wt Distributing Hitch - Max Tongue Wt.	1600 lbs
Fifth Wheel Hitch - Max Trailer Wt.	18230 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4558 lbs
Maximum Trailering Capacity	20000 lbs		
rame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete)

Chassis

Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18
Rear Tire Size	LT275/70R18	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Steering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	57.0 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
• · · · ·			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4570 14-221 (Complete) Chassis **Brakes** Rear Brake Rotor Diam x Thickness N/A Drum - Rear (Yes or) N/A Rear Drum Diam x Width N/A **Fuel Tank** Fuel Tank Capacity, Approx 36 gal Aux Fuel Tank Capacity, Approx N/A **Fuel Tank Location** N/A Aux Fuel Tank Location N/A **Dimensions Interior Dimensions** 6 Front Head Room Passenger Capacity 43.03 in 44.54 in Front Leg Room Front Shoulder Room 66.02 in Front Hip Room 61.18 in Second Head Room 40.12 in Second Leg Room Second Shoulder Room 65.3 in 43.4 in 60.24 in Second Hip Room **Exterior Dimensions** Wheelbase 172 in Length, Overall w/o rear bumper N/A Length, Overall w/rear bumper N/A Length, Overall 266.06 in 80.67 in Width, Max w/o mirrors 81.85 in Height, Overall Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 55.24 in Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 11.14 in Ground Clearance, Rear 11.14 in Body Length 0.00 ft Cab to Body N/A **Cargo Area Dimensions** 98.27 in N/A Cargo Box Length @ Floor Cargo Box Width @ Top, Rear Cargo Box Width @ Floor 71.4 in Cargo Box Width @ Wheelhousings 50.55 in Cargo Box (Area) Height 21 in Tailgate Width N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Cargo Volume 83	3.5 ft ³	Ext'd Cab Cargo Volume	N/A
Cargo Area Dimensions			
Dimensions			
Specs for 2025 Silverado 3500 for El Do	orado County D4	570 14-221 (🗸 Complete)	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Winner Chevrolet

1624 S Canyon Way Colfax, Ca 95713 (916) 509-8597 To: Nathan Haynes El Dorado County 2443 Headington Rd Placerville, Ca 95667 (530) 642-4900 Replaces 14-144, 14-179

Prepared by: David Brewer

Comments or special instructions: Vehicle build and options are in additional pages. State Contract # 1-22-23-20D

Description		AMOUNT
Line 41	\$	43,462.00
Upgrade to Double Cab 4x4	\$	8,190.00
Options	\$	4,050.00
**** Please review, sign, and return a copy of the quote and ****		
**** specs with the PO or the vehicle will not be ordered. ****		
****Shipping charge added for deliveries beyond Sacramento. No charge for will call.****		
Subte	otal \$	55,702.00
DOC	Fee \$	85.00
(Order Acknowledgment Signature) (Date) Taxable Subto	tal: \$	55,787.00
Tax Rate(Subject to change): 7.25	0% \$	4,044.56
CA Tire Fee: \$1.75 / Per Tire Tire Tire	ee:	\$8.75
Delivery Char	ge: \$	150.00
Tota	al: \$	59,990.31

If you have any questions concerning this quotation, contact David Brewer at 916-509-8597 or email at Dbrewer@Lasherauto.com

THANK YOU FOR YOUR BUSINESS!

Bid Vehicle State of Ca. Contract #: ORDERED WITH BED, BED DELETE REMOVES MOST OF SELECTED OPTIONS/PACKAGES

Qua	<mark>intity:</mark> 1	Description: New (24/25) Chevrolet 3500 Double Cab, Gas, SWR, 57" CA Cab & Ch		4x4	Class: 14XD
Rep	laces 14-144 & 14-179	Unit Price:			
	ndard rranty:		Delive # Days		eipt of order
	COMPONENT	SPECIFICATIONS	Y/N		Exceptions
1	Engine	HD 6.6L Gas Engine	Yes		
2	Wheelbase	Standard		162"	wheelbase
3	GVWR	12,150 lbs. Minimum	No		0 lb's, DRW or Diesel ed for higher GVWR
4	Steering	POWER W/TILT WHEEL, CRUISE CONT.	Yes		
5	Transmission/TC	AUTOMATIC 10 SPEED W/MANUAL SHIFT-ON-THE-FLY TRANSFER CASE	Yes	Elect	ronic
6	Differential	4X4 W/HD REAR LOCKING 3.42 RATIO	Y/N	3.42 0	only available w/Diese
7	Brakes	Power anti-lock disc brake	Yes		
8	Battery	720 AMP MAINT FREE	Yes		
9	Alternator	220 AMP HD	Yes		
10	Cooling System	HEAVY DUTY TRAILER TOW, ENGINE OIL COOLER, TRANSMISSION COOLER	Yes		
11	Suspension	HEAVY DUTY TRAILER TOW	Yes		
12	Air Conditioning	CAB HVAC	Yes		
13	Air Bags	STANDARD	Yes		
15	Wheels	18" Silver Painted Steel	Yes		
16	Tires	LT275/70R18 All terrain radials	Yes		
18	Spare Tire	MATCHING FULL SIZE	Yes		
19	Windows	POWER W/DRIVER EXPRESS UP/DWN	Yes		
20	Wipers	INTERMITANT ADJUSTABLE	Yes		
21	Rear Window Defroster	ELECTRONIC	Yes		
22	Mirrors	Larger Tow Mirrors, POWER ADJUST, HEATED W/ EXTEND, MANUAL FOLDING	Yes		
23	Radio	AM/FM STANDARD, Bluetooth	Yes		
24	Seat(s)	HD WORK-GRADE VINYL 40/20/40,	Yes		
25	Flooring	HD VINYL/RUBBER MAT (CARPET DELETE)	Yes		
26	Exterior Color	Summit White	Yes		
27	Interior Trim Color	Jet Black Vinyl	Yes		
28	Keys/FOBS	3 Complete Sets Per Vehicle	Yes	sets)	ed with 5H1, (2 extra cheaper than ordering gle set aftermarket
29	Keyless Entry	REMOTE KEYLESS ENTRY FOBS	Yes		
30	Door Locks	POWER	Yes		
	DITIONAL FEATURES:		·		
	ler Control	Integral Trailer Brake Control (OEM)	Yes		
	Package	Trailer Hitch Pkg w/4 & 7 way Electrical	Yes		
	kup Camera	OEM Backup Camera & Monitor	Yes		
	. Switches	Up-fitter switches, 4 minimum toggle OEM	Yes		
	ning Boards	Black Flat Type Full Cab Work-Steps	Yes		
	Off-road Package	Skid Plate Protection Pkg., Hill descent	Yes		
	k Truck Safety Package	Rear park assist, Lane change alert	Yes		

ITEMS 1- 30 --- if not a required spec item, enter "N/A" Additional Features: if not required, delete table row



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)



Note:Photo may not represent exact vehicle or selected equipment.

Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Table of Contents

- Vehicle Image
- Dealership Information
- Window Sticker
- Selected Model and Options
- Standard Equipment
- Weight Rating
- Technical Specifications

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Winner Chevrolet / Elk Grove Auto Group

Prepared By:

Winner Chevrolet / Elk Grove Auto Group

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Window Sticker

SUMMARY [Fleet] 2025 Chevrolet Silverado 3500HD (CK30953) 4WD Double Cab 162" Work Truck MSRP:W/A Interior: Jet Black, Vinyl seat trim Exterior 1:Summit White Exterior 2:No color has been selected. Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline Transmission, Allison 10-speed automatic **OPTIONS** CODE MODEL **MSRP** CK30953 [Fleet] 2025 Chevrolet Silverado 3500HD (CK30953) 4WD Double W/A Cab 162" Work Truck **OPTIONS** 1WT Work Truck Preferred Equipment Group \$0.00 5H1 Key equipment, two additional key fobs. \$45.00 9L7 Upfitter switch kit, (5) \$150.00 AZ3 Seats, front 40/20/40 split-bench \$0.00 \$225.00 C49 Defogger, rear-window electric C7V GVWR, 11,600 lbs. (5262 kg) with single rear wheels \$0.00 DD8 Mirror, inside rearview auto-dimming Inc. DWI \$660.00 Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass E63 Durabed, pickup bed \$0.00 \$0.00 GAZ Summit White GT4 Rear axle, 3.73 ratio \$0.00 H2G \$0.00 Jet Black, Vinyl seat trim IOR Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color \$0.00 touchscreen, AM/FM stereo JHD Hill Descent Control Inc. KC9 Power outlet, bed mounted, 120-volt Inc. KI4 \$225.00 Power outlet, interior, 120-volt

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



	TOTAL PRICE	W/A	
	Destination Charge	W/A	
	Adjustments Total	W/A	
	SUBTOTAL	W/A	
	Suspension, Off-Road	Inc.	
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall		\$0.00
ZLQ	WT Fleet Convenience Package		\$360.00
Z71	Z71 Off-Road Package		\$525.00
YF5	Emissions, California state requirements		\$0.00
VQO	LPO, Black work step		\$575.00
VQ2	Fleet Processing Option		\$0.00
VK3	License plate kit, front		\$0.00
VJH	Bumper, rear chrome	Inc.	
V46	Bumper, front chrome		\$200.00
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
UFG	Rear Cross Traffic Alert	Inc.	
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
SRW	Single Rear Wheels		\$0.00
R9L	Deleted OneStar One Essentials (OnStar One Business Essential for Fleet)	s W/A	
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall		\$0.00
PYT	Wheels, 18" (45.7 cm) painted steel		\$0.00
PQA	WT/CX Safety Package		\$795.00
NZZ	Skid Plates	Inc.	
NQH	Transfer case, two-speed active		\$200.00
MKM	Transmission, Allison 10-speed automatic		\$0.00
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline		\$0.00
KW5	Alternator, 220 amps		\$150.00

FUEL ECONOMY

Est City:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

DEL			
CODE	MODEL		
CK30953	2025 Chevrolet Silverado 3500HD 4WD Double Cab 162" Work	Truck	
LORS			
CODE	DESCRIPTION		
GAZ	Summit White		
DY CODE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
E63	Durabed, pickup bed (STD)	0.00 lbs	0.00 lbs
AR WHEEL CO	NFIGURATION		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
SRW	Single Rear Wheels (STD)	0.00 lbs	0.00 lbs
ISSIONS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
YF5	Emissions, California state requirements	0.00 lbs	0.00 lbs
GINE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs
ANSMISSION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
МКМ	Transmission, Allison 10-speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado Coun	ty D4571 14-144	(🞺 Complete)
--	-----------------	----------------

GVWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
C7V	GVWR, 11,600 lbs. (5262 kg) with single rear wheels (STD) (Included and only available with CK30953 model with (L8T) 6.6L V8 gas engine with 18" or 20" wheels. Requires single rear wheels.)	0.00 lbs	0.00 lbs	
XLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
GT4	Rear axle, 3.73 ratio (STD) (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	
	PMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	
WHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
PYT	Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)	0.00 lbs	0.00 lbs	
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
QF6	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)	0.00 lbs	0.00 lbs	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SPARE TIRE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models. Not available with dual rear wheels.)	0.00 lbs	0.00 lbs
PAINT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GAZ	Summit White	0.00 lbs	0.00 lbs
SEAT TYPE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs
SEAT TRIM			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs
RADIO			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
PQA	WT/CX Safety Package includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert, (UFG) Rear Cross Traffic Alert and (VJH) Chrome rear bumper (Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Requires (C49) rear-window defogger, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet and (DWI) trailer mirrors. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
ZLQ	WT Fleet Convenience Package includes (QT5) EZ Lift power lock and release tailgate and (DBG) outside power-adjustable vertical trailering with heated upper glass (Requires a Fleet or Government Sales order and (UD5) Front and Rear Park Assist. Not available with (PCV) WT Convenience Package. (DBG) outside power- adjustable vertical trailering with heated upper glass can be upgraded to (DWI) trailer mirrors or (DLN) outside heated power- adjustable, manual folding mirrors.)	0.00 lbs	0.00 lbs
Z71	Z71 Off-Road Package includes (Z71) Off-Road suspension with off-road tuned twin tube Rancho shocks, (JHD) Hill Descent Control and (NZZ) skid plates (transfer case and oil pan) (Requires 4WD model. "4X4" decals on bed are replaced with "Z71" fender badge. Not available with dual rear wheels or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
NQH	Transfer case, two-speed active electronic Autotrac with push button control (Requires a Fleet or Government Sales order and 4WD.)	0.00 lbs	0.00 lbs
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo- Diesel V8 engine or (VYU) Snow Plow Prep/Camper Package. Free flow on (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep/Camper Package.)	0.00 lbs	0.00 lbs
	Suspension, Off-Road includes twin-tube shocks (Included and only available with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
V46	Bumper, front chrome (Requires (VJH) Chrome rear bumper with (E63) Durabed, pickup bed. Available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
VJH	Bumper, rear chrome (Requires (V46) Chrome front bumper. Included with (PQA) WT Safety Package.)	0.00 lbs	0.00 lbs
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm]) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package. Includes (DD8) auto-dimming rearview mirror. (DD8) auto-dimming mirror will be upgraded to (DRZ) Rear Camera Mirror or (DRC) Partial video display rearview mirror when (UVO) Bed View Camera is ordered.)	0.00 lbs	0.00 lbs
VK3	License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	0.00 lbs	0.00 lbs
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release (Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories. Kit with all required parts will be shipped loose with the truck for installation by the dealer or upfitter at customer expense. Installation instructions and technical assistance available at www.gmupfitter.com.	0.00 lbs	0.00 lbs
KI4	Power outlet, interior, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)	0.00 lbs	0.00 lbs
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
DD8	Mirror, inside rearview auto-dimming (Included and only available with (DWI) trailer mirrors.	0.00 lbs	0.00 lbs
5H1	Key equipment, two additional key fobs. Provides two additional spare key fobs for a total of (4). NOTE: programming of key fobs is at customer's expense. (Requires (SAF) spare tire lock. Not available with SEO (5Z4) spare wheel, carrier and lock delete or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
JHD	Hill Descent Control (Included and only available with (Z71) Z71 Off-Road Package.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

ODE
ID5
IFG
IKC
89L
ID5 IFG IKC

ADDITIONAL EQUIPMENT - LPO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
VQO	LPO, Black work step (dealer-installed) (Not available with any other assist steps.)	0.00 lbs	0.00 lbs	
ADDITIONAL EC	UIPMENT - OTHER			
CODE	DESCRIPTION	EDONT		

	Options Total	0.00 lbs	0.00 lbs
VQ2	Fleet Processing Option	0.00 lbs	0.00 lbs
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb- ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (STD) (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo- Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 11,600 lbs. (5262 kg) with single rear wheels (STD) (Included and only available with CK30953 model with (L8T) 6.6L V8 gas engine with 18" or 20" wheels. Requires single rear wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package
	Steering, Recirculating ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
	Exhaust, single, side

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Exterior	
	Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)
	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)
	Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all- terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models. Not available with dual rear wheels.)
	Single Rear Wheels (STD)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	CornerStep, rear bumper
	Moldings, beltline, Black
	Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.)
	Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black (Not included on Regular Cab models.)
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Door handles, Black grained
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass, located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Interior	
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	OnStar One Essentials (OnStar One Business Essentials for Fleet) Drive confidently with core OnStar services including select mobile app commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar One Essentials includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar One Essentials is standard for 8 years; services may require an OnStar paid plan to continue thereafter. See OnStar.com for service descriptions and terms.)
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Indicator-Seat Belt WARNING, Rear Seat (Requires Crew Cab or Double Cab model.)
	Seat Belt Adjustable Guide Loops front row only (Included and only available on Crew Cab and Double Cab models.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire) (Not included on dual rear wheel models.)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2025 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Corrosion Years: 3 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Weight Ratings	
WEIGHT RATINGS	
Front Gross Axle Weight Rating:	5200 lbs
Rear Gross Axle Weight Rating:	7250 lbs
Gross Vehicle Weight Rating:	11600.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	МКМ
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
Mileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Engine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
5			
Electrical			
-	720	Cold Cranking Amps @ 0° F (2nd)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete) Powertrain **Cooling System Total Cooling System Capacity** N/A Vehicle Emissions Tons/yr of CO2 Emissions @ 15K mi/year N/A EPA Greenhouse Gas Score N/A Chassis Weight Information Standard Weight - Front 0.00 lbs Standard Weight - Rear 0.00 lbs **Base Curb Weight** 5200 lbs N/A Gross Axle Wt Rating - Front Gross Axle Wt Rating - Rear 7250 lbs Curb Weight - Front N/A Curb Weight - Rear N/A 0.00 lbs **Option Weight - Front Option Weight - Rear** 0.00 lbs Reserve Axle Capacity - Front N/A Reserve Axle Capacity - Rear N/A As Spec'd Curb Weight N/A As Spec'd Payload N/A Maximum Payload Capacity N/A Gross Combined Wt Rating 26000 lbs Gross Axle Weight Rating 12450.00 lbs Curb Weight N/A N/A Reserve Axle Capacity **Total Option Weight** 0.00 lbs **Payload Weight Front** 0 lbs 11600.00 lbs Payload Weight Rear 0 lbs Gross Vehicle Weight Rating Trailering Dead Weight Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. 500 lbs Wt Distributing Hitch - Max Trailer Wt. 16000 lbs Wt Distributing Hitch - Max Tongue Wt. 1600 lbs Fifth Wheel Hitch - Max Trailer Wt. 18310 lbs Fifth Wheel Hitch - Max Tongue Wt. 4578 lbs Maximum Trailering Capacity 20000 lbs Frame Frame Type Hydroformed Sect Modulus Rails Only N/A Frame RBM Frame Strength N/A N/A Frame Thickness N/A This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices,

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Chassis

Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18
Rear Tire Size	LT275/70R18	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Steering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53.9 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

assis			
akes			
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
erior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.54 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		
terior Dimensions			
terior Dimensions Wheelbase	162.48 in	Length, Overall w/o rear bumper	N/A
	162.48 in N/A	Length, Overall w/o rear bumper Length, Overall	
Wheelbase			
Wheelbase Length, Overall w/rear bumper	N/A	Length, Overall	256.54 in
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors	N/A 81.85 in	Length, Overall Height, Overall	256.54 in 80.87 in
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front	N/A 81.85 in N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper	256.54 in 80.87 in N/A
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab	N/A 81.85 in N/A N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle	256.54 in 80.87 in N/A 55.24 in
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame	N/A 81.85 in N/A N/A N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	256.54 in 80.87 in N/A 55.24 in N/A
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	N/A 81.85 in N/A N/A N/A N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear	256.54 in 80.87 in N/A 55.24 in N/A N/A
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front	N/A 81.85 in N/A N/A N/A N/A 11.18 in	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	256.54 in 80.87 in N/A 55.24 in N/A N/A 11.18 in
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length	N/A 81.85 in N/A N/A N/A N/A 11.18 in	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	256.54 in 80.87 in N/A 55.24 in N/A N/A 11.18 in
Wheelbase Length, Overall w/rear bumper Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length rgo Area Dimensions	N/A 81.85 in N/A N/A N/A N/A 11.18 in 0.00 ft	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Cab to Body	256.54 in 80.87 in N/A 55.24 in N/A N/A 11.18 in N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 3500 for El Dorado County D4571 14-144 (Complete)

Dimensions

Cargo Area Dimensions

Cargo Volume

83.5 ft³

Ext'd Cab Cargo Volume

N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Winner Chevrolet

1624 S Canyon Way Colfax, Ca 95713 (916) 509-8597 To: Nathan Haynes El Dorado County 2443 Headington Rd Placerville, Ca 95667 (530) 642-4900 Replaces 11-323

Prepared by: David Brewer

Comments or special instructions: Vehicle build and options are in additional pages. State Contract # 1-22-23-20D

	Description			AMOUNT
Line 25				\$ 39,375.00
Estimated options/2025 price				\$ 4,900.00
***** QUOTE WILL BE UPDATE		G IS RELEASED E	BY GM ****	
**** Please review, sign, a	and return a cop	y of the quote a	and ****	
**** specs with the PO o	or the vehicle wi	ill not be ordere	ed. ****	
****Shipping charge added for delive	eries beyond Sacra	mento. No charge	for will call.****	
			Subtotal	\$ 44,275.00
			DOC Fee	\$ 85.00
(Order Acknowledgment Signatu	re) (Date)	1	Faxable Subtotal:	\$ 44,360.00
	Tax Rate(Su	bject to change):	7.250%	\$ 3,216.10
CA Tire Fee: \$1.75 / Per Tire			Tire Fee:	\$8.75
			Delivery Charge:	\$ 150.00
			Total:	\$ 47,734.85

If you have any questions concerning this quotation, contact David Brewer at 916-509-8597 or email at Dbrewer@Lasherauto.com

THANK YOU FOR YOUR BUSINESS!

<mark>Qua</mark>	antity: 1	Description: 2024/25 Chevy Silverado 15 Regular Cab, Long Bed	00 WT,	^{4x4,} Class: 12
Rep	blaces: 11-323	Unit Price:		
	ndard rranty:		Deliv # Days	after receipt of order
	COMPONENT	SPECIFICATIONS	Y/N	Exceptions
1	Engine	Gas TurboMax	Yes	
2	Wheelbase	Standard	Yes	139.5"
3	GVWR	7000 lbs.	No	6900 lbs
4	Steering	Power Assist w/Tilt Wheel & Cruise	Yes	
5	Transmission	8 Speed Automatic Transmission	Yes	
6	Differential	Rear axle 3.23 ratio, 2 speed 4x4 Autotrac selectable drive shift-on-the-fly	Y/N	3.23 ratio only available w/5.3L V8
7	Brakes	Power 4 wheel disc w/anti-lock and Traction Control	Yes	
8	Battery	Standard	Yes	
9	Alternator	Standard	Yes	
10	Cooling System	Standard	Yes	
11	Suspension	Standard	Yes	
12	Air Conditioning	Full Cabin Dual Zone HVAC System	No	Single zone HVAC
13	Air Bags	Standard	Yes	
14	Miles Per Gallon	N/A	-	
15	Wheels	17" Ultra Silver Painted Steel	Yes	
16	Tires	LT265/70R17 All Terrain	Yes	
17	Hub Caps	N/A	-	
18	Spare Tire	17" 265/70R17	Yes	
19	Windows	All Power, Front w/express up/dwn	Yes	
20	Wipers	Intermittent Adjustable	Yes	
21	Rear Window Defroster	Electronic Defogger	Yes	
22	Mirrors	Power/Heated outside Mirrors	Yes	
23	Radio	Infotainment 3 plus 8" with Bluetooth hands free calling	Yes	
24	Seat(s)	Cloth Seating, Front 40/20/40 Bench	Yes	
25	Flooring	Vinyl	Yes	
26	Exterior Color	Summit White	Yes	
27	Interior Trim Color	Jet Black Vinyl	Yes	
28	Keys	3 Complete Sets Per Vehicle with Fobs	Yes	Ordered with 5H1, cheaper than ordering a single set aftermarket
29	Keyless Entry	Remote Fob	Yes	
30	Door Locks	All Power	Yes	
AD	DITIONAL FEATURES:			
Rea	ar Camera	HD Rear Vision Camera	Yes	
Pac	kages			
Wo	rk Truck Value Package	Tinted glass, cruise control, rear defog	Yes	
Trai	lering Package	Hitch Guidance, Trailer hitch, 4&7 pin Connections	Yes	
Wo	rk Truck Package	Skid plates, HD air filter	Yes	
	U	· · ·		

ITEMS 1- 30 --- if not a required spec item, enter "N/A" Additional Features: if not required, delete table row





Note:Photo may not represent exact vehicle or selected equipment.

Specs for 2025 Silverado 1500 for El Dorado County D4572 11-323



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Table of Contents

- Vehicle Image
- Dealership Information
- Window Sticker
- Selected Model and Options
- Standard Equipment
- Weight Rating
- Technical Specifications

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Prepared By:

Winner Chevrolet / Elk Grove Auto Group

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Specs for 2025 Silverado 1500 for El Dorado County D4572 11-323 (
 Complete)

Window Sticker

5

SUM	MARY			
	[Fleet] 2025 Chevrolet Silve	erado 1500 (CK10903) 4WD Reg Cab 140" Work Truck		MSRP:W/A
	Interior:Jet Black, Cloth sea	at trim		
	Exterior 1:Summit White			
	Exterior 2:No color has bee	en selected.		
	Engine, TurboMax			
	-	omatic, electronically controlled		
OPT	IONS			
	CODE	MODEL		MSRP
	CK10903	[Fleet] 2025 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck	W/A	
		OPTIONS		
	1WT	Work Truck Preferred Equipment Group	W/A	
	5H1	Key equipment, two additional key fobs.	W/A	
	AKO	Glass, deep-tinted	Inc.	
	AZ3	Seats, front 40/20/40 split-bench	W/A	
	BAQ	Work Truck Package	W/A	
	C49	Defogger, rear-window electric	Inc.	
	СТТ	Hitch Guidance	Inc.	
	DD8	Mirror, inside rearview auto-dimming	Inc.	
	DPO	Mirrors, outside power-adjustable vertical trailering	W/A	
	E63	Durabed, pickup bed	W/A	
	G80	Auto-locking rear differential	W/A	
	GAZ	Summit White	W/A	
	GU6	Rear axle, 3.42 ratio	W/A	
	H1T	Jet Black, Cloth seat trim	W/A	
	IOR	Audio system, Chevrolet Infotainment 3 system	W/A	
	K47	Air filter, heavy-duty	Inc.	
	L3B	Engine, TurboMax	W/A	
	MFC	Transmission, 8-speed automatic, electronically controlled	W/A	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Specs for 2025 Silverado 1500 for El Dorado County D4572 11-323 (
 Complete)

NQH	Transfer case, two-speed	W/A
NZZ	Skid Plates	Inc.
PCV	WT Convenience Package	Inc.
PEB	WT Value Package	W/A
R9L	Deleted OnStar One Essentials (OnStar One Business Essentials for Fleet)	W/A
RC5	Tires, LT265/70R17C all-terrain, blackwall	W/A
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel	W/A
RHM	Tire, spare, LT265/70R17, all-terrain, blackwall	W/A
VK3	License plate kit, front	W/A
VQ2	Fleet Processing Option	W/A
YF5	Emissions, California state requirements	W/A
Z82	Trailering Package	Inc.
	SUBTOTAL	W/A
	Adjustments Total	W/A
	Destination Charge	W/A
	TOTAL PRICE	W/A

FUEL ECONOMY

Est City:18 (2024) MPG

Est Highway:21 (2024) MPG

Est Highway Cruising Range:588.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Selected Model and Options

MODEL			
CODE	MODEL		
CK10903	2025 Chevrolet Silverado 1500 4WD Reg Cab 140" Work Truck		
COLORS			
CODE	DESCRIPTION		
GAZ	Summit White		
BODY CODE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
E63	Durabed, pickup bed (STD)	0.00 lbs	0.00 lbs
EMISSIONS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
YF5	Emissions, California state requirements	0.00 lbs	0.00 lbs
ENGINE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L3B	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
TRANSMISSION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
MFC	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

AXLE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GU6	Rear axle, 3.42 ratio	0.00 lbs	0.00 lbs
PREFERRED EQUI	PMENT GROUP		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs
WHEELS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)	0.00 lbs	0.00 lbs
TIRES			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RC5	Tires, LT265/70R17C all-terrain, blackwall	0.00 lbs	0.00 lbs
SPARE TIRE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RHM	Tire, spare, LT265/70R17, all-terrain, blackwall (When equipped with (E63) Durabed, pickup bed, included and only available with (RC5) LT265/70R17C all-terrain, blackwall tires. Available with (ZW9) pickup bed delete and requires (RC5) LT265/70R17C all-terrain, blackwall tires.)	0.00 lbs	0.00 lbs
PAINT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GAZ	Summit White	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

SEAT TYPE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs
SEAT TRIM			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
H1T	Jet Black, Cloth seat trim	0.00 lbs	0.00 lbs
RADIO			
CODE	DESCRIPTION	FRONT	REAR
		WEIGHT	WEIGHT

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
PEB	WT Value Package includes (PCV) WT Convenience Package and (Z82) Trailering Package (Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
PCV	WT Convenience Package includes (AKO) tinted windows and (C49) rear-window defogger (Upgradeable to (DPO) trailer mirrors and includes (DD8) auto dimming rearview mirror.)	0.00 lbs	0.00 lbs
Z82	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L84) 5.3L EcoTec3 V8 engine requires (G80) locking differential. Included with (PEB) WT Value Package.)	0.00 lbs	0.00 lbs
BAQ	Work Truck Package Includes (NZZ) skid plates and (K47) heavy- duty air filter (Requires (QDV) 265/70R17 blackwall all-terrain tires or (RC5) LT265/70R17C all-terrain tires. Not available with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep Package.)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
NQH	Transfer case, two-speed electronic Autotrac with push button control (4WD models only) (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package. Free flow requires Regular Cab model.)	0.00 lbs	0.00 lbs
G80	Auto-locking rear differential (Required with (L84) 5.3L EcoTec3 V8 engine when (Z82) Trailering Package is ordered. Included with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
K47	Air filter, heavy-duty (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package. Available free flow as a SEO.)	0.00 lbs	0.00 lbs
NZZ	Skid Plates (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (9C1) Police Pursuit Package. Available free flow with Fleet or Government order type.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
DPO	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, clearance lamps and auxiliary lighting; manual folding/extending (Requires (PCV) WT Convenience Package or (PEB) WT Value Package and either (Z82) Trailering Package or (ZW9) pickup bed delete. Includes (DD8) auto-dimming inside rearview mirror.)	0.00 lbs	0.00 lbs
АКО	Glass, deep-tinted (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
VK3	License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs
DD8	Mirror, inside rearview auto-dimming (Included and only available with (DPO) trailering mirrors.)	0.00 lbs	0.00 lbs
5H1	Key equipment, two additional key fobs. Provides two additional spare key fobs for a total of (4). NOTE: programming of key fobs is at customer's expense. (Requires (SAF) spare tire lock. Not available with SEO (5Z4) spare wheel, carrier and lock delete or (AMF) Remote keyless entry package.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
СТТ	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Included and only available with (Z82) Trailering Package.)	0.00 lbs	0.00 lbs
R9L	Deleted OnStar One Essentials (OnStar One Business Essentials for Fleet) (Requires (UE1) OnStar. Included and only available on vehicles being shipped to Puerto Rico, the Virgin Islands, or Guam.	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
VQ2	Fleet Processing Option	0.00 lbs	0.00 lbs
	Options Total	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Standard Equipment

5

Package	
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Mechanical	
	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)
	Durabed, pickup bed (STD)
	GVWR, 6900 lbs. (3130 kg) (Regular Cab Long Bed model requires 4WD.)
	Rear axle, 3.42 ratio
	Push Button Start
	Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retaine accessory power
	Alternator, 220 amps (Included with (L3B) TurboMax engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Winner Chevrolet / Elk Grove Auto Group

Specs for 2025 Silverado 1500 for El Dorado County D4572 11-323 (Complete)

Exterior	
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black (semi-gloss)
	Bumpers, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
	Taillamps with incandescent tail, stop and reverse lights
	Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Sirius XM, delete (Can be upgraded to (U2K) SiriusXM.)
	Audio system feature, 2-speaker system (Requires Regular Cab model.)
	Wireless phone projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Interior	
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Steering column lock, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone manual
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	OnStar One Essentials (OnStar One Business Essentials for Fleet) Drive confidently with core OnStar services including select mobile app commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar One Essentials includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar One Essentials is standard for 8 years; services may require an OnStar paid plan to continue thereafter. See OnStar.com for service descriptions and terms.)
	HD Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
WARRANTY	
	Warranty Note: <<< Preliminary 2025 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: Silverado TurboMax TM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: Silverado TurboMax TM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Weight Ratings	
WEIGHT RATINGS	
Front Gross Axle Weight Rating:	3800 lbs
Rear Gross Axle Weight Rating:	3800 lbs
Gross Vehicle Weight Rating:	6900.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Technical Specifications

Powertrain

5

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
Mileage			
EPA Fuel Economy Est - Hwy	21 (2024) MPG	Cruising Range - City	504.00 mi
EPA Fuel Economy Est - City	18 (2024) MPG	Fuel Economy Est-Combined	19 (2024) MPG
Cruising Range - Hwy	588.00 mi	Estimated Battery Range	N/A
Engine			
Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/166	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220
Cooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Vehicle Emissions Tons/yr of CO2 Emissions @ 15K mi/year 9.3 (2024) EPA Greenhouse Gas Score Chassis Veight Information Standard Weight - Front 0.00 lbs Standard Weight - Rear Base Curb Weight N/A Gross Axle Wt Rating - Front Curb Weight - Front Curb Weight - Front Curb Weight - Rear 3800 lbs Curb Weight - Front Option Weight - Front Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front As Spec'd Payload 2301.00 lbs Maximum Payload Capacity Gross Combined Wt Rating 14500 lbs Gross Axle Weight Rating Curb Weight Rear 0.00 lbs Reserve Axle Capacity Payload Weight Rear 0 lbs Gross Vehicle Weight Rating Urb Bartibuting Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. Wit Distributing Hitch - Max Trailer Wt. 9300 lbs Wit Distributing Hitch - Max Tongue Wt. Weight Hitch - Max Trailer Wt. <th>4 (2024) 0.00 lbs</th>	4 (2024) 0.00 lbs
Tons/yr of CO2 Emissions @ 15K mi/year 9.3 (2024) EPA Greenhouse Gas Score Chassis Extendard Weight - Front Standard Weight - Front 0.00 lbs Standard Weight - Rear Base Curb Weight N/A Gross Axle Wt Rating - Front Gross Axle Wt Rating - Rear 3800 lbs Curb Weight - Front Curb Weight - Rear 0.00 lbs Reserve Axle Capacity - Front Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front As Spec'd Payload 2301.00 lbs As Spec'd Curb Weight Gross Combined Wt Rating 14500 lbs Gross Axle Weight Rating Curb Weight 4599.00 lbs Reserve Axle Capacity Gross Combined Wt Rating 0.00 lbs Payload Weight Front Outo Weight Rear 0 lbs Gross Vehicle Weight Rating Total Option Weight Rear 0 lbs Gross Vehicle Weight Rating Payload Weight Hitch - Max Trailer Wt. 9300 lbs Wt Distributing Hitch - Max Tongue Wt. Wt Distributing Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt.	0.00 lbs
Chassis Weight Information Standard Weight - Front 0.00 lbs Standard Weight - Rear Base Curb Weight N/A Gross Axle Wt Rating - Front Gross Axle Wt Rating - Rear 3800 lbs Curb Weight - Front Curb Weight - Rear 1840 lbs Option Weight - Front Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front As Spec'd Payload 2301.00 lbs As Spec'd Curb Weight As Spec'd Payload 2301.00 lbs Maximum Payload Capacity Gross Combined Wt Rating 14500 lbs Gross Axle Weight Rating Curb Weight 0.00 lbs Reserve Axle Capacity Total Option Weight Rear 0.00 lbs Payload Weight Front Payload Weight Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. Vt Distributing Hitch - Max Trailer Wt. 9300 lbs Wt Distributing Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt.	0.00 lbs
Weight Information Standard Weight - Front 0.00 lbs Standard Weight - Rear Base Curb Weight N/A Gross Axle Wt Rating - Front Gross Axle Wt Rating - Rear 3800 lbs Curb Weight - Front Curb Weight - Rear 1840 lbs Option Weight - Front Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front As Spec'd Payload 2301.00 lbs Maximum Payload Capacity Gross Combined Wt Rating 14500 lbs Gross Axle Weight Rating Curb Weight 4599.00 lbs Reserve Axle Capacity Gross Combined Wt Rating 0.00 lbs Reserve Axle Capacity Total Option Weight Rear 0 lbs Gross Vehicle Weight Rating Payload Weight Rear 0 lbs Gross Vehicle Weight Rating Payload Weight Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. Yt Distributing Hitch - Max Trailer Wt. 9000 lbs Wt Distributing Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9000 lbs Fifth Wheel Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9000 lbs Fifth Wheel Hitch - Max Tongue Wt.	
Standard Weight - Front0.00 lbsStandard Weight - RearBase Curb WeightN/AGross Axle Wt Rating - FrontGross Axle Wt Rating - Rear3800 lbsCurb Weight - FrontCurb Weight - Rear1840 lbsOption Weight - FrontOption Weight - Rear0.00 lbsReserve Axle Capacity - FrontAs Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight Rear0.00 lbsReserve Axle Capacity - FrontAs Spec'd Payload2301.00 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight Rear0 lbsGross Vehicle Weight RatingPayload Weight Rear0 lbsGross Vehicle Weight RatingTotal Option Weight Hitch - Max Trailer Wt.5000 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9200 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Maximum Trailering Capacity9600 lbsFifth Wheel Hitch - Max Tongue Wt.	
Base Curb WeightN/AGross Axle Wt Rating - FrontGross Axle Wt Rating - Rear3800 lbsCurb Weight - FrontCurb Weight - Rear1840 lbsOption Weight - FrontOption Weight - Rear0.00 lbsReserve Axle Capacity - FrontReserve Axle Capacity - Rear1960.00 lbsAs Spec'd Curb WeightAs Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight Rear0 lbsGross Vehicle Weight RatingPayload Weight Rear0 lbsGross Vehicle Weight RatingVet Distributing Hitch - Max Trailer Wt.5000 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9200 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fif	
Gross Axle Wt Rating - Rear3800 lbsCurb Weight - FrontCurb Weight - Rear1840 lbsOption Weight - FrontOption Weight - Rear0.00 lbsReserve Axle Capacity - FrontReserve Axle Capacity - Rear1960.00 lbsAs Spec'd Curb WeightAs Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityCurb Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingTotal Option Weight Rear0 lbsGross Vehicle Weight RatingPayload Weight Hitch - Max Trailer Wt.5000 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9200 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Maximum Trailering Capacity9600 lbsFifth Wheel Hitch - Max Tongue Wt.	0000 //
Curb Weight - Rear1840 lbsOption Weight - FrontOption Weight - Rear0.00 lbsReserve Axle Capacity - FrontReserve Axle Capacity - Rear1960.00 lbsAs Spec'd Curb WeightAs Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight Rear0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingDead Weight Hitch - Max Trailer Wt.Stributing Hitch - Max Trailer Wt.9300 lbsFifth Wheel Hitch - Max Trailer Wt.9200 lbs <td< td=""><td>3800 lbs</td></td<>	3800 lbs
Option Weight - Rear0.00 lbsReserve Axle Capacity - FrontReserve Axle Capacity - Rear1960.00 lbsAs Spec'd Curb WeightAs Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingDead Weight Hitch - Max Trailer Wt.Stributing Hitch - Max Trailer Wt.9000 lbsFifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Trailer Wt.9600 lbs	2759 lbs
Reserve Axle Capacity - Rear1960.00 lbsAs Spec'd Curb WeightAs Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingTraileringDead Weight Hitch - Max Trailer Wt.5000 lbsWt Distributing Hitch - Max Trailer Wt.9300 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Maximum Trailering Capacity9600 lbsFifth Wheel Hitch - Max Tongue Wt.	0.00 lbs
As Spec'd Payload2301.00 lbsMaximum Payload CapacityGross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingDead Weight Hitch - Max Trailer Wt.Maximum Trailer Wt.5000 lbsDead Weight Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9300 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.	1041.00 lbs
Gross Combined Wt Rating14500 lbsGross Axle Weight RatingCurb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingTeileringDead Weight Hitch - Max Trailer Wt.5000 lbsWt Distributing Hitch - Max Trailer Wt.9300 lbsDead Weight Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.	4599.00 lbs
Curb Weight4599.00 lbsReserve Axle CapacityTotal Option Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingDead Weight Hitch - Max Trailer Wt.5000 lbsDead Weight Hitch - Max Trailer Wt.9300 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9300 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Maximum Trailering Capacity9600 lbsFifth Wheel Hitch - Max Tongue Wt.	2301.00 lbs
Total Option Weight0.00 lbsPayload Weight FrontPayload Weight Rear0 lbsGross Vehicle Weight RatingTraileringDead Weight Hitch - Max Trailer Wt.5000 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9300 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9600 lbsFifth Wheel Hitch - Max Tongue Wt.Frame	7600.00 lbs
Payload Weight Rear0 lbsGross Vehicle Weight RatingTraileringDead Weight Hitch - Max Trailer Wt.5000 lbsDead Weight Hitch - Max Tongue Wt.Wt Distributing Hitch - Max Trailer Wt.9300 lbsWt Distributing Hitch - Max Tongue Wt.Fifth Wheel Hitch - Max Trailer Wt.9200 lbsFifth Wheel Hitch - Max Tongue Wt.Maximum Trailering Capacity9600 lbsFifth Wheel Hitch - Max Tongue Wt.	3001.00 lbs
Trailering Dead Weight Hitch - Max Trailer Wt. 5000 lbs Wt Distributing Hitch - Max Trailer Wt. 9300 lbs Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Maximum Trailering Capacity 9600 lbs	0 lbs
Dead Weight Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. Wt Distributing Hitch - Max Trailer Wt. 9300 lbs Wt Distributing Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt. Maximum Trailering Capacity 9600 lbs Fifth Wheel Hitch - Max Tongue Wt. Frame Velocity Velocity	6900.00 lbs
Wt Distributing Hitch - Max Trailer Wt. 9300 lbs Wt Distributing Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt. Maximum Trailering Capacity 9600 lbs Fifth Wheel Hitch - Max Tongue Wt.	
Fifth Wheel Hitch - Max Trailer Wt. 9200 lbs Fifth Wheel Hitch - Max Tongue Wt. Maximum Trailering Capacity 9600 lbs Fifth Wheel Hitch - Max Tongue Wt.	500 lbs
Maximum Trailering Capacity 9600 lbs Frame	930 lbs
Frame	2300 lbs
Frame Type Box Ladder Sect Modulus Rails Only	N/A
Frame RBM N/A Frame Strength	N/A
Frame Thickness N/A	
Suspension	
Suspension Type - Front Independent coil- over-shock Suspension Type - Rear	Solid Axle
Spring Capacity - Front N/A Spring Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Chassis

Suspension			
Axle Type - Front	N/A	Axle Type - Rear	
Axle Capacity - Front	N/A	Axle Capacity - Rear	
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	
Tires			
Front Tire Order Code	RC5	Rear Tire Order Code	
Spare Tire Order Code	RHM	Front Tire Size	
Rear Tire Size	LT265/70R17C	Spare Tire Size	
Front Tire Capacity	N/A	Rear Tire Capacity	
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	
Wheels			
Front Wheel Size	17 x 8 in	Rear Wheel Size	
Spare Wheel Size	17 x 8 in	Front Wheel Material	
Rear Wheel Material	Steel	Spare Wheel Material	
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	
Turning Diameter - Curb to Curb	44.6 ft	Turning Diameter - Wall to Wall	
Brakes			
Brake Type	Pwr	Brake ABS System	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

assis			
iel Tank			
Fuel Tank Capacity, Approx	28 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
terior Dimensions			
Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
tterior Dimensions	139.5 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	229.68 in
Width, Max w/o mirrors	81.14 in	Height, Overall	75.59 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.1 in	Ground Clearance, Rear	8.1 in
Body Length	0.00 ft	Cab to Body	N/A
argo Area Dimensions			
Cargo Box Length @ Floor	98.18 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	89.1 ft ³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.