

Attachment A  
Errata

Green Valley Road/ Weber Creek Bridge  
Replacement Project  
(CIP #77114)

## Errata Sheet for the Green Valley Road at Weber Creek Replacement Project Initial Study/Mitigated Negative Declaration

### CEQA Requirements

State CEQA Guidelines §15073.5(a) requires that a lead agency recirculate a negative declaration “when the document must be substantially revised.” A “substantial revision” includes: (1) identification of a new, avoidable significant effect requiring mitigation measures or project revisions and/or (2) determination that proposed mitigation measures or project revisions will not reduce potential effects to less than significance and new measures or revisions must be required.

The July 2011 Initial Study identified the number of removed trees as a potentially significant impact which required mitigation. The final number of removed trees will be determined through the final design effort. The proposed mitigation measure remains the same.

The revisions to the number of removed trees does not result in new, avoidable significant effects requiring mitigation, nor would project revisions fail to reduce potential effects to a less than significant level (since all impacts would remain less than significant). The revised text would not require recirculation in accordance with § 15073.5(a).

### Initial Study Text Revisions/Errata

The following minor text changes are made to the Initial Study and incorporated as part of the Initial Study/Negative Declaration. None of these changes substantially modify the analysis or conclusions of the document, but instead simply clarify aspects of the previously circulated document. Changes to the text are noted with **bold** (for added text) or ~~strikeout~~ type (for deleted text).

### Section 3.1 Settings, Impacts, and Mitigation Measures, IV. Biological Resources, Page MND-31.:

The Project will remove approximately 0.145 acres of the riparian forest along Weber Creek, which includes the removal of approximately ~~23~~ **40** riparian trees.

### Section 3.1 Settings, Impacts, and Mitigation Measures, IV. Biological Resources, Page MND-31.:

The Project will remove approximately 0.145 acres of the riparian forest along Weber Creek, which includes the removal of approximately ~~23~~ **40** riparian trees.

- After Project completion, native riparian trees impacted or removed due to Project construction will be replanted at a 2:1 ratio (2 trees planted for every 1 tree removed) within the riparian zone in the Project area. Approximately ~~forty-six~~ **80** native riparian trees will be planted for the estimated ~~23~~ **40** native trees removed. **An additional 30 willow/alder canes and 10 canyon live oaks will be planted.** The success criterion for the replacement trees is a 60 percent or greater establishment rate. Appendix G, Revegetation and Erosion Control Specifications and Appendix I, Compensatory Mitigation and Monitoring Plan of the NES describes the methods and criteria for replacement of trees in the Project area.

### **Mitigation Monitoring and Reporting Plan Text Revisions/Errata**

The following minor text changes are made to the Mitigation Monitoring and Reporting Plan and incorporated as part of the document. None of these changes substantially modify the analysis or conclusions of the document, but instead simply clarify aspects of the previously circulated document. Changes to the text are noted with **bold** (for added text) or strikeout type (for deleted text).

#### **Impact BIO-1: Potential impacts on California red-legged frog (CRLF), Page MMRP-3**

- After Project completion, native riparian trees impacted or removed due to Project construction will be replanted at a 2:1 ratio (2 trees planted for every 1 tree removed) within the riparian zone in the Project area. Approximately ~~forty-six~~ **80** native riparian trees will be planted for the estimated ~~23~~ **40** native trees removed. **An additional 30 willow/alder canes and 10 canyon live oaks will be planted.** The success criterion for the replacement trees is a 60 percent or greater establishment rate. Appendix G, Revegetation and Erosion Control Specifications and Appendix I, Compensatory Mitigation and Monitoring Plan of the NES describe the methods and criteria for replacement of trees in the Project area.