

**S13-0014/AT&T Silva Valley Parkway Cellular Site (Mono-Oak)** – As approved by the Planning Commission on October 23, 2014

**Findings**

Based on the review and analysis of this project by staff and affected agencies, and supported by discussion in the staff report and evidence in the record, the following findings can be made:

**1.0 CEQA FINDINGS**

- 1.1 El Dorado County has considered the Negative Declaration together with the comments received during the public review process. The Negative Declaration reflects the independent judgment of the County and has been completed in compliance with CEQA and is adequate for this project.
- 1.2 No significant impacts to the environment as a result of this project were identified in the initial study.
- 1.3 The documents and other materials which constitute the record of proceedings upon which this decision is based are in the custody of the Development Services Department - Planning Services at 2850 Fairlane Court, Placerville, CA, 95667.

**2.0 GENERAL PLAN FINDINGS**

- 2.1 The project is consistent with the Open Space (OS) land use designation of the subject site as defined by General Plan Policy 2.2.1.2. The project consists of a telecommunications tower, which is consistent with the allowed uses for the OS Zone District with an approved Special Use Permit.
- 2.2 As conditioned, and with adherence to County Code, the project is consistent with all applicable Policies of the General Plan, including:
  - 2.2.1 Policy 2.2.5.21 (compatibility with surroundings) because as conditioned, it would be compatible with surrounding uses, have minimal impacts on visual resources, existing utilities, existing emergency response access and times, and will create noises at insignificant levels. There are adequate services to facilitate the site, such as water, power and telephone communication facilities. The project provides improved cellular service for phone, as well as internet and emergency communications to the El Dorado Hills area;
  - 2.2.2 Policy 5.1.2.1 (adequate utilities and public services) because the project will connect to existing electrical and telecommunication facilities currently existing within the parcel;
  - 2.2.3 Policy 6.2.3.2 (adequate access) because the project will utilize an existing paved driveway surface for access; and

- 2.2.4 Policy 6.5.1.7 (noise exposure) because the project will have noise levels anticipated to comply with the County's standards listed in Table 6-2 in the General Plan that limit acoustical noise emission levels.

### **3.0 ZONING FINDINGS**

- 3.1 The project site is zoned Open Space (OS), which allows wireless communication facilities with an approved special use permit, provided they follow standards and permitting requirements defined in Section 17.14.210 of the County Code. These standards include screening, compliance with setbacks, and proper maintenance.
- 3.2 As proposed and conditioned, the project meets all applicable development standards contained within the El Dorado County Zoning Ordinance because sufficient screening, setbacks, and maintenance have been provided.

### **4.0 SPECIAL USE PERMIT FINDINGS**

#### **4.1 The issuance of the permit is consistent with the General Plan.**

The proposed use is consistent with the policies and requirements in the El Dorado County General Plan, as discussed in the General Plan and Special Use Permit sections of this Staff Report. The proposed use is consistent with all applicable policies as set forth in Finding 2.0.

#### **4.2 The proposed use would not be detrimental to the public health, safety and welfare, or injurious to the neighborhood.**

The use will not significantly conflict with the adjacent uses as the ground-support equipment will be buffered from view by a seven-foot tall CMU split face block wall, and the tower antennas will be buffered by the mono-oak "branches". The view of the tower will be buffered by the existing trees and the water tanks. As conditioned, the project is anticipated to result in insignificant environmental, visual, and noise impacts to surrounding residents and school. The proposed use is not anticipated to create hazards that would be considered detrimental to the public health, safety, and welfare, or injurious to the neighborhood based on the data and conclusions contained in the staff report. At one percent or less of the public safety standard established by the FCC, the risk of Radio Frequency ("RF") emissions to the surrounding public is remote.

#### **4.3 The proposed use is specifically permitted by Special Use Permit.**

The proposed use complies with the requirements of County Code Section 17.14.210.E through J (facility requirements/analysis) and 17.68.060 (minimum yard setbacks for OS Zone District).