



COUNTY of EL DORADO

Procurement & Contracts

PURCHASE ORDER NO.

P0201712233

DATE	REQUISITION NO.	TYPE	BLANKET PO#	PAGE	DELIVERY DATE	EXPIRATION DATE	THIS NUMBER MUST BE ON ALL INVOICES, PACKING LISTS, AND RELATED PAPER WORK.
01/30/17	P0201712233	DP		1	06/30/17		

ORDER

JBP LLC
DBA SILVER STATE INTERNATIONAL
2255 LARKIN CIRCLE
SPARKS NV 89431

SHIP TO

CHIEF ADMINISTRATIVE OFFI
PROCUREMENT & CONTRACTS
360 FAIR LANE
PLACERVILLE CA 95667

REQUESTOR	FO.B. POINT	TERMS
RJB	DESTINATION	NET 30

NOTE CONDITIONS ON REVERSE

LINE	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	EXTENDED TOTAL
001	1.00	EA	070-49 TRUCKS: DUMP 2017 INTERNATIONAL DUMP TRUCK, MODEL 7400 SFA, 4X4, C&C TRUCK W/HOOKLOADER SYSTEM, SPREADER CONTROLS & SNOW PLOW AS PER THE SPECIFICATIONS IN BID #17-070-036	201,128.5600	201,128.56
002	7.00	EA	860-01 TIRE RECYCLE FEE/TAX TIRE FEE	1.7500	12.25
003	1.00	EA	900-01 SVCS:FREIGHT; PAID PURCHASE IN ACCORDANCE WITH BID #Y17-070-036 INVOICE TO: CDA-TRANSPORTATION DIV. 2850 FAIR LANE COURT PLACERVILLE, CA 95667 FOR QUESTIONS, CONTACT: KENT TAYLOR (530) 642-4900 NO BUSINESS LICENSE REQUIRED DELIVERY VIA COMMON CARRIER. BOS APPROVAL: 02/28/2017 #PENDING	.0001	

This Purchase Order expressly limits acceptance to the terms and conditions stated herein, set forth on the reverse side hereof and any supplementary or additional terms and conditions annexed hereto or incorporated herein by reference. Any additional or different terms and conditions proposed by seller are objected to and hereby rejected.

TAX	14,581.82
TOTAL:	215,722.63

VENDOR NUMBER : 014956

SFX	TOTAL	INDEX	SUB-OBJECT	USER CODE
01	215,722.63	306250	6040	82204A
<hr/>				
	215,722.63			

I hereby certify that this purchase order is issued in accordance with procedures prescribed by ordinance and BOS Policy C-17 governing purchase of such items for the County of El Dorado.

Purchasing Agent
(Note: Authorized signature in lieu of Purchasing Agent for purchase less than \$5,000.00)



**COUNTY OF EL DORADO
Procurement & Contracts**

ATTN: Purchasing Agent
360 Fair Lane
Placerville, CA 95667

OK

INVITATION TO BID & BID #17-070-036

DUE: 3:00 PM – January 24, 2017

Sealed Bids must be clearly marked on the outside of the package with:

"BID #17-070-036, MAILROOM DO NOT OPEN"

ALL BIDS SUBJECT TO GENERAL CONDITIONS

2017 International Dump Truck, Model 7400 SFA, 4x4 C&C Truck with a Hookloader System, Spreader Controls and Snow Plow as per Specifications

Addendum I
January 5, 2017

The following changes have been made to the subject bid Quotation Schedule; Lines 1, 1a, 5a, 6 and 16 have been updated to meet factory revisions.

Except as herein amended, all other parts and sections of BID # 17-070-036 shall remain unchanged and in full force and effect.

This Addendum must be acknowledged below by the original signature of a company representative authorized to bind the company in execution of an agreement with the County and returned with your Bid response to the Procurement & Contracts Office. Failure to acknowledge and return this Addendum will result in disqualification.

Company Name: JBP, LLC DBA Silver State International Trucks

By: *[Signature]* (Signature) Dated: 1/23/17

Print Name: Bo Burgarello Title: New Truck Sales

QUOTATION SCHEDULE - REVISED

One (1) – New, 2017 International Dump Truck Manufacturer, Model 7400 SFA, 4x4 C&C Truck with a Hookloader System, Spreader Controls and Snow Plow as per Specifications one (1) through (40) below:

The purpose of these specifications is to describe a special service municipal truck with engine driven hydraulic system and controls for the operation of a Hook Loader, Plow and Spreader. Truck to be outfitted with a 26,000-lb capacity hook type loader.

Compete Bid Price: \$ 201,128.56 (DO NOT INCLUDE ANY TAXES or FEES)

COMPONENT/CODE	SPECIFICATIONS	Y/N	Exceptions
1 TRUCK CHASSIS Engine 12EHV,	Cummins L9 330HP @ 2000 RPM, 1000 lb-ft torque @1400 RPM, 2200 RPM governed. Must meet all current EPA/ARB regulations and on-road fleet rule requirements of California and certified clean-idle decals	Yes	
1a Exhaust System 7BLD, 7WZX	Single horizontal after treatment device OEM, frame mounted right side under cab outside of frame rail; includes single vertical tail pipe, frame mounted right side of cab, for all-wheel drive applications, with manual regeneration capability	Yes	
1b Engine Brake 7SDP	Jacobs compression engine brake for Cummins ISL with selector switch and on/off switch	Yes	
1c PTO Effects 12851	Engine front less PTO unit includes adaptor plate on engine front; mounted	Yes	
1d Air Cleaner 12VBC	Single element with restriction gauge mounted on cab dash	Yes	
1e Fuel/DEF Tanks and Filter 15LMN 15WDG 15SGG	Fuel/Water separator; Racor 400 series, 12 volt pre-heater, with primer pump and WIF sensor; fuel tank top draw, D-Style, non-polished aluminum, 19" deep, 70 U.S. gallon capacity with quick connect outlet mounted left side, under cab; DEF Tank 7.0 U.S. gallon capacity at left frame rail, Under Cab.	Yes	
2 Wheelbase	171.00" with 96.00" CA and 63.00" axle to frame	Yes	
3 GVWR	35,000 lbs	Yes	
4 Steering 5708, 5CAL, 5PSA	Standard power assist with tilt wheel; 18" diameter, two-spoke	Yes	

5	Transmission 13AVJ 13WDB 13WLP 13WUC 13WVN 13WYU 13XAA 13XAM	Allison 3000 RDS 5 th Generation close-ratio, 5 speed with OD on/off highway includes oil level sensor, with PTO provision, less retarded, with 80,000-lb GVW and GCW maximum Accessory wiring for road speed control wire coiled under instrument panel for upfitter use.	Yes	
5a	Transfer Case 13TKH 13WDV	Fabco TC-38, 2 Speed, 8,500 lb-ft Capacity with Air Control, with PTO Provision, with Reworked Air Ports.	No	Oil cooler not needed with 13WDV.
6	Axles/Differentials 2EZK, 2WLC, 14AHC	Axle Rear Single Dana Spicer S23-170D, Single Reduction, 23,000 lb. Capacity, R Wheel Ends, Driver Controlled Locking Differential, Gear Ratio: 5.25	Yes	
7	Brakes 4091, 4AZA, 4ERD, 4ETD, 4EXU, 4JCJ, 4NDB, 4WEV, 4WEX	Full system bendix anti-lock full vehicle control 4-channel air brakes: FRONT package, Bendix Spicer ES-165-5, S-Cam; 16.5" X 5.0"; includes 20 in. long stroke brake chambers, Gunite automatic slack adjusters. rotated forward and up for Max Ground Clearance. REAR Package, Bendix Spicer ES-165-7, S-Cam extended service 16.5" X 7" with Gunite automatic slack adjusters	Yes	
7a	Air Tank Location(s) 4WZJ	Two (2) tanks, one mounted under each frame rail, front of rear suspension, parallel to rail	Yes	
7b	Air Dryer 4EBS	Bendix AD-9 with heater	Yes	
7c	Air Compressor 4SPA	Cummins 18.7 CFM capacity	Yes	
7d	Drain Valve 4732	BERG manual with pull chain for air tanks	Yes	
8	Battery 8MKL, 8VUL	Three (3) maintenance free heavy duty 12-volt, 1950 CCA total enclosure, jumper-stud placed to outer most point for access	Yes	
9	Alternator/Electrical 8000, 8718, 8GXD, 8HAB	12-volt 160 amp Leece-Neville pad mount with remote sense. Standard electrical lighting and components, 12-volt power ports, (cigar-lighter/ash tray delete)	Yes	
10	Cooling System 12UWZ,	Heavy duty radiator with cross-flow series system; 1228 square inches aluminum core with internal water to oil transmission cooler and 1167 inches charge air cooler	Yes	
10a	Cooling System 12THT	Horton drive master direct drive type, two speed with residual torque device for disengaged fan speed	Yes	
10b	Cooling System	Fan override manual; with electric switch on instrument panel (fan on with switch on)	Yes	
10c	Cooling System 12926	Radiator hoses to be HD silicone with HD hose clamps (other hoses may be premium rubber)	Yes	
10d	Block Heater 12849	Engine block heater; 12-volt, 1000W for Cummins ISB/ISL engine	Yes	

11	Suspension 3ADC, 14VAH	FRONT: 14,000-lb capacity with parabolic taper leaf and HD shock absorbers REAR: 23,000-lb capacity with spring and 4500-lb auxiliary rubber spring	Yes	
11a	Frame Rails 1CBU, 1WGE	Frame Rails: heat treated alloy steel (120,000 PSI Yield); 10.125" X 3.580" X 0.312" (257.0mm x 90.9mm x 8.0mm)	Yes	
11b	Frame Reinforcement 1GBP	Outer "C" channel, heat treated alloy steel (120,000 PSI Yield); 10.813" X 3.892" X 0.312" maximum OAL	Yes	
11c	Frame Extension 1WDT, 1LLA, 1WDU, 1570	Front integral; 20" in front of grille with outer "C" channel reinforcement with front steel swept back bumper powder coated in argent gray	Yes	
12	HVAC Climate Control 16WCT	Full heating, defrost, blend-mix with air conditioning and ventilation and HVAC fresh air filter	Yes	
13	Lighting/Safety Headlights: 8WML, 8THJ	Headlights; Halogen with two lamp system standard, also with added snow plow headlamp upfitter wiring	Yes	
13a	Turn Signals, Markers 8XJE, 8WPH	Turn Signals: dual face, LED, amber/amber, mounted on top of fender. Used with standard flush mounted front turn signal, side marker lamps, parking lights and reflectors	Yes	
13b	Stop/Tail/Turn/Back-up 8TKB	Truck Lite Super 44 LED lamps for S/T/T and Truck Lite Super 40 for back up lamps with power module "International" termination and less junction box	Yes	
13c	Horns 8VAY, 8WCL	Standard electric disc and single trumpet air, air solenoid operated under hood	Yes	
13d	Pre-Trip Test 8WPZ	Pre-trip inspection will cycle all exterior Lamps (except backup and add non-OEM)	Yes	
13e	Parking Brake Alarm 8WXD	Alarm sounds when vehicle brake not set, with ignition off and any door open	Yes	
14	Emergency Warning Lighting	TBD	Yes	
15	Wheels 27DTT, 28DTT	Front/Rear; (Accuride 28828) Disc; 22.5x8.25 rims, powder coat steel, two-hand hole, 10 stud, 285.75mm BC, hub-piloted, flanged nut, with .472" thick increased capacity disc and with steel hubs in standard colors (black or grey)	Yes	
16	Tires 7392155420	Front and Rear Tires shall all be Continental Brand, Model HDC1, Size of 12R22.5 with Load Range "H" All-Position Rated.	Yes	
17	CAB Configuration 9585, 9HAN, 9HBM, 9HBN9WAC, 9WBC, 16030, 16WEE	Conventional Regular Cab: stationary chrome grill; rubber fender extensions; bug screen mounted behind grille; front-end tilting fiberglass hood with three-piece construction; insulation, splash panels for sound abatement and cab sound insulation package, coat hook, cup holders, dome lamp, tinted glass all, grab handles, 2-step entry each side.	Yes	
17a	Cab Interior Trim 16WRX	Deluxe trim level; "A" pillar cover with molded plastic; trim panels cloth covered over molded plastic; full height; all exposed interior sheet metal is covered Except for interior door sections	Yes	

17b	Exterior Paint 9219 (Intl color code)	All body components to be white two stage; base coat, clear coat with rust protective primer coat, heavy duty impact resistant quality coatings	Yes	
18	Spare Tire & Wheel 29007 26DTT/7382135423	One (1) matching rim and rear tire, painted to match wheel spec	NO	Spare Tire will be same as reactive - 7392155420.
19	Windows	Power right and left door; glass	Yes	
20	Wipers 8WGL	Three (3) speed wipers with gradual speed intermittent control, with forced to slowest intermittent speed when park brake set and wipers in on-position (settable time period)	Yes	
20a	Wipers On/Headlights On 8WRB	When wipers are turned on the headlights will automatically turn on	Yes	
21	Dashboard and Control Panel 16HBA, 16HGH, 16HKT, 16HLJ	Full standard gauge package including: speedometer, tachometer, oil pressure (engine), fuel level, battery/charging system with voltmeter, coolant temperature (engine), washer fluid level. Transmission temperature gauge Odometer Display: miles, trip miles, engine hours, trip hours, fault codes readout, IP cluster display OBD fault codes Warning Systems/Alarms: low fuel, low oil pressure, high coolant temperature, low battery voltage (visual and audible) Def fluid level gauge	Yes	
21a	Upfitter Switches 8WSM	Six (6) switches in instrument panel; one power module with 6 channels, 20 Amp maximum per channel and 80 Amp maximum output, switches control the power module through multiplex wiring, mounted battery box back of cab	Yes	
21b	Circuit Breakers 8XAH	Manual reset (main panel) SAE type III with trip indicators, replaces all fuses except for 5-Amp fuses	Yes	
22	Mirrors 16SNB	Two (2) Lang Mekra rectangular, thermostatically controlled heated heads, black heads, brackets and arms, breakaway type, 7.55" x 14.1" integral convex in both sides, 102" inside spacing	Yes	
23	Radio 8RKB	Panasonic CQ120, includes multiple speakers with auxiliary input, mounted in overhead console	Yes	
24	Seat(s) 16JNT 16WBY 16LUM	Driver National 2000 air suspension, high back with integral headrest, vinyl, isolator, 1 Chamber Lumber, with 2-Position Front Cushion Adjust, - 3 to +14 Degree Angle Back Adjust, Right-Side Arm Rest and 3-point Lap-Shoulder Belt. Passenger National Non-Suspension, High Back w/Integral Headrest, Vinyl, w/Fixed Back and Under Seat Storage, 3-point Lap-Shoulder Belt.	Yes	
25	Flooring	Full Black Vinyl/Rubber	Yes	

26	Diagnostics & Parts 10WJH	Two Year Subscription of On-Command Service Information and On-Command Parts Information	Yes	
27	Interior Trim Color	Tan or Black trim and seats	Yes	
28	Keys	Four (4) Complete Sets	Yes	
29	Door Locks	Manual or standard	Yes	
30	Two-Way Radio Wiring 8RGA	Wiring with 20 amp fuse includes ignition wire with 5 amp fuse, wire ends heat shrink and routed to center of header console in cab	Yes	
31	SNOW PLOW Assembly	Henke Model 43R11J, PLP, ECT 43" High, Poly Moldboard, Dual A Arm Lift w/Pivot Point, Reversible w/(2) 4" x 2" x 15-1/8" Cylinders, (1) 4" x 2" x 15-1/8" Lift Cylinder, External Compression Trip Carbon Cutting Edge, Parallel Lift System w/Flat Plate Hitch, 12" Rubber "dust" Flap, and All of Plow Painted in Heavy Duty Black with Rust Resistant Primer on All Steel Parts	Yes	
31a	Snow Plow Headlamps	Shall have Hella Halogen Snow Plow Lighting/Head Lamp kit mounted to the Snow Plow Headframe Riser Brackets (not to the trucks hood) and provide a selector switch on dash to allow truck head light and high-beam controls to operate either standard truck lamps or plow lamps	Yes	
32	Emergency/Lighting	Shall have two (2) 4" Amber LED Strobe Lamps mounted in rear bumper of truck and wired to a switch mounted in the cab center console	Yes	
33	DUMP BODY Assembly	Upfitter/Builder shall reuse the dump beds (Rugby Titan TS-10-5S 10'4") from existing trucks and reconfigure and install necessary framing for use on the new Hook Loader system, including the removal from existing truck(s) and any necessary parts or supplies. The hoist systems shall remain on the old trucks and operational without damage from the removal process of the beds	Yes	
34	Ice Control Spreader Epoke Setup	Truck and Hook Loader Equipment to also accommodate and have a-frame, rollers, hydraulic and electrical connectors provided and installed for an Epoke Spreader model S3800 AST which will be purchased under separate agreement. Installation of Epoke Controls also to be installed in cab console as required by Epoke Installation Manual. Epoke Factory assistance will be provided as well	Yes	
35	Hook-Loader Assembly	Shall have an Ampliroll brand model AL120SS-10 Hookloader System with 26,000 lbs. capacity, accommodates bodies 9' to 12' with 61-3/4" Hook Height and have LED S/T/T/BU lamps mounted in Rear Bumper part of assembly, Steel Diamond Plate Fenders, Painted Black	Yes	

36	Hydraulics	Shall have Certified Power Hydraulics System with Front Pump Mounted Engine Driven StormGuard, Danfoss Load Sensing Pump, Danfoss Load Sense Valve Bank (Hookloader Jib, Hookloader Hoist, Plow Lift, Plow Reverse, Spreader Systems Conveyer and Spinner) with Integrated 30 Gallon Reservoir, Internal Filter Mounted to Drivers Side Frame Rail; Inside Cab Center Control Console with Joy-Stick Controls for all Functions and Necessary Switches for Warning Lights, Work Lights, Tailgate Release, with Console Panel Lighting for Night Operations	Yes	
37	Manuals	Full Sets of Operators, Service, Technical Diagnostic/Troubleshooting, and Parts Manuals Shall be Provided for Truck Chassis, Engine, Transmission and Transfer case, Hookloader Systems, Plow Systems and Hydraulic Systems Must be in print form or computer disc. On-line subscriptions will not be accepted unless lifetime subscriptions are guaranteed at no additional cost to the County	Yes	
38	Warranty	All Components specified in this bid (including but not limited to all truck chassis, engine, transmission, axles, frame, hydraulic system components, trim, fuel system components, snow plow components, dump bed and hookloader components including controls and Electrical - except for the Epoke Spreader unit components purchased under separate agreement). Warranty shall have a <u>24 month/unlimited mile/hours full coverage parts and labor warranty</u> (minimum) or as specified by the manufacturer whichever is greater. All warranty documents shall be provided at delivery for all components/systems	Yes	
39	Towing	Towing shall be covered due to failure of any warranty covered component which renders the truck inoperative to the dealer or designated repair facility by the selling dealer for the first 24 months (minimum)	Yes	
39a	Delivery/In-Service	Delivery shall be at the County Transportation Division Yard at: 1121 Shakori Drive, Meyers, CA 96150. In-service date shall be the date of final accepted delivery inspection and sign-off of completion of inspection by the Equipment Superintendent, regardless of actual delivery date of invoice date. County Purchase Order Date does not constitute in-service acceptance Any corrections found upon final delivery inspection must be corrected by the awarded bidder before an accepted delivery will be signed for In-Service and payment processing	Yes	

PROMPT PAYMENT DISCOUNT TERMS

Indicate flat rate or percentage discount for prompt payment.
(Note: Discount of less than 2% or with payment terms of less than twenty (20) days will not be accepted and will not be considered for evaluation purposes.)

Net Discount if paid within 30 days from invoice date.

Discount applies to the awarded bid price of the vehicle only and shall not apply to taxes, options, warranty, or delivery/freight charges.

If prompt payment discount is taken,
Sales tax shall be based on the discounted price of the vehicle.

Indicate "Net" if no Prompt Payment Discount Terms are offered

DELIVERY

Indicate the number of days after receipt of order (ARO) for delivery: 150
Refer to Page six (6), "Delivery" for specific delivery requirements.

Erasures, overwrites, and the use of correction fluid/tape are NOT acceptable.
Refer to Item #3 of the General Terms and Conditions for specific instructions.

(The remainder of this page intentionally left blank.)



**COUNTY OF EL DORADO
Procurement & Contracts**

ATTN: Purchasing Agent
360 Fair Lane
Placerville, CA 95667

INVITATION TO BID & BID #17-070-036

DUE: 3:00 PM - January 24, 2017

Sealed Bids must be clearly marked on the outside of the package with:

"BID 17-070-036, MAILROOM - DO NOT OPEN"

C

ALL BIDS SUBJECT TO GENERAL CONDITIONS

2017 International Dump Truck, Model 7400 SFA, 4x4 C&C Truck with a Hookloader System, Spreader Controls and Snow Plow as per Specifications

General: The El Dorado County Procurement & Contracts Division is requesting bids for purchase of one, new 2017 International Dump Truck, Model 7400 SFA, 4x4 C&C Truck with a Hookloader System, Spreader Controls and Snow Plow as per bid specifications beginning on Page twelve (12).

This is **Brand Specific**, only an International Truck brand will be accepted, alternate brands will not be considered for evaluation. Vehicle and equipment quoted in this bid shall be in compliance with all provisions of the California Vehicle Code and the State of California Parks, Off Highway Motor Vehicle (OHV) Recreation Division Code.

Bid pricing shall be inclusive of factory rebates and incentives, dealer charges including dealer preparation, shipping charges to dealer, delivery and set up, installation charges & DMV fees (The County is exempt for DMV vehicle license fees). Applicable tire tax will be added to the purchase orders; bidders shall not include this tax on the bid Quotation Schedules.

Information: For additional information, contact Rick Blake, Sr. Buyer, at (530) 621-5873 (email rick.blake@edcgov.us. Bidders shall direct all inquiries to the County Procurement and Contracts Division Purchasing Agent and shall not contact the requesting department directly regarding any matter related to this Invitation to Bid.

ALL BIDS SHALL BE QUOTED FREIGHT PREPAID FOB DESTINATION

Prior to preparing your bid submittal, please note the General Terms and Conditions, Instructions to Bidders, Item #3, which states:

Erasures, overwrites, and the use of correction fluid/tape are NOT acceptable.

JBP, LLC DBA-
Silver State International Trucks
Firm Name

[Signature]
Signature of Authorized Agent

2255 Larkin Circle
Mailing Address

Bo Burgarelle New Truck Sales
Print Name & Title of Authorized Agent

Sparks NV 89431
City State Zip

1/18/17
Date

(775) 691-9972
Phone

(775) 685-6015
Fax

ba@ssitrucks.com
E-Mail Address

Bid Preparation / Submittal Checklist

- [yes] All required bidder information on Page one (1) of the Invitation to Bid is completed and has the original signature of an authorized agent.
- [yes] Note that erasures, overwrites, and the use of correction tape/fluid are NOT acceptable. Refer to Item #3 of the General Terms and Conditions for specific instructions.
- [yes] Make sure Quotation Schedule is bid 100% complete, including "Yes" / "No" or "Y"/"N") and exceptions to bid are defined on Page nineteen (19); no check marks.
- [yes] Note any prompt payment discounts available on the Quotation Schedule, Page twenty (20).
- [yes] Indicate delivery lead times on the Quotation Schedule, Page twenty (20).
- [yes] A valid California Seller's Permit number is entered on Page six (6).
- [yes] All requirements of Invitation to Bid have been met.
- [NO] Local Vendor Preference Affidavit of Eligibility if applicable. Link to form information available on Page eight (8). Must be submitted with your bid response

General Terms and Conditions

Instructions to Bidders:

- (1) Bidders are responsible to see that the bid is received in the Procurement & Contracts Division prior to the bid opening deadline. Late bids will be returned unopened.
- (2) All bids must be submitted in ink on the bid form. Cover letters, additional sheets, etc. may be included. The total bid excluding sales tax must appear on the bid form as indicated.
- (3) Erasures, overwrites and use of correction fluid or tape are NOT acceptable. All changes (price, model numbers, part numbers, etc.) must be lined out and corrections inserted adjacent to and initialed by the bidder's authorized representative.
- (4) Vendor is required to quote "NEW" equipment, material or product. Recycled, remanufactured, or previously owned product will not be accepted unless otherwise stated in the Invitation to Bid.
- (5) All bids must include the company name and address and must be signed by an authorized representative of the company; signature must be an original signature, or an original signature stamp, on the County Bid Form.
- (6) Alternate or incomplete bids will NOT be accepted.
- (7) The County, at its sole option, may correct arithmetic or extension errors, and obtain clarification, if necessary.
- (8) If no terms discount is to be offered, the terms portion of the bid form shall state "NET".
- (9) If delivery specified is impossible, bidder must state best delivery available on the bid form. Number of days shall mean calendar days After Receipt of Order (ARO). Bids quoting delivery beyond the requirement may be rejected.
- (10) Bid modifications, corrections, or additions received beyond the bid deadline will NOT be considered.
- (11) Telephone, facsimile, or emailed bids will NOT be accepted.
- (12) Bid prices shall be firm for a minimum of sixty (60) calendar days from the bid opening unless otherwise indicated on the bid form.
- (13) By submitting a response to this Invitation to Bid, Bidder acknowledges and accepts the County's standard terms and conditions incorporated as Exhibit "A".
- (14) Any alteration to the Invitation to Bid must be added in addenda form, and must be issued by the County Purchasing Agent.

(15) Protest Procedure: Award of bid will be published on the County's website:

www.edcgov.us/Contracts/BidResults.asp

Bidders have ten (10) business days from the date of the posting to submit a letter of protest to the Purchasing Agent. Letter must be signed by an authorized representative stating specific reason(s) for the protest including all relevant facts (law, rule, regulation, criteria).

Brands:

The use of brand and/or manufacturer names in the bid specification is for descriptive purposes only. Unless otherwise specified, products of comparable quality and performance will be considered.

Bidders offering other than the referenced brands are to note their brand name and catalog model number on the bid form.

Guarantees:

All items purchased shall be guaranteed against defects when used for the purposes for which they were designed for.

Taxes:

Bidders shall NOT include Federal Excise Taxes. An exemption certificate will be furnished to the successful bidder upon request.

Applicable taxes and fees will be added when the purchase order is issued.

Samples:

Samples of items, when required, must be furnished to the County at the bidder's expense. If possible, samples will be returned upon request and at the bidder's expense. Samples of selected items may be retained for comparison.

Bonds:

The County reserves the right to require the successful bidder to provide a performance bond in an amount determined by the County. Unless specifically required on the bid form, a performance bond will NOT be required.

Certification of the performance bond shall be required following bid award and prior to the release of a purchase order.

Unless specifically required on the form, bidder's bonds will NOT be required.

Award:

Regardless of amount, unless specifically approved by the County Board of Supervisors, award shall be made to the lowest responsive, responsible qualified bidder.

In determining the successful bidder, consideration will be given to quality, delivery, warranty, compatibility with existing equipment, and any other information considered to be in the best interests of the County.

It is unlawful for any person to furnish supplies or services or transact any kind of business in the unincorporated territory of EL Dorado County without possessing a County business license unless exempt under County Code Section 5.08.070. Contact Tax Collector's Office, 360 Fair Lane, Placerville, CA 95667, telephone (530) 621-5800, for further information.

In accordance with Board Policy, 5.7.1, effective October 11, 2006, the local vendor preference is 5%. Vendor shall have established a place of business within El Dorado County prior to publication of the call for bids.

The County of El Dorado is an equal opportunity employer (EOE). Minorities, Females and Handicapped are encouraged to participate (M/F/H).

If the bid is on an "All or Nothing" basis, bidder shall so state. The County reserves the right to make awards on individual items of a multiple item bid if deemed to be in the best interest of the County.

The County reserves the right to reject any and all bids, or to waive any informality or nonsubstantial irregularity in any bid.

The County reserves the right to purchase quantities by necessity only regardless of approximate quantities indicated on the bid form. Bidder shall also have the right to refuse sale in reduced quantities; in such instances, the award shall go to the next lowest qualified bidder.

In case of default by vendor, the County may procure the articles or service from other source and may recover the loss occasioned thereby from any unpaid balance due the vendor or by proceeding against performance bond of vendor, if any, or by legal process against vendor. The prices paid by County shall be considered the prevailing market price at the time such purchase is made.

(The remainder of this page intentionally left blank.)

Specifications: Vehicle specifications are a general guideline. Minor deviations from these specifications may be accepted at the sole discretion of the County. Major exceptions, which, in the opinion of the County, affect the function of the vehicle, will not be accepted. Additional specifications are as follows:

A factory authorized service facility must be located within one-hundred (100) miles of 1121 Shakori Drive, Meyers, CA. for the brand of the vehicle bid.

Vehicle equipment not specified on the bid but included standard on the vehicle shall be included at delivery at no additional charge.

"Minimum" - Defined as only acceptable level of equipment at lowest level; quotes for "higher level" equipment will be accepted in these areas.

Requirements: Bidders failing to comply with any of the following requirements will not be considered for the evaluation and award process:

Bidders shall offer the equipment or material that comes closest to meeting or exceeding the following specifications. Where deviations from the specifications are necessary, the bidder shall notate such deviations. Bidders shall state why, in their opinion, the equipment or materials they bid on will offer equivalent reliability, coverage, and performance. Failure to detail any deviations renders the bid non-responsive.

Bidders are required to complete all line items with a "yes" or "no" for the equipment on the Quotation Schedule regardless of any attachments.

Bidders must complete the "Yes" / "No" (Y/N) column with either "Y" indicating the vehicle specifications are exactly the same as the bid specifications or an "N" indicating that the bid vehicle specifications are not exactly the same. **Do not use checkmarks.**

Bidders not responding with a "Y" or "N" may be rejected and not considered for evaluation and award.

Any specifications marked with an "N" must also include the exact specification being bid that deviates from the bid specifications on the "Exceptions", Page nineteen (19). **Failure to include this information may cause the bid to be rejected and not considered for evaluation and award.**

Bid price must remain in effect for a period of no less than ninety (90) days from the date of the bid opening.

Specifications requesting brand specific vehicles MUST be bid using the specification listed on the Quotation Schedule beginning on Page twelve (12).

California Sales & Use Tax Requirement: Any bidders located outside of the State of California selling goods to the County must possess a valid and current California Seller's Permit at the time of bidding and maintain such permit in good standing throughout the awarded period.

Provide California Seller's Permit Number: SRSKH100-489373

✓

(The remainder of this page intentionally left blank.)

Delivery: Product shall be delivered F.O.B. destination, freight prepaid, on ground or inside delivery to the following location:

El Dorado County
Community Development Agency
Transportation Division
1121 Shakori Drive
Meyers, CA 96150

Incomplete and Altered Bids: Incomplete or altered bids, and bids containing items not called for in the bid may be rejected. Bids submitted on forms other than those furnished by the County will not be considered.

Terms and Conditions: The County will not consider any terms and conditions other than the terms and conditions contained in the subject bid. Bidders submitting their own terms and conditions will not be considered and will be rejected. Any bid response containing alterations to the General Terms and Conditions or terms and conditions contained in the subject bid, will not be considered and will be rejected.

Merchantability: There shall be an implied warranty of merchantability and fitness of an intended use. Any bid submittals taking exception to this requirement may, at the County's option, be considered non-responsive.

County's Rights: The Purchasing Agent reserves the right to not enter into any agreement, cancel this process at any time, amend this process at any time, or to award more than one contract to the lowest, responsive, responsible bidders if it is in the best interest of the County.

Returns: The County reserves the right to return product within thirty (30) days of receipt by the County for credit or refund without a shipping or restocking fee. Product returned shall be in good condition and in the original package (if applicable). Defective product or product under warranty may not always be returned in the original package.

Federal, State, and Local Laws: The successful bidder must operate in conformity with all applicable, federal, state, and local laws. It is the responsibility of the awarded bidder to ensure that all permits and/or licenses required for operation are valid and current. Failure to comply with this provision may be cause to cancel any contract awarded, and award will be made to the next lowest, responsive, responsible bidder.

Business License: It is unlawful for any person to furnish supplies or services, or transact any kind of business in the unincorporated territory of El Dorado County without possessing a County business license unless exempt under County Code Section 5.08.070. Contact the Tax Collector's Office at 360 Fair Lane, Placerville, CA 95667, or phone (530) 621-5800, for further information. El Dorado County is an equal opportunity employer (EOE). Minorities, females, and handicapped are encouraged to participate.

It is not a requirement to possess a County business license at the time of bid submittal. Successful bidders may be required to possess a County business license to award bid.

Local Vendor Preference: In accordance with Board of Supervisor's Policy C-17 section 5.7.1 a local preference credit of 5% for El Dorado County businesses will be permitted when evaluating bids for supplies and equipment that are not part of a public project.

In order to qualify for the local preference authorized by this Section, the vendor seeking such preference shall be required to submit with its bid a statement containing relevant information which demonstrates compliance with the provisions of this section. The statement shall be on a form provided by the Purchasing Agent and shall be signed under penalty of perjury. Any person, firm, corporation or entity intentionally submitting false information to the County in an attempt to qualify for local preference may be prohibited from bidding on El Dorado County products and services for a period of one (1) year from the date of the false submittal. Bidders claiming local vendor preference must submit the Affidavit of Eligibility with their bid response. The Affidavit may be downloaded by clicking on the following link:

<http://www.edcgov.us/Contracts/pdf/LocalVendorPreferenceForm.pdf>

Where state sales tax will be paid for the purchase, the local business must possess a valid resale license from the State Board of Equalization showing evidence of a local business address within El Dorado County. If the local business has more than one office in the State of California, the office located in El Dorado County shall be the point of sale credit for the purpose of sales tax calculation.

Compliance: Late, incomplete, incorrect deliveries or excessive backorders will be documented, and performance evaluated when considering contract continuation or extension. Inaccurate or erroneous billing will also be documented and monitored for the purpose of evaluating performance when considering continuation or extension of contract. Failure to meet quoted delivery time frames, or inaccurate or erroneous invoices (as determined by the Purchasing Agent) may be cause for the County to cancel the balance of the awarded blanket purchase order and award will be made to the next lowest bidder. Failure to receive County concurrence for substitutions or alternates will be documented and considered when evaluating continuation or extension of contract.

Invoices and Payment Terms: Invoices are to be mailed to the County department(s) specified on the resulting purchase order, blanket purchase order or contract. All invoices must include the purchase order number, blanket purchase order number, or contract number, County stock numbers when applicable, product description and reference to back ordered items. Invoices must be exclusive of product other than bid items. Failure to comply may result in delayed payments.

The County will make payment on a Net thirty-day (30-day) basis unless a cash discount of one-half percent (1/2%) or greater, which amounts to \$2.50 or more, is allowed for payment within not less than twenty (20) days. The payment term shall begin on the date the merchandise is inspected, delivered and accepted by the County, or on the date a correct invoice is received in the office specified in the order, whichever is later. Prompt payment discounts shall be considered earned if payment is postmarked or personally delivered within the prescribed term. The beginning date described above shall be considered day zero for the purposes of counting days in the prescribed term.

(The remainder of this page intentionally left blank.)

El Dorado County Web Site Requirements: It is the bidder's responsibility to monitor the County's website for possible addenda to this bid to inform him/herself of the most current specifications, terms, and conditions, and to submit his/her bid in accordance with the original bid requirements and all addenda. All available bids and related addenda can be found at:

<http://www.edcgov.us/Contracts/invite.asp>

Failure of bidder to obtain this information shall not relieve him/her of the requirements contained therein. Those bidders not acknowledging and returning Addenda as required will not be considered and will be rejected as "non-responsive."

Public Agency: It is intended that other public agencies (i.e., city, special district, public authority, public agency and other political subdivisions of the State of California) shall have the option to participate in any agreement created as a result of this Invitation to Bid with the same terms and conditions specified there in, including pricing. The County shall incur no financial responsibility in connection with a purchase order from another public agency. The public agency shall accept sole responsibility for placing orders and making payment to the vendor.

Addenda: Addenda to this bid are valid only if in writing and issued by the Procurement & Contracts Division and are required to be acknowledged and returned by participating bidders in order for the bidder to be considered further in the evaluation process. Unless otherwise indicated, those bidders not acknowledging and returning Addenda as required will not be considered and will be rejected as "non-responsive."

Non-Collusion: The bidder certifies that this bid response is made without any previous understanding, agreement or connection with any person, firm or corporation making a bid for the same project, and is in all respects fair, without outside control, collusion, fraud or otherwise illegal action.

Conflict of Interest: Bidder states that no County officer or employee, nor any business entity in which they have an interest, has an interest in the bid award been employed or retained to solicit or aid in the procuring of the resulting contract, nor that any such person will be employed in the performance of such contract.

Evaluation: Bids will be evaluated based on meeting or exceeding minimum specifications. Bids submitted on the basis of "All or Nothing" may be rejected. Bid evaluation shall include applicable prompt payment terms discount. If payment cannot be made within the discount period, payment terms shall revert to Net thirty (30) days.

(The remainder of this page intentionally left blank.)

Award: The bid may be awarded by grand total to the lowest responsible and responsive bidder complying with the provisions of the Invitation to Bid. In determining whether a bid is lowest and responsive, and the bidder is responsible, the following may be considered by the County: a) Ability to perform the service required within the specified time; b) Reputation, judgment and experience; c) The quality of performance in previous contracts; d) Previous compliance with laws as well as employment practices; e) Financial ability to perform the contract; f) The quality, availability and adaptability of the supplies or the contractual services to the particular use required; g) Ability to provide maintenance and service; h) Whether the bidder is in arrears to the County, in debt on contract, is a defaulter on surety to the County or whether the bidder's taxes or assessments are delinquent; i) The resale value and life cycle costs of the items; and j) Such other information as identified in the Purchasing Ordinance having bearing on the decision to make the award. The decision of the County Board of Supervisors shall be final in determining the successful bidder.

Additional Purchases: Following the bid award, the Purchasing Agent may dispense with separate bidding for additional purchases of the same item(s) from the successful bidder within a twelve (12) month period from the initial purchase date provided that the vendor agrees to provide the item(s) at the same price and under the same terms and conditions as the previous award.

Bid Results: The Procurement and Contracts Division does not mail out hard copy letters advising participating bidders of the bid results. For bid results, please visit our website at:

<http://www.edcgov.us/Contracts/bidresults.asp>

Bid results will be posted approximately ten (10) to fourteen (14) business days after the bid opening deadline date or when the evaluation is complete.

(The remainder of this page intentionally left blank.)

Bid Submittal: *All bidders are advised to read the General Terms and Conditions starting on Page three (3) through five (5) of this Invitation to Bid prior to submitting a bid.*

Bids must be submitted in a sealed container or envelope clearly marked on the outside:

"BID # 17-070-036, MAILROOM DO NOT OPEN"

Bids will be accepted Monday through Friday from 8:00 a.m. to 5:00 p.m. Bids must be received in the Procurement & Contracts Division by **3:00 p.m., January 24, 2017:**

Mailing/Physical (Fed Ex, UPS etc)
EL DORADO COUNTY
PROCUREMENT & CONTRACTS (PURCHASING)
360 FAIR LANE
PLACERVILLE, CA 95667

It is the responsibility of the bidder to assure that the bid is received in the Procurement & Contracts Division prior to the bid opening deadline date and time. Bids received beyond the bid opening deadline will not be accepted and will be returned unopened. The time stamp clock located in the office of the Procurement and Contracts Division will serve as the official time clock.

Late bids, unsealed bids, unlabeled bids, incomplete bids, or bids otherwise not in compliance with the General Terms and Conditions of this Invitation to Bid, will be rejected.

By submitting a response, bidder acknowledges and accepts the General Terms and Conditions and all terms and conditions contained in this Invitation to Bid.

(The remainder of this page intentionally left blank.)

QUOTATION SCHEDULE

One (1) – New, 2017 International Dump Truck Manufacturer, Model 7400 SFA, 4x4 C&C Truck with a Hookloader System, Spreader Controls and Snow Plow as per Specifications below:

COMPONENT/CODE		SPECIFICATIONS	Y/N	Exceptions
1	TRUCK CHASSIS Engine 12WZB,	Cummins ISL9 330HP @ 2000 RPM, 1000 lb-ft torque @1400 RPM, 2200 RPM governed. Must meet all current EPA/ARB regulations and on-road fleet rule requirements of California and certified clean-idle decals		
1a	Exhaust System 7BKD, 7WZX	Switchback horizontal after treatment device OEM, frame mounted right side under cab outside of frame rail; includes single vertical tail pipe, frame mounted right side of cab, for all-wheel drive applications, with manual regeneration capability		
1b	Engine Brake 7SDP	Jacobs compression engine brake for Cummins ISL with selector switch and on/off switch		
1c	PTO Effects 12851	Engine front less PTO unit includes adaptor plate on engine front; mounted		
1d	Air Cleaner 12VBC	Single element with restriction gauge mounted on cab dash		
1e	Fuel/DEF Tanks and Filter 15LMN 15WDG 15SGG	Fuel/Water separator; Racor 400 series, 12 volt pre-heater, with primer pump and WIF sensor; fuel tank top draw, D-Style, non-polished aluminum, 19" deep, 70 U.S. gallon capacity with quick connect outlet mounted left side, under cab; DEF Tank 7.0 U.S. gallon capacity at left frame rail, Under Cab		
2	Wheelbase	171.00" with 96.00" CA and 63.00" axle to frame		
3	GVWR	35,000 lbs		
4	Steering 5708, 5CAL, 5PSA	Standard power assist with tilt wheel; 18" diameter, two-spoke		
5	Transmission 13AVJ 13WDB 13WLP 13WUC 13WVN 13WYU 13XAA 13XAM	Allison 3000 RDS 5 th Generation close-ratio, 5 speed with OD on/off highway includes oil level sensor, with PTO provision, less retarded, with 80,000-lb GVW and GCW maximum Accessory wiring for road speed control wire coiled under instrument panel for upfitter use.		
5a	Transfer Case 13TKK 13WDV	Meritor T-4210 2, 2-Speed, 10,000 lb-ft total capacity without PTO provision, with electric-over-air control, with lube pump, light indicator illumination on dash panel when engaged.		

6	Axles/Differentials 2EZK, 2WLC, 14ARY	FRONT - Steerable Driving: FABCO SDA-1400 single reduction, 14,000-lb capacity REAR - Driving (single): Meritor RS-23-186 single reduction 23,000-lb capacity, 200 wheel ends, driver controlled locking differential gear ratio: 4.89		
7	Brakes 4091, 4AZA, 4ERD, 4ETD, 4EXU, 4JCJ, 4NDB, 4WEV, 4WEX	Full system bendix anti-lock full vehicle control 4-channel air brakes: FRONT package, Bendix Spicer ES-165-5, S-Cam; 16.5" X 5.0"; includes 20 in. long stroke brake chambers, Gunitite automatic slack adjusters. rotated forward and up for Max Ground Clearance. REAR Package, Bendix Spicer ES-165-7, S-Cam extended service 16.5" X 7" with Gunitite automatic slack adjusters		
7a	Air Tank Location(s) 4WZJ	Two (2) tanks, one mounted under each frame rail, front of rear suspension, parallel to rail		
7b	Air Dryer 4EBS	Bendix AD-9 with heater		
7c	Air Compressor 4SPA	Cummins 18.7 CFM capacity		
7d	Drain Valve 4732	BERG manual with pull chain for air tanks		
8	Battery 8MKL, 8VUL	Three (3) maintenance free heavy duty 12-volt, 1950 CCA total enclosure, jumper-stud placed to outer most point for access		
9	Alternator/Electrical 8000, 8718, 8GXD, 8HAB	12-volt 160 amp Leece-Neville pad mount with remote sense. Standard electrical lighting and components, 12-volt power ports, (cigar-lighter/ash tray delete)		
10	Cooling System 12UWZ,	Heavy duty radiator with cross-flow series system; 1228 square inches aluminum core with internal water to oil transmission cooler and 1167 inches charge air cooler		
10a	Cooling System 12THT	Horton drive master direct drive type, two speed with residual torque device for disengaged fan speed		
10b	Cooling System	Fan override manual; with electric switch on instrument panel (fan on with switch on)		
10c	Cooling System 12926	Radiator hoses to be HD silicone with HD hose clamps (other hoses may be premium rubber)		
10d	Block Heater 12849	Engine block heater; 12-volt, 1000W for Cummins ISB/ISL engine		
11	Suspension 3ADC, 14VAH	FRONT: 14,000-lb capacity with parabolic taper leaf and HD shock absorbers REAR: 23,000-lb capacity with spring and 4500-lb auxiliary rubber spring		
11a	Frame Rails 1CBU,1WGE	Frame Rails: heat treated alloy steel (120,000 PSI Yield); 10.125" X 3.580" X 0.312" (257.0mm x 90.9mm x 8.0mm)		

11b	Frame Reinforcement 1GBP	Outer "C" channel, heat treated alloy steel (120,000 PSI Yield); 10.813" X 3.892" X 0.312" maximum OAL		
11c	Frame Extension 1WDT, 1LLA, 1WDU, 1570	Front integral; 20" in front of grille with outer "C" channel reinforcement with front steel swept back bumper powder coated in argent gray		
12	HVAC Climate Control 16WCT	Full heating, defrost, blend-mix with air conditioning and ventilation and HVAC fresh air filter		
13	Lighting/Safety Headlights: 8WML, 8THJ	Headlights; Halogen with two lamp system standard, also with added snow plow headlamp upfitter wiring		
13a	Turn Signals, Markers 8XJE, 8WPH	Turn Signals: dual face, LED, amber/amber, mounted on top of fender. Used with standard flush mounted front turn signal, side marker lamps, parking lights and reflectors		
13b	Stop/Tail/Turn/Back-up 8TKB	Truck Lite Super 44 LED lamps for S/T/T and Truck Lite Super 40 for back up lamps with power module "International" termination and less junction box		
13c	Horns 8VAY, 8WCL	Standard electric disc and single trumpet air, air solenoid operated under hood		
13d	Pre-Trip Test 8WPZ	Pre-trip inspection will cycle all exterior Lamps (except backup and add non-OEM)		
13e	Parking Brake Alarm 8WXD	Alarm sounds when vehicle brake not set, with ignition off and any door open		
14	Emergency Warning Lighting	TBD		
15	Wheels 27DTT, 28DTT	Front/Rear; (Accuride 28828) Disc; 22.5x8.25 rims, powder coat steel, two-hand hole, 10 stud, 285.75mm BC, hub-piloted, flanged nut, with .472" thick increased capacity disc and with steel hubs in standard colors (black or grey)		
16	Tires 7382135420 7382135423	Front: 12R22.5 HDC1 (Brand: Continental or comparable) load range H, 16 ply all position traction tread Rear: 12R22.5 HDR2 (Brand: Continental or comparable) load range H, 16 ply, all position traction tread		
17	CAB Configuration 9585, 9HAN, 9HBM, 9HBN9WAC, 9WBC, 16030, 16WEE	Conventional Regular Cab: stationary chrome grill; rubber fender extensions; bug screen mounted behind grille; front-end tilting fiberglass hood with three-piece construction; insulation, splash panels for sound abatement and cab sound insulation package, coat hook, cup holders, dome lamp, tinted glass all, grab handles, 2-step entry each side.		
17a	Cab Interior Trim 16WRX	Deluxe trim level; "A" pillar cover with molded plastic; trim panels cloth covered over molded plastic; full height; all exposed interior sheet metal is covered Except for interior door sections		

17b	Exterior Paint 9219 (Intl color code)	All body components to be white two stage; base coat, clear coat with rust protective primer coat, heavy duty impact resistant quality coatings		
18	Spare Tire & Wheel 29007 26DTT/7382135423	One (1) matching rim and rear tire, painted to match wheel spec		
19	Windows	Power right and left door; glass		
20	Wipers 8WGL	Three (3) speed wipers with gradual speed intermittent control, with forced to slowest intermittent speed when park brake set and wipers in on-position (settable time period)		
20a	Wipers On/Headlights On 8WRB	When wipers are turned on the headlights will automatically turn on		
21	Dashboard and Control Panel 16HBA, 16HGH, 16HKT, 16HLJ	Full standard gauge package including: speedometer, tachometer, oil pressure (engine), fuel level, battery/charging system with voltmeter, coolant temperature (engine), washer fluid level. Transmission temperature gauge Odometer Display: miles, trip miles, engine hours, trip hours, fault codes readout, IP cluster display OBD fault codes Warning Systems/Alarms: low fuel, low oil pressure, high coolant temperature, low battery voltage (visual and audible) Def fluid level gauge		
21a	Upfitter Switches 8WSM	Six (6) switches in instrument panel; one power module with 6 channels, 20 Amp maximum per channel and 80 Amp maximum output, switches control the power module through multiplex wiring, mounted battery box back of cab		
21b	Circuit Breakers 8XAH	Manual reset (main panel) SAE type III with trip indicators, replaces all fuses except for 5-Amp fuses		
22	Mirrors 16SNB	Two (2) Lang Mekra rectangular, thermostatically controlled heated heads, black heads, brackets and arms, breakaway type, 7.55" x 14.1" integral convex in both sides, 102" inside spacing		
23	Radio 8RKB	Panasonic CQ120, includes multiple speakers with auxiliary input, mounted in overhead console		

24	Seat(s) 16JNT 16WBY 16LUM	Driver National 2000 air suspension, high back with integral headrest, vinyl, isolator, 1 Chamber Lumber, with 2-Position Front Cushion Adjust, - 3 to +14 Degree Angle Back Adjust, Right-Side Arm Rest and 3-point Lap-Shoulder Belt. Passenger National Non-Suspension, High Back w/Integral Headrest, Vinyl, w/Fixed Back and Under Seat Storage, 3-point Lap-Shoulder Belt.		
25	Flooring	Full Black Vinyl/Rubber		
26	Diagnostics & Parts 10WJH	Two Year Subscription of On-Command Service Information and On-Command Parts Information		
27	Interior Trim Color	Tan or Black trim and seats		
28	Keys	Four (4) Complete Sets		
29	Door Locks	Manual or standard		
30	Two-Way Radio Wiring 8RGA	Wiring with 20 amp fuse includes ignition wire with 5 amp fuse, wire ends heat shrink and routed to center of header console in cab		
31	SNOW PLOW Assembly	Henke Model 43R11J, PLP,ECT 43" High, Poly Moldboard, Dual A Arm Lift w/Pivot Point, Reversible w/(2) 4" x 2" x 15-1/8" Cylinders, (1) 4" x 2" x 15-1/8" Lift Cylinder, External Compression Trip Carbon Cutting Edge, Parallel Lift System w/Flat Plate Hitch, 12" Rubber "dust" Flap, and All of Plow Painted in Heavy Duty Black with Rust Resistant Primer on All Steel Parts		
31a	Snow Plow Headlamps	Shall have Hella Halogen Snow Plow Lighting/Head Lamp kit mounted to the Snow Plow Headframe Riser Brackets (not to the trucks hood) and provide a selector switch on dash to allow truck head light and high-beam controls to operate either standard truck lamps or plow lamps		
32	Emergency/Lighting	Shall have two (2) 4" Amber LED Strobe Lamps mounted in rear bumper of truck and wired to a switch mounted in the cab center console		
33	DUMP BODY Assembly	Upfitter/Builder shall reuse the dump beds (Rugby Titan TS-10-5S 10'4") from existing trucks and reconfigure and install necessary framing for use on the new Hook Loader system, including the removal from existing truck(s) and any necessary parts or supplies. The hoist systems shall remain on the old trucks and operational without damage from the removal process of the beds		
34	Ice Control Spreader Epoke Setup	Truck and Hook Loader Equipment to also accommodate and have a-frame, rollers, hydraulic and electrical connectors provided and installed for an Epoke Spreader model S3800 AST which will be purchased under separate agreement. Installation of Epoke Controls also to be installed in cab console as required by Epoke Installation Manual. Epoke Factory assistance will be provided as well		

35	Hook-Loader Assembly	Shall have an Ampliroll brand model AL120SS-10 Hookloader System with 26,000 lbs. capacity, accommodates bodies 9' to 12' with 61-3/4" Hook Height and have LED S/T/T/BU lamps mounted in Rear Bumper part of assembly, Steel Diamond Plate Fenders, Painted Black		
36	Hydraulics	Shall have Certified Power Hydraulics System with Front Pump Mounted Engine Driven StormGuard, Danfoss Load Sensing Pump, Danfoss Load Sense Valve Bank (Hookloader Jib, Hookloader Hoist, Plow Lift, Plow Reverse, Spreader Systems Conveyer and Spinner) with Integrated 30 Gallon Reservoir, Internal Filter Mounted to Drivers Side Frame Rail; Inside Cab Center Control Console with Joy-Stick Controls for all Functions and Necessary Switches for Warning Lights, Work Lights, Tailgate Release, with Console Panel Lighting for Night Operations		
37	Manuals	Full Sets of Operators, Service, Technical Diagnostic/Troubleshooting, and Parts Manuals Shall be Provided for Truck Chassis, Engine, Transmission and Transfer case, Hookloader Systems, Plow Systems and Hydraulic Systems Must be in print form or computer disc. On-line subscriptions will not be accepted unless lifetime subscriptions are guaranteed at no additional cost to the County		
38	Warranty	All Components specified in this bid (including but not limited to all truck chassis, engine, transmission, axles, frame, hydraulic system components, trim, fuel system components, snow plow components, dump bed and hookloader components including controls and Electrical - except for the Epoke Spreader unit components purchased under separate agreement). Warranty shall have a <u>24 month/unlimited mile/hours full coverage parts and labor warranty</u> (minimum) or as specified by the manufacturer whichever is greater. All warranty documents shall be provided at delivery for all components/systems		

39	Towing	Towing shall be covered due to failure of any warranty covered component which renders the truck inoperative to the dealer or designated repair facility by the selling dealer for the first 24 months (minimum)		
39a	Delivery/In-Service	<p>Delivery shall be at the County Transportation Division Yard at: 1121 Shakori Drive, Meyers, CA 96150.</p> <p>In-service date shall be the date of final accepted delivery inspection and sign-off of completion of inspection by the Equipment Superintendent, regardless of actual delivery date of invoice date. County Purchase Order Date does not constitute in-service acceptance</p> <p>Any corrections found upon final delivery inspection must be corrected by the awarded bidder before an accepted delivery will be signed for In-Service and payment processing</p>		
40	Optional Lease-Purchase Plan	In addition to the quoted cash price, offer optional Lease to Own Program based on 72 month term annual payments with interest rate(s) options.		

The purpose of these specifications is to describe a special service municipal truck with engine driven hydraulic system and controls for the operation of a Hook Loader, Plow and Spreader. Truck to be outfitted with a 26,000-lb capacity hook type loader.

Compete Bid Price: \$ _____ (DO NOT INCLUDE ANY TAXES or FEES)

Erasures, overwrites, and the use of correction fluid/tape are NOT acceptable.
Refer to Item #3 of the General Terms and Conditions for specific instructions.

(The remainder of this page intentionally left blank.)

PROMPT PAYMENT DISCOUNT TERMS

Indicate flat rate or percentage discount for prompt payment.
(Note: Discount of less than 2% or with payment terms of less than twenty (20) days will not be accepted and will not be considered for evaluation purposes.)

_____ Discount if paid within _____ days from invoice date.

Discount applies to the awarded bid price of the vehicle only and shall not apply to taxes, options, warranty, or delivery/freight charges.

If prompt payment discount is taken,
Sales tax shall be based on the discounted price of the vehicle.

Indicate "Net" if no Prompt Payment Discount Terms are offered

Erasures, overwrites and use of correction fluid or tape are NOT acceptable.
Refer to Item #3 of the General Terms and Conditions for specific instructions.

DELIVERY

Indicate the number of days after receipt of order (ARO) for delivery: _____
Refer to Page six (6), "Delivery" for specific delivery requirements.

Erasures, overwrites, and the use of correction fluid/tape are NOT acceptable.
Refer to Item #3 of the General Terms and Conditions for specific instructions.

(The remainder of this page intentionally left blank.)

STATEMENT OF NO RESPONSE

If Vendor is not submitting a response to this BID, RFP, RFI, RFQ, etc. please complete and return this form to: El Dorado County Procurement and Contracts, 330 Fair Lane, Placerville, CA 95667, or fax to (530) 295-2537. Failure to respond to a BID, RFP, RFI, RFQ, etc. or submit a 'Statement of No Response' three (3) times in succession will result in removal from the County's bidders list.

Board of Supervisors Procurement Policy C17, Section 8.2:

Removal of a vendor from the bidders list may be for:

- (a) Failure to respond to more than three (3) consecutive formal invitations to bid; or*
- (b) Failure to respond responsibly to more than three (3) notices to bid; or*
- (c) Failure to perform after an award of a bid; or*
- (d) Other reasons that show the bidder to be a non responsive or non responsible bidder.*

The Purchasing Agent must review and approve the removal of a vendor from the bidders list. The Purchasing Agent shall notify the vendor in writing that said vendor has been removed from the bidders list. Vendors removed from the bidders list shall have an opportunity to request reinstatement at any time, and may submit a bid notwithstanding if they have been removed from the list. The request for reinstatement must be submitted to the Purchasing Agent on such forms as provided by the Purchasing Agent.

Invitation # (BID, RFP, RFI, RFQ, etc.): _____

Name of Firm: _____

Address: _____

Signature: _____

Telephone Number: _____ Date: _____

The above has declined to submit a bid response for the following reason(s) (please check all that apply):

- We do not offer this commodity and/or service or an equivalent.
- Insufficient time to respond to the RFP.
- Our schedule would not permit us to perform.

Remarks:

Exhibit "A" STANDARD TERMS AND CONDITIONS

By shipping on an order, the Vendor warrants that they have read and are in compliance with these instructions.

1. Taxes: County is exempt from payment of Federal Excise Tax; Federal tax should not be included in any prices contained herein.

2. Alterations: No alteration in any of the terms, conditions, delivery, price, quantities, specifications or services of this contract will be effective without prior consent of the Purchasing Agent of the County.

3. Failure to Deliver: If Vendor fails to deliver an article or service of the quality or quantity, in the manner or within the time called for by this contract: such article or service may be bought from any source by Purchasing Agent and if a greater price than named in the contract be paid for such article or service, the excess price will be charged to and collected from Vendor or sureties on its bond if bond had been required; or, the County may terminate the contract for default; or, the County may return deliveries already made and receive a refund. For any exception to the delivery date as specified on this Purchase Order, the Vendor shall give prior notification and obtain approval thereto from the Purchasing Agent of the County. Failure or refusal of Vendor to perform any work or service or do any act required under this contract shall constitute a default.

4. Force Majeure: Vendor shall not be liable for any delay or failure to deliver any or all the goods if that delay or failure is caused by labor disputes, strikes, war, riots, insurrection, civil commotion, fire, flood, accident, storm or any act of God. The County shall not be liable for failure to take delivery of the goods attributable to any of the causes specified in this paragraph if they render it commercially impractical for the County to receive the goods. When either Vendor or the County claims an excuse for nonperformance under this paragraph, they must give reasonable notice to the other party.

5. Proposal, Quotation and Attachments: This contract incorporates by reference on the face of this form, the provisions of any related bid request issued by County, any bid submitted by Vendor, or both. This contract incorporates by reference on the face of this form, the provision of any attachments. Vendor agrees that in the event of conflicting language between this contract and Vendor's printed form, the provisions of this contract shall take precedence. This section shall supersede any language in the Vendor's terms and conditions attempting to nullify County terms and conditions or to resolve language conflicts in favor of the Vendor's terms and conditions.

6. Warranty:

6.1 Warranty For Goods: Vendor warrants to the County and/or County customers that any and all goods covered by this contract will be new unless otherwise specified and will conform to the drawings, specifications, samples, description and time provisions furnished by the County and will be of first-class material and workmanship and free from defect. In the event of a defect, malfunction or failure of the goods to conform with this warranty, the County shall have the right to require the Vendor to repair or replace the goods without charge within five (5) business days from being notified of the defect. If the Vendor cannot replace the goods and repair either is not commercially practicable or cannot be made within such five (5) business day period, the County shall have the right to require the Vendor to refund the purchase price. Defective goods rejected by the County may, without prejudice to any other legal remedy (including, without limitation, incidental and consequential damages) be held at Vendor's risk and returned to Vendor at Vendor's expense. This warranty shall not be deemed to be waived by the County for any reason, including, without limitation, the County's acceptance of the goods or the County's failure to notify Vendor thereof. Further, the failure of the County to reasonably specify any defects in rejected goods shall not prevent the County from relying on the defect to establish a breach, even though the Vendor could have cured the defect on proper notification.

6.2 Warranty for Services: Vendor warrants to County that any and all materials and equipment furnished under this contract will be new unless otherwise specified and that all services will be of good quality, free from faults and defects and in conformance with the contract. Neither final payment nor inspection of Vendor's services shall constitute an acceptance of services not done in accordance with this contract or relieve Vendor of liability in respect to any express warranties or responsibilities for faulty material or workmanship. Upon request of County, Vendor shall immediately remedy any defects in the services, materials and/or equipment and pay for any damage resulting therefrom. The County shall have the unqualified option to make any needed replacement or repairs itself or to have such replacement or repairs done by the Vendor. In the event the County elects to have said work performed by the Vendor, the Vendor agrees that the repairs shall be made and such materials as are necessary shall be furnished and installed within a reasonable time after the receipt of demand from the County; however, in no event shall such period exceed fifteen (15) calendar days. If the Vendor shall fail or refuse to comply with its obligations under this section, the County shall be entitled to all costs and expenses, including attorney's fees, reasonably incurred by reason of the said failure or refusal.

7. Termination: At any time and without cause, the County shall have the right, at its sole discretion, to terminate this contract by giving seven (7) calendar days written notice to Vendor. In the event of such termination, Vendor shall only be entitled to payment for those goods that have been delivered and accepted by the County or services satisfactorily rendered through the date of termination.

8. Identification: Purchase Order number must appear on all invoices, packing lists, shipping notices, instruction manuals, and any correspondence. Invoices must be fully itemized and show date, weights, sizes, quantities, discounts, etc. Render separate invoices for each Purchase Order.

9. Cash Discounts: In connection with any cash discount specified in this contract, time will be computed from the date of completed delivery of the goods or the completion of the performance of services as specified, or from the date that correct invoices are received if the latter date is later than the date of delivery and/or performance. For the purpose of earning the discount, payment shall be deemed to have been made on the date of mailing of the County warrant or check. Payment shall be made within thirty- (30) days following County's receipt of itemized invoices in triplicate. Payment shall be made at the prices stipulated herein for goods or materials delivered or services rendered and accepted less deductions, if any, as herein provided. Payment on partial deliveries or services may be made whenever amounts due so warrant or when requested by the Vendor and approved by the County.

10. Assignment: This contract may not be assigned in whole or in part without the prior written consent of the County.

11. Independent Capacity: In the performance of this Purchase Order, agents and employees of the Vendor shall act in an independent capacity and not as officers, employees or agents of the County.

12. Indemnity: The Vendor shall defend, indemnify and hold the County harmless against and from any and all claims, suits, losses, damages and liability for damages of every name, kind and description, including attorneys fees and costs incurred, brought for, or on account of, injuries to or death of any person, including but not limited to workers, County employees and the public, or damages to property or any economic or consequential losses, which are claimed to or in any way arise out of, or connected with the Vendor's services, operations or performance hereunder, regardless of the existence or degree of fault or negligence on the part of the County, the Vendor and employee(s) or any of these, except for the sole or active negligence of the County, its officers and employees, or as expressly proscribed by statute. This duty of Vendor to indemnify and save County harmless includes the duties to defend set forth in California Civil Code Section 2778.

13. Nondiscrimination: Vendor shall comply with all applicable federal, state and local laws, rules and regulations in regard to nondiscrimination in employment because of race, color, ancestry, national origin, religion, sex, marital status, age, medical condition, pregnancy, disability or other prohibited basis. All nondiscrimination rules or regulations required by law to be included in this contract are incorporated by this reference.

14. Patent Indemnity: The Vendor agrees to hold the County, its officers, agents, servants and employees harmless from liability of any nature or kind because of use of any copyrighted, or uncopyrighted composition, secret process, patented or unpatented invention, articles or appliances furnished or used under this contract, and agrees to defend, at Vendor's sole expense, any and all actions brought against the County or the Vendor because of the unauthorized use of such articles.

15. Applicable Law and Forum: This contract shall be construed and interpreted according to the substantive law of the State of California excluding the law of conflicts. Any action to enforce the terms of this contract or for the breach thereof shall be brought and tried in the County of El Dorado.

16. Funding: Funds for this Purchase Order are available on a fiscal year basis. Should funds not be available, this Purchase Order shall be cancelled in its entirety.

17. Business License: It is unlawful for any person to furnish supplies or services or transact any kind of business in the unincorporated territory of El Dorado County without possessing a County business license unless exempt under County Code Section 5.08.070. Contact Tax Collector's Office, 360 Fair Lane, Placerville, CA 95667, telephone (530) 621-5800, for further information.

18. Returns: The County reserves the right to return product within thirty (30) days of receipt by the County for credit or refund without a shipping or restocking fee. Product returned shall be in good condition and in the original package (if applicable). Defective product or product under warranty may not always be returned in the original package.

(The remainder of this page intentionally left blank.)