




# ORIGINAL

Nº IT -- 5743

|   |  |   |  |
|---|--|---|--|
| <b>County of El Dorado<br/>Property Transfer Request</b>  |  |   |  |
| <input checked="" type="checkbox"/> <b>Surplus</b>  |  | <input type="checkbox"/> <b>Trade-In</b>                  |  |
|   |  | <input type="checkbox"/> <b>Inter-Department Transfer</b> |  |
| Transfer from ORG code:   |  | Transfer to ORG code:                                     |  |
| Department:   |  | Department:   |  |
| Approved (Dept Head)<br> |  | Approved (Dept Head)                                      |  |
| Date<br><b>8/31/23</b>  |  | Date  |  |
| Specific location (address): 360 Fair Lane PVL  |  |   |  |
| Where in facility? IT Surplus Hallway   |  |   |  |
| First contact person: Tyler Scott   |  | Phone: (530) 621-5189                                     |  |
| Second contact person: Scott Bos  |  | Phone: (530) 621-5436                                     |  |

| Cty Tag # | Description               | Serial/VIN # | Condition      |
|-----------|---------------------------|--------------|----------------|
| 106349    | Cisco Catalyst            | FOC1803Y6CV  | Not functional |
| 106204    | Cisco Ethernet Switch     | FOC1725Y4Q1  | Not functional |
| 105386    | Cisco 24 Port Switch      | FOC1641X1D5  | Not functional |
| 106591    | Cisco Catalyst Switch     | FD01804Y14Q  | Not functional |
| 106598    | Cisco Catalyst Switch     | FDO1743Y08H  | Not functional |
| 106212    | Cisco Switch              | FDO1751Y2BT  | Not functional |
| 106213    | Cisco Switch              | FDO1751Y2AC  | Not functional |
| 103755    | Cisco Catalyst            | FDO1331Z09X  | Not functional |
| 106589    | Cisco Catalyst Switch     | FD01804Y141  | Not functional |
| 103787    | Cisco Switch              | FDO14110C5   | Not functional |
| 106214    | Cisco Switch              | FDO1751Y2A1  | Not functional |
| 107247    | Cisco POE Switch          | FCW1836B0F2  | Not functional |
| 35321     | Cisco Switch              | CAT0938R5L1  | Not functional |
| 106207    | Cisco Switch              | FDO1748P040  | Not functional |
| 106206    | Cisco Switch              | FDO1748Z0MR  | Not functional |
| 102784    | Cisco POE Switch          | FD01248Y040  | Not functional |
| 102799    | Cisco Switch              | FDO1252Z09N  | Not functional |
| 106588    | Cisco Catalyst POE Switch | FD01804Y13Z  | Not functional |
| 103699    | Cisco Catalyst Switch     | FD01326Z0UB  | Not functional |
| 103751    | Cisco Catalyst Switch     | FDO1402Z2EB  | Not functional |
| 106592    | Cisco Catalyst Switch     | FD01804Y14W  | Not functional |

| Routing of PTR Form        | N/A or Date   |
|----------------------------|---------------|
| Sent to Auditor/Purchasing | <b>9/5/23</b> |
| Posted to Intranet         |               |
| Board Approval             |               |
| Pick-up by Contractor      |               |
| Copy to Auditor            |               |

|                             |       |
|-----------------------------|-------|
| <b>Remarks:</b>             |       |
|                             |       |
|                             |       |
|                             |       |
| Auditor records updated by: | Date: |

PRINT COMPLETED FORM ON WHITE PAPER AND SEND TO PROCUREMENT & CONTRACTS

|  |  |   |  |
|--|--|---|--|
| <b>County of El Dorado<br/>Property Transfer Request</b> |  |   |  |
| <input checked="" type="checkbox"/> <b>Surplus</b>       |  | <input type="checkbox"/> <b>Trade-In</b>                  |  |
|  |  | <input type="checkbox"/> <b>Inter-Department Transfer</b> |  |
| Transfer from ORG code:                                  |  | Transfer to ORG code:                                     |  |
| Department: <i>IT</i>                                    |  | Department:   |  |
| Approved (Dept Head) <i>[Signature]</i>                  |  | Approved (Dept Head)                                      |  |
| Date <i>8/31/23</i>                                      |  | Date  |  |
| Specific location (address): 360 Fair Lane               |  |   |  |
| Where in facility? IT Surplus hallway                    |  |   |  |
| First contact person: Tyler Scott                        |  | Phone: (530) 621-5189                                     |  |
| Second contact person: Scott Bos                         |  | Phone: (530) 621-5436                                     |  |


| Cty Tag # | Description           | Serial/VIN # | Condition      |
|-----------|-----------------------|--------------|----------------|
| 106209    | Cisco Switch          | FD01751Y2BJ  | Not functional |
| 106208    | Cisco Switch          | FD017512BG   | Not functional |
| 103754    | Cisco Catalyst Switch | FDO1345Z05G  | Not functional |
| 107245    | Cisco POE Switch      | FCW1836B07Z  | Not functional |
| 106590    | Cisco Catalyst Switch | FD01804Y14T  | Not functional |
| 107258    | Cisco POE Switch      | FOC1843W3E1  | Not functional |
| 103753    | Cisco Catalyst Switch | FDO140272E8  | Not functional |
| 107432    | Cisco Catalyst Switch | SFOC1834Y27V | Not functional |
| 107428    | Cisco Catalyst Switch | SFOC1835Y2W3 | Not functional |
| 101339    | Cisco POE Switch      | FOC1143Y275  | Not functional |
| 103785    | Cisco Switch          | FDO1411Y0BF  | Not functional |
| 107431    | Cisco Catalyst Switch | SFOC1834Y2GD | Not functional |
| 107261    | Cisco POE Switch      | FOC1843S4W2  | Not functional |
| 104116    | Cisco Catalyst Switch | SFDO1516X3B9 | Not functional |
| 35765     | Cisco POE Switch      | FDO1114Y04N  | Not functional |
| 102150    | Cisco Switch          | FOC48Z7KF    | Not functional |
| 103703    | Cisco Catalyst Switch | FDO1339Z2RM  | Not functional |
| 107254    | Cisco POE Switch      | FOC1843W3DW  | Not functional |
| 103622    | Router                | SFTX14238QJ  | Not functional |
| 107332    | Cisco Catalyst Switch | FOC1845V0GX  | Not functional |
| 107435    | Cisco Catalyst Switch | SFOC1849Y0YK | Not functional |

|                            |                    |   |
|----------------------------|--------------------|---|
| <b>Routing of PTR Form</b> | <b>N/A or Date</b> | <b>Remarks:</b>                               |
| Sent to Auditor/Purchasing | <i>9/15/23</i>     |   |
| Posted to Intranet         |                    |   |
| Board Approval             |                    |   |
| Pick-up by Contractor      |                    |   |
| Copy to Auditor            |                    |   |
|                            |                    | Auditor records updated by: _____ Date: _____ |

**PRINT COMPLETED FORM ON WHITE PAPER AND SEND TO PROCUREMENT & CONTRACTS**

# ORIGINAL

Nº IT -- 1186

|  |  |   |  |
|--|--|---|--|
| <b>County of El Dorado<br/>Property Transfer Request</b>   |  |   |  |
| <input checked="" type="checkbox"/> <b>Surplus</b>   |  | <input type="checkbox"/> <b>Trade-In</b>                  |  |
|  |  | <input type="checkbox"/> <b>Inter-Department Transfer</b> |  |
| Transfer from ORG code:  |  | Transfer to ORG code:                                     |  |
| Department: IT   |  | Department:   |  |
| Approved (Dept Head)  |  | Approved (Dept Head)                                      |  |
| Date 8/31/23   |  | Date  |  |
| Specific location (address): 360 Fair Lane PVL   |  |   |  |
| Where in facility? IT surplus hallway  |  |   |  |
| First contact person: Tyler Scott  |  | Phone: (530) 621-5189                                     |  |
| Second contact person: Scott Bos   |  | Phone: (530) 621-5436                                     |  |

| Cty Tag # | Description           | Serial/VIN # | Condition      |
|-----------|-----------------------|--------------|----------------|
| 106215    | Cisco Switch          | FDO1751Y2C6  | Not functional |
| 103744    | self check-out gates  |              | Not functional |
| 106217    | Cisco Switch          | FDO1751YC1   | Not functional |
| 106218    | Cisco Switch          | FDO1751Y2BL  | Not functional |
| 105382    | Cisco Port Switch     | FOC1641X1CY  | Not functional |
| 102804    | Cisco Switch          | FDO1302X0MP  | Not functional |
| 106587    | Cisco Catalyst Switch | FD01804Y142  | Not functional |
| 107265    | Cisco Router          | FTX184384NU  | Not functional |
| 106210    | Cisco Switch          | FDO1751Y2C3  | Not functional |
| 104887    | Cisco Switch          | FDO1516X2CF  | Not functional |
| 102803    | Cisco Switch          | FDO1302C0PC  | Not functional |
| 105138    | Cisco Catalyst Switch | SFTX1622K023 | Not functional |
| 108718    | Cisco Switch          | FOC2039Z0V7  | Not functional |
| 106219    | Cisco Switch          | FDO1751Y2BQ  | Not functional |
| 103709    | fluke test kit        | 1055065      | Broken         |
|           |                       |              |                |
|           |                       |              |                |
|           |                       |              |                |
|           |                       |              |                |
|           |                       |              |                |
|           |                       |              |                |

| <u>Routing of PTR Form</u> | <u>N/A or Date</u> |
|----------------------------|--------------------|
| Sent to Auditor/Purchasing | 9/5/23             |
| Posted to Intranet         |                    |
| Board Approval             |                    |
| Pick-up by Contractor      |                    |
| Copy to Auditor            |                    |

|                             |       |
|-----------------------------|-------|
| <b>Remarks:</b>             |       |
|                             |       |
|                             |       |
|                             |       |
|                             |       |
| Auditor records updated by: | Date: |

PRINT COMPLETED FORM ON WHITE PAPER AND SEND TO PROCUREMENT & CONTRACTS







|  |      |   |      |
|--|------|---|------|
| <b>County of El Dorado<br/>Property Transfer Request</b> |      |   |      |
| <input checked="" type="checkbox"/> <b>Surplus</b>       |      | <input type="checkbox"/> <b>Inter-Department Transfer</b> |      |
| Transfer from index code: 1040000                        |      | Transfer to index code:                                   |      |
| Department: IT   |      | Department:   |      |
| Approved (Dept Head)                                     | Date | Approved (Dept Head)                                      | Date |
| <i>[Signature]</i>                                       |      | 6/20/23   |      |
| Specific location (address): 360 Fair Lane               |      |   |      |
| Where in facility? IT Lab/Generator Cage                 |      |   |      |
| First contact person: Scott Bos                          |      | Phone: 621-5436   |      |
| Second contact person: Bill Howard                       |      | Phone: 621-7579   |      |
| Date: 6/15/2023  |      |   |      |

| Cty Tag # | Description/Comments                                      | Serial/VIN # | Condition                   |
|-----------|---|--------------|-----------------------------|
| N/A       | 1 - Box 28 Wyse 5030 Zero Client (VMWare) / P25           | N/A          | Functional Expired Warranty |
| N/A       | 2 - Boxes of desktop power cables                         | N/A          | Functional                  |
| N/A       | 1 - Box misc computer peripherals                         | N/A          | Unknown condition           |
| N/A       | 1 - Box misc Dell docking stations                        | N/A          | Unknown condition           |
| N/A       | 1 - Box power supply for Wyse 5030 Zero Client (VMWare) / | N/A          | Functional Expired Warranty |
| N/A       | 1 - Bag 14 misc cell phones                               | N/A          | Broken Not Functional       |
| N/A       | 1 - Box misc/computer speakers                            | N/A          | Unknown condition           |
| N/A       | 1 - Box misc computer mother boards/misc parts            | N/A          | Broken Not Functional       |
| N/A       | 2 - Boxes VGA to VGA monitor cables                       | N/A          | Functional                  |
| N/A       | 1 - Box DVI to DVI monitor cables                         | N/A          | Functional                  |
| N/A       | 3 - Boxes computer mice                                   | N/A          | Functional                  |
| N/A       | 1 - Box USB 3.0 Type A to B cables                        | N/A          | Functional                  |
| N/A       | 1 - Box USB 2.0 Type A to B cables/Printer cables         | N/A          | Functional                  |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |
|           |   |              |                             |

| <u>Routing of PTR Form</u> | <u>N/A or Date</u> |
|----------------------------|--------------------|
| Sent to Auditor/Purchasing | 9/5/23             |
| Posted to Intranet         |                    |
| Board Approval             |                    |
| Pick-up by Contractor      |                    |
| Copy to Auditor            |                    |

|   |
|---|
| <b>Remarks:</b>                               |
|   |
| Auditor records updated by: _____ Date: _____ |

**Do not separate form. All parts of form are to be submitted as follows:** Surplus only – to Purchasing, Inter-Department transfers – to Auditor  
 When processing is complete, form will be separated and distributed as follows: White-Auditor, Yellow-To Dept., Copy-From Dept., Copy-Purchasing











**County of El Dorado  
Property Transfer Request**

**Surplus**
                         
  **Trade-In**
                         
  **Inter-Department Transfer**

|  |                                       |
|--|---------------------------------------|
| Transfer from ORG Code: 1040000  | Transfer to ORG Code:                 |
| Department: Information Technologies   | Department:                           |
| Approved (Dept Head)  Date <span style="font-size: 1.2em; vertical-align: middle;">11/17/22</span> | Approved (Dept Head) _____ Date _____ |

Specific location (address): \_\_\_\_\_

Where in facility? \_\_\_\_\_

First contact person: \_\_\_\_\_ Phone: \_\_\_\_\_

Second contact person: \_\_\_\_\_ Phone: \_\_\_\_\_

| Cty Tag # | Description   | Serial/VIN # | Condition |
|-----------|---|--------------|-----------|
| 101975    | Cisco 3560-24 POE Switch  | FDO1139Z7DB  | Poor      |
| 104080    | Dell Optiplex 780   | CYPNFQI      | Poor      |
| 105966    | BMI Asset Track Data Terminal Falcon X3                         |              | Poor      |
| 105967    | BMI Asset Track Data Terminal PA600                             |              | Poor      |
| 105968    | BMI Asset Track Data Terminal PA600                             |              | Poor      |
| 105969    | BMI Asset Track FA Scanning System                              |              | Poor      |
| 105970    | BMI Collectit Inventory Scanning System                         |              | Poor      |
| 105971    | BMI Trans Track Fixed Asset Receiving System                    |              | Poor      |
| 106889    | APC Smart-UPS 1500 Tower  | AS1418214956 | Poor      |
|           |   |              |           |
|           |   |              |           |
|           | Please note: Items have inadvertently been disposed of previous |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |
|           |   |              |           |

| <u>Routing of PTR Form</u> | <u>N/A or Date</u> |
|----------------------------|--------------------|
| Sent to Auditor/Purchasing | 9/15/23            |
| Posted to Intranet         |                    |
| Board Approval             |                    |
| Pick-up by Contractor      |                    |
| Copy to Auditor            |                    |

|                                   |             |
|-----------------------------------|-------------|
| <b>Remarks:</b>                   |             |
|                                   |             |
|                                   |             |
|                                   |             |
|                                   |             |
| Auditor records updated by: _____ | Date: _____ |





# ORIGINAL

N<sup>o</sup> TD -- 8264-1

## County of El Dorado Property Transfer Request

 Surplus Inter-Department Transfer

|  |                       |
|--|-----------------------|
| Transfer from org code: 3600000                | Transfer to org code: |
| Department: Transportation                     | Department:           |
| Approved (Dept Head)<br><i>[Signature]</i>     | Approved (Dept Head)  |
| Date<br>6/1/23                                 | Date                  |
| Specific location (address): 2850 Fair Lane Ct |                       |
| Where in facility? Basement Storage            |                       |
| First contact person: Kelly Carnahan           | Phone: (530) 621-7502 |
| Second contact person: Terry Benton            | Phone: (530) 621-5386 |
| Date: 05/31/2023                               |                       |

| Cty Tag # | Description/Comments        | Serial/VIN # | Condition             |
|-----------|-----------------------------|--------------|-----------------------|
| 107564    | Dell Optiplex 3020 Computer | BJ62D42      | Broken Not Functional |
| 105525    | Dell Optiplex 7010 Computer | H8LLRW1      | Broken Not Functional |
| 105546    | Dell Optiplex 7010 Computer | D711SW1      | Broken Not Functional |
| 105547    | Dell Optiplex 7010 Computer | D71ZRW1      | Broken Not Functional |
| 107480    | Dell Optiplex 3020 Computer | 74N7C42      | Broken Not Functional |
| 108387    | Dell Optiplex 3020 Computer | 6TMRGB2      | Broken Not Functional |
| 106373    | Dell Optiplex 9020 Computer | 66KCJ02      | Broken Not Functional |
| 106572    | Dell Optiplex 9020 Computer | DMPQL02      | Broken Not Functional |
| 106356    | Dell Optiplex 9020 Computer | 66GGJ02      | Broken Not Functional |
| 106367    | Dell Optiplex 9020 Computer | 6LDDJ02      | Broken Not Functional |
| 107463    | Dell Optiplex 3020 Computer | 74P7C42      | Broken Not Functional |
| 106353    | Dell Optiplex 9020 Computer | 6LFHJ02      | Broken Not Functional |
| 106362    | Dell Optiplex 9020 Computer | 6LDFJ02      | Broken Not Functional |
| 106569    | Dell Optiplex 9020 Computer | DMVPL02      | Broken Not Functional |
| 106371    | Dell Optiplex 9020 Computer | 6LJGJ02      | Broken Not Functional |
| 106377    | Dell Optiplex 9020 Computer | 6LM9J02      | Broken Not Functional |
| 106566    | Dell Optiplex 9020 Computer | DMRQL02      | Broken Not Functional |
| 107406    | Dell Optiplex 3020 Computer | GJ6Z942      | Broken Not Functional |
| 107558    | Dell Optiplex 3020 Computer | BJ56D42      | Broken Not Functional |
| 107560    | Dell Optiplex 3020 Computer | BJ58D42      | Broken Not Functional |
| 107415    | Dell Optiplex 3020 Computer | GJ80B42      | Broken Not Functional |

| Routing of PTR Form        | N/A or Date |
|----------------------------|-------------|
| Sent to Auditor/Purchasing | 9/11/23     |
| Posted to Intranet         |             |
| Board Approval             |             |
| Pick-up by Contractor      |             |
| Copy to Auditor            |             |

|                             |       |
|-----------------------------|-------|
| <b>Remarks:</b>             |       |
|                             |       |
| Auditor records updated by: | Date: |

Do not separate form. All parts of form are to be submitted as follows: Surplus only – to Purchasing, Inter-Department transfers – to Auditor  
When processing is complete, form will be separated and distributed as follows: White-Auditor, Yellow-To Dept., Copy-From Dept., Copy-Purchasing



# ORIGINAL

N<sup>o</sup> TD -- 8264-2

## County of El Dorado Property Transfer Request

 Surplus Inter-Department Transfer

|  |                       |
|--|-----------------------|
| Transfer from org code: 3600000                | Transfer to org code: |
| Department: Transportation                     | Department:           |
| Approved (Dept Head)<br><i>[Signature]</i>     | Approved (Dept Head)  |
| Date<br>6/1/23                                 | Date                  |
| Specific location (address): 2850 Fair Lane Ct |                       |
| Where in facility? Basement Storage            |                       |
| First contact person: Kelly Carnahan           | Phone: (530) 621-7502 |
| Second contact person: Terry Benton            | Phone: (530) 621-5386 |
| Date: 05/31/2023                               |                       |

| Cty Tag # | Description/Comments        | Serial/VIN # | Condition             |
|-----------|-----------------------------|--------------|-----------------------|
| 108210    | Dell Optiplex 3020 Computer | J0HK482      | Broken Not Functional |
| 107420    | Dell Optiplex 3020 Computer | GJ85B42      | Broken Not Functional |
| 106568    | Dell Optiplex 9020 Computer | DMNRL02      | Broken Not Functional |
| 108384    | Dell Optiplex 3020 Computer | GTMLGB2      | Broken Not Functional |
| 108222    | Dell Optiplex 3020 Computer | J0J9482      | Broken Not Functional |
| 107296    | Dell Optiplex 3020 Computer | 3G95942      | Broken Not Functional |
| 108214    | Dell Optiplex 3020 Computer | J0HB482      | Broken Not Functional |
| 106567    | Dell Optiplex 9020 Computer | DMQML02      | Broken Not Functional |
| 106372    | Dell Optiplex 9020 Computer | 6LJCJ02      | Broken Not Functional |
| 106574    | Dell Optiplex 9020 Computer | DMSQL02      | Broken Not Functional |
| 106359    | Dell Optiplex 9020 Computer | 6LGDJ02      | Broken Not Functional |
| 106360    | Dell Optiplex 9020 Computer | 6LG9J02      | Broken Not Functional |
| 106378    | Dell Optiplex 9020 Computer | 6LLBJ02      | Broken Not Functional |
| 106354    | Dell Optiplex 9020 Computer | 6LDGJ02      | Broken Not Functional |
| 106315    | Dell Optiplex 9020 Computer | H9Q5G21      | Broken Not Functional |
| 106340    | Dell Optiplex 9020 Computer | 6LBDJ02      | Broken Not Functional |
| 106365    | Dell Optiplex 9020 Computer | 6LFGJ02      | Broken Not Functional |
| 106301    | Dell Optiplex 9020 Computer | G0T6GZ1      | Broken Not Functional |
| 106575    | Dell Optiplex 9020 Computer | DMSPL02      | Broken Not Functional |
| 106571    | Dell Optiplex 9020 Computer | DMNQL02      | Broken Not Functional |
| 106355    | Dell Optiplex 9020 Computer | 6LGHJ02      | Broken Not Functional |

| Routing of PTR Form        | N/A or Date | Remarks:                                      |
|----------------------------|-------------|---|
| Sent to Auditor/Purchasing | 9/1/23      |   |
| Posted to Intranet         |             |   |
| Board Approval             |             |   |
| Pick-up by Contractor      |             |   |
| Copy to Auditor            |             | Auditor records updated by: _____ Date: _____ |

Do not separate form. All parts of form are to be submitted as follows: Surplus only – to Purchasing, Inter-Department transfers – to Auditor  
When processing is complete, form will be separated and distributed as follows: White-Auditor, Yellow-To Dept., Copy-From Dept., Copy-Purchasing

