

AFFIDAVIT OF PUBLICATION

State of Florida, County of Orange, ss:

Ankit Sachdeva, being first duly sworn, deposes and says: That (s)he is a duly authorized signatory of Column Software, PBC, duly authorized agent of Tahoe Daily Tribune now is, and during all times herein named, was a corporation duly organized and existing under the laws of the State of California, and now is, and during all times herein named was the printer of Tahoe Daily Tribune, a newspaper of general circulation, as defined by section 6000 of the Government Code of the State of California, printed and published daily (Sundays excepted) in the City of South Lake Tahoe, County of El Dorado, State of California, and that affiant is the principal clerk of said Nevada County Publishing Co.

That the printed advertisement hereto annexed was published in the said Tahoe Daily Tribune, for the full required period of 1 time(s) commencing on Sep. 19, 2025, and ending on Sep. 19, 2025, all days inclusive.

PUBLICATION DATES:

Sep. 19, 2025

NOTICE ID: Xr5KQ2nIVqrGAssxKW2H

PUBLISHER ID: 378657

NOTICE NAME: Rule 239 Amendments & AB2588 Public Hearing

Publication Fee: 272.40

I certify, under penalty of perjury, the forgoing is true and correct.

Ankit Sachdeva

(Signed)_

Notary Public - State of Florida Commission # MM301658 Expires on August 17, 2026

VERIFICATION

State of Florida County of Orange

Subscribed in my presence and sworn to before me on this: 09/19/2025

S. Ra

Notary Public

Notarized remotely online using communication technology via Proof.

See Proof on Next Page

NOTICE OF PUBLIC HEARING El Dorado County Air Quality Management District Proposed amendments to Rule 239, Natural Gas-

Proposed amendments to Ruie 239, Natural Gas-Fired Water Heaters and AB 2588 Air Toxics "Hotspots" Public Hearing NOTICE IS HEREBY GIVEN The EI Dorado County Air Quality Management District (AQMD) has scheduled a public hearing on October 21, 2025, at 8:00 AM or thereafter, at the EI Dorado County Board of Supervisors' Hearing Room, 330 Fair Lane, Placerville, California. The AQMD will recommend that the Air District Board of Directors adopt proposed amendments to Rule 239: Natural Gas-Fired Residential Water Heaters and will present the 2024 Annual Air Toxics "Hot Spots" AB 2588 Report.

Ozone is created by a chemical reaction between

2588 Report.

Ozone is created by a chemical reaction between volatile organic compounds (VOCs) and oxides of nitrogen (NOx) in the presence of sunlight. Breathing ozone has both short- and long-term negative health effects, ranging from decreased lung capacity, chest pains, and wheezing to lung disease and potentially an increased risk of cardiovascular problems. The U.S. EPA established ozone National Ambient Air Quality Standards (NAAQS), beginning with a 1-hour standard in 1979, followed by 8-hour standards in 1997, 2008, and 2015.

in 1979, followed by 8-hour standards in 1997, 2008, and 2015. The Sacramento Regional 8-hour Ozone State Implementation Plan and Reasonable Further Progress Plan (SIP) for the 1979 and 1997 ozone standards outlines strategies to meet Clean Air Act requirements. This plan includes control measures, SIP commitments, and specific AQMD actions, such as reducing NOx emissions from smaller water heaters, to secure emissions reductions needed for attainment. The other air districts within the Sacramento to secure emissions reductions needed for attainment. The other air districts within the Sacramento Metropolitan, Placer County, Yolo-Solano, and Feather River air districts—have afready revised and adopted water heater rules included in the SIP. This update to Rule 239 is a commitment previously made by AOMD in the SIP.

Rule 239 is a commitment previously made by Admin the SIP.

The Air Toxics "Hot Spots" Information and Assessment Act of 1987 (AB 2588) is a California public right-loknow law. Local air quality management and air pollution control districts must collect information about the location, type, and quantity of toxic compounds emitted into the air by specified local businesses and industries. The California Health and Safety Code (HSC) section 44363 requires the air districts to prepare and publish an annual report that describes the priorities and categories of the permitted facilities, summarizes the results of health risk assessments, ranks and identifies facilities according to the degree of cancer risk posed to the public, identifies facilities which expose the public to noncancer health risks, and describes the status of the development of control measures to reduce emissions of toxic air contaminants. Per HSC section 44363(b), the Air District Board is required to hold one or more public hearings to present the report and discuss its content hearings to present the report and discuss its co and significance.

hearings to present the report and discuss its content and significance.

NOTICE IS FURTHER GIVEN that it adopted. Rule 239 will be submitted through the California Air Resources Board to the United States Environmental Protection Agency as a revision to SIP.

NOTICE IS FURTHER GIVEN All interested persons may examine or request a copy of the proposed Rule 239 and associated documents, or the AQMD AB 2588 Air Toxics "Hot Spots" Report and associated documents, at the AQMD office, 330 Fair Lane. Building A. Placerville. CA 95667, Monday-Friday, 8:00 AM-5:00 PM. by advance appointment. Copies of this notice and the rule are posted on the AQMD website https://www.eldoradocounty.ca.gov/Land-Use/Air-Quality-Management-District. Please submit any comments in writing to EDCAQMD. 330 Fair Lane. Placerville, CA 95667, or via aqmd@edcgov. us. If you have any questions or would like to make an appointment, please contact Rania Serieh at (530) 621-7509.

Published: September 19, 2025

Published: September 19, 2025