

COMMUNITY DEVELOPMENT AGENCY

TRANSPORTATION DIVISION

http://www.edcgov.us/DOT/

PLACERVILLE OFFICES:

MAIN OFFICE:

2850 Fairlane Court, Placerville, CA 95667 (530) 621-5900 / (530) 626-0387 Fax

MAINTENANCE:

2441 Headington Road, Placerville, CA 95667

(530) 642-4909 / (530) 642-0508 Fax

LAKE TAHOE OFFICES:

ENGINEERING:

924 B Emerald Bay Road, South Lake Tahoe, CA 96150

(530) 573-7900 / (530) 541-7049 Fax

MAINTENANCE:

1121 Shakori Drive, South Lake Tahoe, CA 96150

(530) 573-3180 / (530) 577-8402 Fax

DATE: August 4, 2014

TO: All Prospective Bidders

SUBJECT: Addendum No. 2

Sawmill 2B Bike Path and Erosion Control Project (Contract No. PW

11-30593, CIP No. 95192)

Submit proposals for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are essential parts of the Contract.

ADDENDUM ITEM NO.	PAGE OR DRAWING NO.	INQUIRY/RESPONSE
2.01	Proposal (pages P-22 to P-24)	Delete pages P-22 through P-24 from the Proposal section of the Contract Documents.
2.02	Draft Agreement, Article 2 (page C-1)	Article 2, "Contract Documents" Delete the DBE Information Good Faith Efforts.
2.03	Special Provisions §2-1.05 (page SP-5)	2-1.05, "Disadvantaged Business Enterprise (DBE)" In the sixth paragraph, add the following sentence: "However the DBE goal for this project is 0%." Replace the seventh paragraph with the following: "Make the work available to DBEs and select work parts consistent with available DBE subcontractors and suppliers." Delete the eighth paragraph. Delete the heading "Good Faith Efforts Submittal" and the paragraphs under this heading.

ADDENDUM ITEM NO.	PAGE OR DRAWING NO.	INQUIRY/RESPONSE
2.04	Special Provisions §5-1.20 (page SP-23)	5-1.20, "Payment of Withheld Funds" Replace the first sentence of the first paragraph with the following: "The Department will retain five percent (5%) of the value of each progress payment (excluding mobilization payments) from each progress payment."
2.05	Special Provisions §5-1.54 (page SP-36) and Appendix E	 5-1.54, "Local, State, and Federal Agencies' Conditions of Approval and Permits" Replace bulleted Item 2 with the following: 2. Tahoe Regional Planning Agency Permit, No. 520-101-00, TRPA File #EIPC2013-0022. (See Appendix E) – Attachment A
2.06	Special Provisions §14-1.01 (page SP-101)	Federal Prevailing Wages Replace the federal prevailing wage rates included in Section 14 of the Special Provisions with Attachment B attached to this addendum.

The pages of this addendum shall be attached to the Contract Documents booklet.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Holders who have already mailed their proposal can contact Patty Scott at (530) 573-7900 (email: patricia.scott@edcgov.us) or Donaldo Palaroan at (530) 573-7920 (email: donaldo.palaroan@edcgov.us) to arrange return of their proposal.

Inform all suppliers and subcontractors as necessary.

The Community Development Agency, Transportation Division is only sending this addendum by posting on the following website: http://www.edcgov.us/DOT/bids.html.

If you are not a Contract Documents Holder, but request a set of documents to bid on this project, you must comply with the requirements of this addendum when submitting your bid.

Attachments:

Attachment A

TRPA Permit

- 12 pages

Attachment B

Updated Federal Prevailing Wages

- 43 pages

End of Addendum No. 2

Recommended by:

Donaldo Palaroan, P.E. Senior Civil Engineer

Approved by:

Steven M. Pedretti, Director

Community Development Agency



Mail PO Box 5310 Stateline, NV 89449-5310 Location 128 Market Street Stateline, NV 89449 Contact Phone: 775-588-4547 Fax: 775-588-4527 www.trpa.org



PERMIT

PROJECT DESCRIPTION: Sawmill 2B Bike Path and Erosion Control Project

TRPA Project Number: 520-101-00

PERMITTEE(S): El Dorado County Department of Transportation FILE # EIPC2013-0022

COUNTY/LOCATION: El Dorado County/Sawmill Road from Echo View Drive to U.S. Highway 50

Having made the findings required by Agency ordinances and rules, TRPA approved the project on February 25, 2014, subject to the Standard Conditions of Approval attached hereto (Attachment Q) and the special conditions found in this permit.

This permit shall expire on February 25, 2017, without further notice unless the construction has commenced prior to this date and diligently pursued thereafter. Commencement of construction consists of pouring concrete for a foundation and does not include grading, installation of utilities or landscaping. Diligent pursuit is defined as completion of the project within the approved construction schedule. The expiration date shall not be extended unless the project is determined by TRPA to be the subject of legal action which delayed or rendered impossible the diligent pursuit of the permit.

NO TREE REMOVAL, CONSTRUCTION OR GRADING SHALL COMMENCE UNTIL:

- (1) TRPA RECEIVES A COPY OF THIS PERMIT UPON WHICH THE PERMITTEE(S) HAS ACKNOWLEDGED RECEIPT OF THE PERMIT AND ACCEPTANCE OF THE CONTENTS OF THE PERMIT;
- (2) ALL PRE-CONSTRUCTION CONDITIONS OF APPROVAL ARE SATISFIED AS EVIDENCED BY TRPA'S ACKNOWLEDGEMENT OF THIS PERMIT;
- (3) A TRPA PRE-GRADING INSPECTION HAS BEEN CONDUCTED WITH THE PROPERTY OWNER AND/OR THE CONTRACTOR.

TRPA Executive Director/Pesignee

Date

PERMITTEE'S ACCEPTANCE: I have read the permit and the conditions of approval and understand and accept them. I also understand that I am responsible for compliance with all the conditions of the permit and am responsible for my agents' and employees' compliance with the permit conditions. I also understand that if the property is sold, I remain liable for the permit conditions until or unless the new owner acknowledges the transfer of the permit and notifies TRPA in writing of such acceptance. I also understand that certain mitigation fees associated with this permit are non-refundable once paid to TRPA. I understand that it is my sole responsibility to obtain any and all required approvals from any other state, local or federal agencies that may have jurisdiction over this project whether or not they are listed in this permit.

Signature of Permittee(s)

PERMIT CONTINUED ON NEXT PAG

/brj

TRPA Project Number <u>520-101-00</u> FILE NO. EIPC2013-0022

Security Posted: N/A

Required plans determined to be in conformance v	with appro	oval: [Date: 7	-29-14	
Required plans determined to be in conformance v	finel	900'	in later	phese onder	this

TRPA ACKNOWLEDGEMENT: The permittee has complied with all pre-construction conditions of approval as of this date:

TPDA Evacutiva Director Decignos

7-29-14

TRPA Executive Director/Designee

Date

SPECIAL CONDITIONS

This permit specifically authorizes the construction of a Class I bike trail and water quality improvements near Sawmill Road from Echo View Drive to U.S. Highway 50.

- The Standard Conditions of Approval listed in Attachment Q shall apply to this permit.
- Prior to permit acknowledgement, the following conditions of approval must be satisfied.
 - A. The project plans and/or specifications shall be revised to include:
 - (1) Provide a land coverage table by land capability district. The table should show new coverage, coverage removed, and bike trail coverage over existing coverage.
 - B. A resource protection plan shall be prepared by a qualified professional and may provide for surface or subsurface recovery of data and artifacts and recordation of structural and other data.
 - C. Grading, operation of equipment or other soil disturbance is prohibited in areas where a designated historic resource is present or could be damaged, except in accordance with a TRPA-approved resource protection plan. The resource protection plan shall indicate all such known areas on the site and shall indicate the measures that shall be taken to protect them

- D. Submit a de-watering plan.
- E. Submit 3 sets of final revised plans to TRPA.
- F. Submit a copy of the final Specifications to TRPA.
- Prior to commencement of construction:
 - A. The permittee shall submit an updated construction schedule to TRPA prior to commencement of construction. This schedule shall identify dates for the following:
 - When installation of temporary erosion control structures will occur;
 - When each stage of construction will start;
 - When construction spoils and debris will be removed;
 - When installation of all permanent erosion control structures will occur;
 - When construction will be completed;
 - When restoration of staging areas will occur (within 30 days of project finish, staging areas shall be fully restored, mulched, and re-seeded);
 - The estimated date for when the final inspection by TRPA Environmental Compliance staff will take place to ensure that all conditions of project approval have been satisfied.
 - B. The permittee shall submit a copy of the completed Storm Water Pollution Prevention Plan (SWPPP) and/or Water Pollution Control Program (WPCP).
- 4. The color and texture of rock or concrete shall be approved by TRPA prior to placement.
- 5. All new galvanized or reflective metal surfaces visible from bike trails, or Highway 50 and owned by El Dorado County including but not limited to guardrails, guardrail posts, traffic signal posts, light posts, utility boxes, sign posts, backs of signs, and exposed culverts shall be Brown (Federal Standard 595 FS 30059) or an approved equivalent. The proposed chain-link fence finish may remain galvanized if brown slats are placed in the openings. Samples of colored structures shall be submitted to TRPA and approved prior to installation.

- 6. An onsite inspection by TRPA staff is required prior to any construction or grading activity. TRPA staff shall determine if the onsite improvements required by Attachment Q (Standard Conditions of Approval) have been properly installed. No grading or construction shall commence until TRPA pre-grade conditions of approval are met.
- 7. The adequacy of all required BMPs, as shown on the final construction plans, shall be confirmed at the time of the TRPA pre-grading or pre-construction inspection. Any required modifications, as determined by TRPA, shall be incorporated into the project permit at that time. Adequate BMPs must be installed prior to construction, regardless of the amount or type of BMPs shown on final construction plans.
- All construction equipment working in or near Stream Environment Zones (SEZ)
 areas must be steam cleaned prior to mobilization at the project site and
 maintained in clean and good working order with maintenance logs made
 available to TRPA at their request.
- All material obtained from any excavation work that is not contained within foundations, retaining walls, or by other methods approved by TRPA shall be removed from the subject parcel and disposed of at a site approved by TRPA.
- If artifacts, archaeological soils, or unusual amounts of bone or shell are uncovered during the construction activities, all work in the area will be stopped and a qualified archeologist will be immediately contacted for on-site consultation.
- The roots of trees (adjacent to the pathway) over four inches in diameter shall not be severed, if avoidable, pursuant to Subsection 65.2F of the TRPA Code of Ordinances.
- 12. Although not expected, if groundwater is intercepted during construction, the permittee shall immediately notify the TRPA Environmental Compliance Division. All activities in the vicinity of the intercepted groundwater shall cease until permission to recommence work has been granted by TRPA, based on an approved dewatering plan.
- No trees shall be removed (other than those shown on the approved site plan) or trimmed for view enhancement purposes without prior TRPA written approval as per the Landscape and Revegetation Plan.
- 14. The trail and revegetated areas will be maintained over time consistent with the approved plans. Modifications to this facility, including improvements

- constructed in association with this project, shall be subject to TRPA review and approval.
- 15. This approval is based on the permittee's representation that all plans and information contained in the subject application are true and correct. Should any information or representation submitted in connection with the project application be incorrect or untrue, TRPA may rescind this approval, or take other appropriate action.
- 16. Any modifications to the TRPA approved plans shall be submitted to TRPA for review and approval.
- 17. Any normal construction activities creating noise in excess to the TRPA noise standards shall be considered exempt from said standards provided all such work is conducted between the hours of 8:00 A.M. and 6:30 P.M.
- 18. The permittee is responsible for insuring that the project, as built, does not exceed the approved land coverage figures shown on the site plan. The approved land coverage figures shall supersede scaled drawings when discrepancies occur.
- 19. Grading is prohibited any time of the year during periods of precipitation and for the resulting period of time when the site is covered with snow, or is in a saturated, muddy, or instable conditions (pursuant to Subsection 64.2.C of the TRPA Code of Ordinances).
- 20. This site shall be winterized in accordance with the provisions of Attachment Q by October 15th of each construction season. All disturbed areas shall be stabilized with a 3-inch layer of mulch or covered with an erosion control blanket.
- 21. The permittee will not access private property without prior approval from the land owner.
- 22. If there is conflicting information between the project specifications and the special conditions in this Permit, the special conditions in the TRPA Permit shall take precedence.
- 23. El Dorado County shall request a final inspection from TRPA once the project is complete.

END OF PERMIT



Mail PO Box 5310 Stateline, NV 89449-5310 Location 128 Market Street Stateline, NV 89449 Contact Phone: 775-588-4547 Fax: 775-588-4527 www.trpa.org



MITIGATED STATEMENT OF NO SIGNIFICANT EFFECT

PROJECT DESCRIPTION: Sawmill 2B Bike Path and Erosion Control Project

TRPA PROJECT NUMBER: 520-101-00 FILE #EIPC2013-0022

PERMITTEE(S): El Dorado County Department of Transportation

<u>COUNTY/LOCATION</u>: El Dorado County/ Sawmill Road from Echo View Drive to U.S.

Highway 50

<u>Staff Analysis</u>: In accordance with Article IV of the Tahoe Regional Planning Compact, as amended, and Section 6.3 of the TRPA Rules and Regulations of Practice and Procedure, the TRPA staff has reviewed the information submitted with the subject project. On the basis of this initial environmental evaluation, Agency staff has found that the subject project will not have a significant effect on the environment.

<u>Determination</u>: Based on the above-stated finding, the subject project is conditionally exempt from the requirement to prepare an Environmental Impact Statement. The conditions of this exemption are the conditions of permit approval.

TRPA Chairman or Executive Director/Designee

Date

2-24-14



OFFICE 128 Market St. Stateline, NV

Phone: (775) 588-4547 Fax: (775) 588-4527 MAIL PO Box 5310 Stateline, NV 89449-5310

> trpa@trpa.org www.trpa.org

HOURS

Mon. Wed. Thurs. Fri
9 am-12 pm/1 pm-4 pm
Closed Tuesday

New Applications Until 3:00 pm

ATTACHMENT Q STANDARD CONDITIONS OF APPROVAL FOR GRADING PROJECTS

This handout on the standard conditions that must be met in all projects involving grading is divided into the following three sections:

- I. Pre-Grading Conditions (Pre-activity, where applicable)
- II. Construction/Grading Conditions
- III. General Conditions/Design Standards

Please read all of the conditions carefully to avoid any delays in construction of your project.

NOTE: Your plans have been reviewed and approved as required under Tahoe Regional Planning Agency (TRPA) Rules, Regulations and Ordinances only. TRPA has not reviewed and shall not be responsible for any elements contained in your plans, i.e., structural, electrical, mechanical, etc., which are not required for review under said Rules, Regulations and Ordinances.

I. PRE-GRADING/PRE-ACTIVITY CONDITIONS:

The following conditions must be completely complied with prior to any site disturbance or commencement of activity.

A. Final Construction Plans:

Final construction plans must be submitted to and reviewed by TRPA to determine conformance with the approval. Said plans shall clearly depict the following:

- Slope stabilization methods to stabilize all existing and proposed cut and fill slopes.
- Areas to be revegetated, including complete specifications for such revegetation.
- Fencing for vegetation protection.
- Temporary and permanent erosion control devices.
- 5. Utility trenches.
- Dust control measures.
- All water quality improvements (BMPs) required in the conditional approval. Drainage facilities shall be designed to be capable of retaining runoff water for a two (2) year, six (6) hour storm.
- The final plans shall contain equipment specifications necessary to establish compliance with Standard Conditions III. A-F.

B. Securities:

A security shall be posted with the TRPA to insure compliance with all permit conditions. The security shall include an amount equal to 110 percent of the cost of the BMPs and other erosion control and water quality improvements required. For further information on the acceptable types of securities, see Attachment J.

C. Mitigation Fees:

All required air quality, water quality, and excess coverage and offsite coverage mitigation fees shall be paid to TRPA.

D. Temporary BMPs:

The following temporary BMPs are required to be installed onsite prior to any grading activity occurring:

- Installation of temporary erosion controls.
- 2. Installation of vegetation protection measures.
- 3. Installation of construction site boundary fencing.

E. Required Inspection:

An onsite inspection by TRPA staff is required prior to any construction or grading activity occurring. TRPA staff shall determine if the onsite improvements required by Condition II (1), above, have been properly installed. No grading or construction shall be undertaken by the permittee until receipt of TRPA notification that the pre-grading/pre-activity conditions of approval have been satisfied.

F. Required Notices:

The following notices to the TRPA are required prior to any grading or construction occurring on the project site:

- Notice for Pre-Grading Inspection: The permittee shall notify the TRPA when all onsite improvements required under Condition II(1), above, have been installed so that the required pre-grading inspection may be scheduled.
- Notice of Commencement of Construction: The permittee shall notify the TRPA at least 48
 hours prior to commencement of construction or grading on the project site. Said notice
 shall include the date when construction will commence.

II. CONSTRUCTION/GRADING CONDITIONS:

The following conditions shall be complied with during the grading and construction phase of the project.

- A. All construction shall be accomplished in strict compliance with the plans approved by TRPA.
- B. The TRPA permit and the final construction drawings bearing the TRPA stamp of approval shall be present on the construction site from the time construction commences to final TRPA site inspection. The permit and plans shall be available for inspection upon request by any TRPA employee. Failure to present the TRPA permit and approved plans may result in the issuance of a Cease and Desist Order by the TRPA.
- C. Whenever possible, utilities shall occupy common trenches to minimize site disturbance.
- D. There shall be no grading or land disturbance performed with respect to the project between October 15 and May 1, except as follows:
 - The grading or land disturbance is for excavation and backfilling for a volume not in excess of three cubic yards.
 - The activity is completed within a 48-hour period.
 - The excavation site is stabilized to prevent erosion.
 - The pregrade inspection is performed by TRPA staff, and the activity passes the inspection.

 The grading/project does not represent or involve a series of excavations, which, when viewed as a whole, would exceed the provisions of this Standard Condition of Approval, and Subsection 2.3 of the TRPA Code of Ordinances.

Grading is prohibited any time of the year during periods of precipitation and for the resulting period of time when the site is covered with snow, or is in a saturated, muddy, or unstable condition (pursuant to Subsection 33.3.1.A of the TRPA Code of Ordinances.)

- E. All material obtained from any excavation work that is not contained within foundations, retaining walls, or by other methods approved by TRPA shall be removed form the subject parcel and disposed of at a site approved by TRPA.
- F. Replanting of all exposed surfaces, in accordance with the revegetation and slope stabilization plan, shall be accomplished within the first growing season following disturbance, unless an approved construction/inspection schedule establishes otherwise.
- G. All trees and natural vegetation to remain on the site shall be fenced for protection. Scarring of trees shall be avoided and, if scarred, damaged areas shall be repaired with tree seal.
 - Fencing specified shall be at least 48 inches high and shall be constructed
 of metal posts and either orange construction fencing or metal mesh fencing
 also at least 48 inches high (Section 33.6.1). Job sites with violations of the
 fencing standards will be required to re-fence the job site with a high gauge
 metal fencing.
 - No material or equipment shall enter or be placed in the areas protected by fencing or outside the construction areas without prior approval from TRPA. Fences shall not be moved without prior approval (Section 33.6).
 - 3. To reduce soil disturbance and damage to vegetation, the area of disturbance during the construction of a structure shall be limited to the area between the footprint of the building and the public road. For the remainder of the site the disturbance areas shall not exceed 12 feet from the footprint of the structure, parking area or cut/fill slope. The approved plans should show the fencing and approved exceptions (Section 36.2).
- H. Soil and construction material shall not be tracked off the construction site. Grading operations shall cease in the event that a danger of violating this condition exists. The site shall be cleaned up and road right-of-way swept clean when necessary.
- I. During grading and construction, environmental protection devices such as erosion control devices, dust control, and vegetation protection barriers shall be maintained.
- J. Loose soil mounds or surfaces shall be protected from wind or water erosion by being appropriately covered when construction is not in active progress or when required by TRPA.
- K. Excavated material shall be stored upgrade from the excavated areas to the extent possible. No material shall be stored in any stream zone or wet areas.
- Considering the nature of the work to be performed, will do the least amount of damage to the environment shall be used.
- M. Limit idling time for diesel powered vehicles exceeding 10,000 GVW and self-propelled equipment exceeding 25 hp to no more than 15 minutes in Nevada and 5 minutes in California, or as otherwise required by state or local permits.
- N. Utilize existing power sources (e.g. power poles) or clean-fuel generators rather than temporary diesel power generators wherever feasible.
- O. No washing of vehicles or construction equipment, including cement mixers, shall be permitted anywhere on the subject property unless authorized by TRPA in writing.

- P. No vehicles or heavy equipment shall be allowed in any stream environment zone or wet areas, except as authorized by TRPA.
- Locate construction staging areas as far as feasible from sensitive air pollution receptors (e.g. schools or hospitals).
- R. All construction sites shall be winterized by October 15 to reduce the water quality impacts associated with winter weather as follows:
 - 1. For the sites that will be inactive between October 15 and May 1:
 - (a) Temporary erosion controls shall be installed;
 - (b) Temporary vegetation protection fencing shall be installed;
 - (c) Disturbed areas shall be stabilized;
 - (d) Onsite construction slash and debris shall be cleaned up and removed;
 - (e) Where feasible, mechanical stabilization and drainage improvements shall be installed; and
 - (f) Spoil piles shall be removed from the site.
 - For sites that will be active between October 15 and May 1, in addition to the above requirements:
 - Permanent mechanical erosion control devices shall be installed, including paving of driveway and parking areas; and
 - (b) Parking of vehicles and storage of building materials shall be restricted to paved areas.

III. GENERAL CONDITIONS/DESIGN STANDARDS:

- A. Projects approved by TRPA shall be subject to inspections by TRPA at any reasonable time. The permittee shall be responsible for making the project area accessible for inspection purposes. TRPA shall not be liable for any expense incurred by the permittee as a result of TRPA inspections.
- B. Construction shall be completed in accordance with an approved construction schedule. An extension of a completion schedule for a project may be granted provided the request is made in writing prior to the expiration of the completion schedule, a security is posted to ensure completion or abatement of the project, and TRPA makes either of the following findings:
 - The project was diligently pursued, as defined in Subparagraph 2.2.4.C of the Code of Ordinances, during each building season (May 1 - October 15) since commencement of construction.
 - That events beyond the control of the permittee, which may include engineering problems, labor disputes, natural disasters, or weather problems, have prevented diligent pursuit of the project.
- C. Water conservation appliances and fixtures shall be installed in all new facilities or, when replaced, in existing facilities: low flow flush toilets; low flow showerheads (3 gpm rated maximum flow); faucet aerators; and water-efficient appliances (e.g., washing machines and dishwaters).
- D. Water heaters shall not emit nitrogen oxides greater than 40 nanograms of nitrogen oxide (NO2) per joule of heat output.
- E. Space heaters shall not emit greater than 40 nanograms of nitrogen oxides (as NO2) per joule of useful heat delivered to the heated space.

- F. Wood heaters to be installed in the Region shall meet the safety regulations established by applicable city, county, and state codes. Coal shall not be used as a fuel source.
 - Emission Standards: Wood heaters installed in the Region shall not cause emissions of more than 7.5 grams of particulates per hour for noncatalytic wood heaters or 4.1 grams per hour for catalytically equipped wood heaters.
 - Limitations: Wood heaters shall be sized appropriately for the space they are designed to serve. Multi-residential projects of five or more units, tourist accommodations, commercial, recreation and public service projects shall be limited to one wood heater per project area.
 - List of Approved Heaters: TRPA shall maintain a list of wood heaters which may be installed in the Region. The list shall include the brand names, model number, description of the model and the name and address of the manufacturer. Wood heaters certified for use in either Colorado or Oregon shall be considered in compliance with 6(a), above.
- G. Construction materials shall be secured to prevent them from rolling, washing, or blowing off the project site. Rehabilitation and clean-up of the site following construction must include removal of all construction waste and debris.
- H. Plant species on the TRPA Recommended Native and Adapted Plant List shall be used for lawns and landscaping.
- I. The following sizes and spacing shall be required for woody plant materials at time of planting:
 - 1. Trees shall be a minimum six feet tall or 1-1/2 inch caliper size or diameter at breast height;
 - Shrubs shall be a minimum three gallon pot size where upright shrubs have a minimum height of 18 inches and a minimum spread of 18 inches; and spreading shrubs have a minimum spread of 18-24 inches.
 - Groundcovers shall be a minimum four inch pot size or one gallon container and shall be maximum 24 inches on center spacing.
- J. Plant species not found on the TRPA Recommended Native and Adapted Plant List may be used for landscaping as accent plantings but shall be limited to borders, entryways, flower-beds, and other similar locations to provide accent to the overall native or adapted landscape design.
- K. The following exterior lighting standards shall apply:
 - Exterior lights shall not blink, flash or change intensity. String lights, building or roofline tube lighting, reflective or luminescent wall surfaces are prohibited.
 - 2. Exterior lighting shall not be attached to trees except for Christmas season.
 - 3. Parking lot, walkway, and building lights shall be directed downward.
 - 4. Fixture mounting height shall be appropriate to the purpose. The height shall not exceed the limitations set forth in Chapter 37 of the Code.
 - Outdoor lighting shall be used for purposes of illumination only, and shall not be designed for, or used as, an advertising display. Illumination for aesthetic or dramatic purposes of any building or surrounding landscape utilizing exterior light fixtures projected above the horizontal is prohibited.
 - The commercial operation of searchlights for advertising or any other purpose is prohibited.
 Seasonal lighting displays and lighting for special events which conflict with other provisions of this section may be permitted on a temporary basis.

- L. Any normal construction activities creating noise in excess of the TRPA noise standards shall be considered exempt from said standards provided all such work is conducted between the hours of 8:00 a.m. and 6:30 p.m.
- M. Engine doors shall remain closed during periods of operation except during necessary engine maintenance.
- N. Stationary equipment (e.g. generators or pumps) shall be located as far as feasible from noisesensitive receptors and residential areas. Stationary equipment near sensitive noise receptors or residential areas shall be equipped with temporary sound barriers.
- O. Sonic pile driving shall be utilized instead of impact pile driving, wherever feasible. Pile driving holes shall be predrilled to the extent feasible subject to design engineer's approval.
- P. Fertilizer use on this property shall be managed to include the appropriate type of fertilizer, rate, and frequency of application to avoid release of excess nutrients and minimize use of fertilizer.
- Q. No trees shall be removed or trimmed without prior TRPA written approval unless otherwise specifically exempted under Chapter 2 of the Code of Ordinances.
- R. The architectural design of this project shall include elements that screen from public view all external mechanical equipment, including refuse enclosures, satellite receiving disks, communication equipment, and utility hardware on roofs, buildings or the ground. Roofs, including mechanical equipment and skylights, shall be constructed of nonglare finishes that minimize reflectivity.
- S. The permittee is responsible for insuring that the project, as built, does not exceed the approved land coverage figures shown on the site plan. The approved land coverage figures shall supersede scaled drawings when discrepancies occur.
- T. The adequacy of all required BMPs as shown on the final construction plans shall be confirmed at the time of the TRPA pre-grading inspection. Any required modifications, as determined by TPRA, shall be incorporated into the project permit at that time.
- U. It is the permittee's obligation to locate all subsurface facilities and/or utilities prior to any grading, dredging or other subsurface activity. The permittee is responsible for contacting the Northern Underground Service Alert (USA, usually known as USA DIGS 1-800-227-2600) prior to commencement of any activity on the site.
- V. This approval is based on the permittee's representation that all plans and information contained in the subject application are true and correct. Should any information or representation submitted in connection with the project application be incorrect or untrue, TRPA may rescind this approval or take other appropriate action.

FEDERAL PREVAILING WAGES

General Decision Number: CA140009 08/01/2014 CA9

Superseded General Decision Number: CA20130009

State: California

Construction Types: Building, Heavy (Heavy and Dredging) and

Highway

Counties: Alpine, Amador, Butte, Colusa, El Dorado, Glenn, Lassen, Marin, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama, Trinity, Yolo and Yuba Counties in California.

BUILDING CONSTRUCTION PROJECTS (excluding Amador County only); DREDGING CONSTRUCTION PROJECTS (does not include hopper dredge work); HEAVY CONSTRUCTION PROJECTS (does not include water well drilling); AND HIGHWAY CONSTRUCTION PROJECTS

Number	Publication Date 01/03/2014 01/10/2014 01/24/2014 03/07/2014
	04/11/2014
	05/23/2014
	05/30/2014
	06/06/2014
	06/13/2014
	06/20/2014
	07/04/2014
	07/11/2014
	07/18/2014
	07/25/2014
	08/01/2014
	Number

ASBE0016-001 01/01/2014

AREA 1: ALAMEDA, CONTRA COSTA, LAKE, MARIN, MENDOCINO, MONTEREY, NAPA, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, & SONOMA COUNTIES

AREA 2: ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL NORTE, EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LASSEN, MADERA, MARIPOSA, MERCED, MODOC, MONO, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN JOAQUIN, SHASTA, SIERRA, SISKIYOU, STANISLAU, SUTTER, TEHEMA, TRINITY, TULARE, TUOLUMNE, YOLO, & YUBA COUNTIES

Rates Fringes

Asbestos Workers/Insulator (Includes the application of

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

all insulating materials,	
Protective Coverings,	
Coatings, and Finishes to all	
types of mechanical systems)	
Area 1\$ 57	.15

Area 2	44.05	18.62
Area 1	57.15	18.72

ASBE0016-007 01/01/2013

Rates Fringes

Asbestos Removal
worker/hazardous material
handler (Includes
preparation, wetting,
stripping, removal,
scrapping, vacuuming, bagging
and disposing of all
insulation materials from
mechanical systems, whether

they contain asbestos or not)....\$ 31.13 6.95

BOIL0549-002 01/01/2013

	Rates	Fringes
DOTT DDWWDD		
BOILERMAKER		
(1) Marin & Solano Count	ies.\$ 42.06	33.43
(2) Remaining Counties	\$ 38.37	31.32

BRCA0003-001 08/01/2013

	Rates	Fringes
MARBLE FINISHER	\$ 28.05	14.01

BRCA0003-004 05/01/2013

AREA 1: ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SUTTER, TEHAMA, YOLO AND YUBA COUNTIES

AREA 2: MARIN, NAPA, SISKIYOU, SOLANO, SONOMA AND TRINITY COUNTIES

	Rates	Fringes
BRICKLAYER		
AREA 1	\$ 36.48	19.59
AREA 2	\$ 39.96	23.79

SPECIALTY PAY:

- (A) Underground work such as tunnel work, sewer work, manholes, catch basins, sewer pipes and telephone conduit shall be paid \$1.25 per hour above the regular rate. Work in direct contact with raw sewage shall receive \$1.25 per hour in addition to the above.
- (B) Operating a saw or grinder shall receive \$1.25 per hour

above the regular rate.

(C) Gunite nozzle person shall receive \$1.25 per hour above the regular rate.

BRCA0003-008 07/01/20	
	I '≺

	Rates	Fringes
FINISHER\$ WORKER/SETTER\$		13.93 24.39

BRCA0003-010 04/01/2014

		Rates	Fringes
TILE	FINISHER		
	Area 1	\$ 22.58	10.04
	Area 2	\$ 22.58	12.50
	Area 3	\$ 22.76	12.37
	Area 4	\$ 22.26	11.85
Tile	Layer		
	Area 1	38.13	11.98
	Area 2	36.43	13.74
	Area 3		13.79
	Area 4	37.46	13.74

AREA 1: Butte, Colusa, El Dorado, Glenn, Lassen, Modoc,

Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Sutter,

Tehema, Yolo, Yuba

AREA 2: Alpine, Amador

AREA 3: Marin, Napa, Solano, Siskiyou

AREA 4: Sonoma

BRCA0003-014 08/01/2013

	Rates	Fringes
MARBLE MASON	.\$ 39.30	22.48

CARP0034-001 07/01/2014

I	Rates	Fringes
Diver		
Assistant Tender, ROV	20.60	20 52
Tender/Technician\$		30.73
Diver standby\$	44.56	30.73
Diver Tender\$	43.56	30.73
Diver wet\$	89.12	30.73
Manifold Operator (mixed		
gas)\$	48.56	30.73
Manifold Operator (Standby).\$		30.73

DEPTH PAY (Surface Diving):

050 to 100 ft \$2.00 per foot 101 to 150 ft \$3.00 per foot 151 to 220 ft \$4.00 per foot

SATURATION DIVING:

The standby rate shall apply until saturation starts. The saturation diving rate applies when divers are under pressure continuously until work task and decompression are complete. The diver rate shall be paid for all saturation hours.

DIVING IN ENCLOSURES:

Where it is necessary for Divers to enter pipes or tunnels, or other enclosures where there is no vertical ascent, the following premium shall be paid: Distance traveled from entrance 26 feet to 300 feet: \$1.00 per foot. When it is necessary for a diver to enter any pipe, tunnel or other enclosure less than 48" in height, the premium will be \$1.00 per foot.

WORK IN COMBINATION OF CLASSIFICATIONS:

Employees working in any combination of classifications within the diving crew (except dive supervisor) in a shift are paid in the classification with the highest rate for that shift.

CARP0034-003 07/01/2014

	Rates	Fringes
Piledriver	\$ 40.60	30.73

^{*} CARP0035-001 08/01/2014

AREA 1: MARIN, NAPA, SOLANO & SONOMA

AREA 3: SACRAMENTO, WESTERN EL DORADO (Territory west of an including highway 49 and the territory inside the city limits of Placerville), WESTERN PLACER (Territory west of and including highway 49), & YOLO

AREA 4: ALPINE, BUTTE, COLUSA, EASTERN EL DORADO, GLENN, LASSEN, MODOC, NEVADA, EASTERN PLACER, PLUMAS, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, & YUBA

	Rates	Fringes	
Drywall Installers/Lathers: Area 1	\$ 34.97	27.97 27.97	
Area 4	\$ 33.62	27.97	
Area 3	\$ 17.49	16.30 16.30 16.30	

CARP0035-009 07/01/2014

Marin County

	Rates	Fringes
CARPENTER		
Bridge Builder/Highway		
Carpenter\$	40.35	27.53
Hardwood Floorlayer,		
Shingler, Power Saw		
Operator, Steel Scaffold &		
Steel Shoring Erector, Saw		
Filer\$	40.50	27.53
Journeyman Carpenter\$	40.35	27.53
Millwright\$	40.45	29.12

CARP0035-010 07/01/2013

AREA 1: Marin, Napa, Solano & Sonoma Counties

AREA 2: Alpine, San Benito and Santa Cruz

AREA 3: Alpine, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo & Yuba counties

	Rates	Fringes
Modular Furniture Installer		
Area 1	+ 00 05	45.50
Installer I	•	17.52
Installer II	\$ 19.53	17.52
Lead Installer	\$ 26.41	18.02
Master Installer	\$ 30.63	18.02
Area 2		
Installer I	\$ 20.31	17.52
Installer II	\$ 17.36	17.52
Lead Installer	\$ 23.28	18.02
Master Installer	\$ 26.91	18.02
Area 3		
Installer I	\$ 19.36	17.52
Installer II	\$ 16.59	17.52
Lead Installer	\$ 22.16	18.02
Master Installer	.\$ 25.58	18.02

CARP0046-001 07/01/2014

El Dorado (West), Placer (West), Sacramento and Yolo Counties

I	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter\$ Hardwood Floorlayer,	40.35	27.53
Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer\$ Journeyman Carpenter\$ Millwright\$	34.47	27.53 27.53 29.12

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

Footnote: Placer County (West) includes territory West of and including Highway 49 and El Dorado County (West) includes territory West of and including Highway 49 and territory inside the city limits of Placerville.

CARP0046-002 07/01/2014

Alpine, Colusa, El Dorado (East), Nevada, Placer (East), Sierra, Sutter and Yuba Counties

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &	\$ 40.35	27.53
Steel Shoring Erector, Saw Filer Journeyman Carpenter Millwright	\$ 33.12	27.53 27.53 29.12

CARP0152-003 07/01/2014

Amador County

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &	·	27.53
Steel Shoring Erector, Saw Filer Journeyman Carpenter Millwright	\$ 33.27 \$ 33.12	27.53 27.53 29.12

CARP0180-001 07/01/2014

Solano County

1	Rates	Fringes
Carpenters		
Bridge Builder/Highway		
Carpenter\$	40.35	27.53
Hardwood Floorlayer,		
Shingler, Power Saw		
Operator, Steel Scaffold &		
Steel Shoring Erector, Saw		
Filer\$	40.50	27.53
Journeyman Carpenter\$	40.35	27.53
Millwright\$	40.45	29.12

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192
ADDENDUM NO. 2, Attachment B

CARP0751-001 07/01/2014

Napa and Sonoma Counties

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &		27.53
Steel Shoring Erector, Saw Filer Journeyman Carpenter Millwright	\$ 40.50 \$ 40.35	27.53 27.53 29.12

CARP1599-001 07/01/2014

Butte, Glenn, Lassen, Modoc, Plumas, Shasta, Siskiyou, Tehama and Trinity Counties

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw	.\$ 40.35	27.53
Filer	.\$ 33.12	27.53 27.53 29.12

ELEC0180-001 06/01/2014

NAPA AND SOLANO COUNTIES

	Rates	Fringes
CABLE SPLICER	•	3%+20.13 3%+20.13

ELEC0180-003 12/01/2013

NAPA AND SOLANO COUNTIES

	Rates	Fringes
Sound & Communications		
Installer	\$ 31.32	3%+15.30
Technician	\$ 35.66	3%+15.30

SCOPE OF WORK INCLUDES-

SOUND & VOICE TRANSMISSION (Music, Intercom, Nurse Call, Telephone); FIRE ALARM SYSTEMS [excluding fire alarm work

when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs],
TELEVISION & VIDEO SYSTEMS, SECURITY SYSTEMS, COMMUNICATIONS SYSTEMS that transmit or receive information and/or control systems that are intrinsic to the above.

EXCLUDES-

Excludes all other data systems or multiple systems which include control function or power supply; excludes installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excludes energy management systems.

ELEC0340-002 12/01/2013

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, NEVADA, PLACER, PLUMAS, SACRAMENTO, TRINITY, YOLO, YUBA COUNTIES

I	Rates	Fringes
Communications System		
Sound & Communications		
Installer\$	24.68	3%+12.85
Sound & Communications		
Technician\$	28.38	3%+12.85

SCOPE OF WORK

Includes the installation testing, service and maintenance, of the following systems which utilize the transmission and/or transference of voice, sound, vision and digital for commercial, education, security and entertainment purposes for the following TV monitoring and surveillance, background-foreground music, intercom and telephone interconnect, inventory control systems, microwave transmission, multi-media, multiplex, nurse call system, radio page, school intercom and sound, burglar alarms, and low voltage master clock systems.

- A. SOUND AND VOICE TRANSMISSION/TRANSFERENCE SYSTEMS
 Background foreground music Intercom and telephone
 interconnect systems, Telephone systems, Nurse call
 systems, Radio page systems, School intercom and sound
 systems, Burglar alarm systems, Low voltage master clock
 systems, Multi-media/multiplex systems, Sound and musical
 entertainment systems, RF systems, Antennas and Wave Guide.
- B. FIRE ALARM SYSTEMS
 Installation, wire pulling and testing
 - C. TELEVISION AND VIDEO SYSTEMS Television monitoring and surveillance systems, Video security systems, Video entertainment systems, Video educational systems, Microwave transmission systems, CATV and CCTV

- D. SECURITY SYSTEMS Perimeter security systems

 Vibration sensor systems Card access systems Access

 control systems Sonar/infrared monitoring equipment
- E. COMMUNICATIONS SYSTEMS THAT TRANSMIT OR RECEIVE INFORMATION AND/OR CONTROL SYSTEMS THAT ARE INTRINSIC THE ABOVE LISTED SYSTEMS SCADA (Supervisory Control and Data Acquisition) PCM (Pulse Code Modulation) Inventory Control Systems Digital Data Systems Broadband and Baseband and Carriers Point of Sale VSAT Data Systems Data Communication Systems RF and Remote Control Systems Fiber Optic Systems Data Systems WORK EXCLUDED Raceway systems are not covered (excluding Ladder-Rack for the purpose of the above listed systems). Chases and/or nipples (not to exceed 10 feet) may be installed on open wiring systems. Energy management systems. SCADA (Supervisory Control and Data Acquisition) when not intrinsic to the above listed systems (in the scope). Fire alarm systems when installed in raceways (including wire and cable pulling) shall be performed at the electrician wage rate, when either of the following two (2) conditions apply:
- 1. The project involves new or major remodel building trades construction.
- 2. The conductors for the fire alarm system are installed in conduit.

ELEC0340-003 12/01/2013

ALPINE (West of Sierra Mt. Watershed), AMADOR, BUTTE, COLUSA, EL DORADO (West of Sierra Mt. Watershed), GLENN, LASSEN, NEVADA (West of Sierra Mt. Watershed), PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA (West of Sierra Mt. Watershed), SUTTER, TEHAMA, TRINITY, YOLO & YUBA COUNTIES

	Rates	Fringes
ELECTRICIAN		
Remaining area\$	39.06	18.54
Sierra Army Depot, Herlong\$	48.83	18.54
Tunnel work\$	41.01	18.54

CABLE SPLICER: Receives 110% of the Electrician basic hourly rate.

ET EGO 401 00E 07/01/2012

ELEC0401-005 07/01/2013

ALPINE (east of the main watershed divide), EL DORADO (east of the main watershed divide), NEVADA (east of the main watershed), PLACER (east of the main watershed divide) and SIERRA (east of the main watershed divide) COUNTIES:

Rates Fringes

ELECTRICIAN	.\$ 37.00	14.62	
ELEC0551-004 06/01/2014			
MARIN AND SONOMA COUNTIES			
	Rates	Fringes	
ELECTRICIAN	.\$ 47.20	16.76	
ELEC0551-005 12/01/2013			
MARIN & SONOMA COUNTIES			
	Rates	Fringes	
Sound & Communications Installer Technician		16.23 16.36	
SCOPE OF WORK INCLUDES- SOUND & VOICE TRANSMISSION (Mu Telephone); FIRE ALARM SYSTEMS when installed in raceways (in pulling) and when performed on building projects or jobs], TELEVISION & VIDEO SYSTEMS, SE SYSTEMS that transmit or receives	[excluding fire cluding wire and new or major reconstruction of the content of the content of the cluster of the content of the cluster of the content of the content of the cluster of th	e alarm work d cable emodel COMMUNICATIONS	
EXCLUDES- Excludes all other data systems or multiple systems which include control function or power supply; excludes installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excludes energy management systems.			
ELEC0659-006 01/01/2013			
DEL NORTE, MODOC and SISKIYOU CO	UNTIES		
	Rates	Fringes	
ELECTRICIAN		14.81	
ELEC0659-008 02/01/2013			
DEL NORTE, MODOC & SISKIYOU COUN	TIES		
	Rates	Fringes	
Line Construction (1) Cable Splicer (2) Lineman, Pole Sprayer, Heavy Line Equipment Man		4%+13.30 4%+13.30	
neavy nine Equipment Man	.ρ 1 3.02	±6⊤±3.3U	

Sawmill 2B Bike Path and Erosion Control Project **Contract No. PW 11-30593, CIP No. 95192** ADDENDUM NO. 2, Attachment B

(3) Tree Trimmer.....\$ 32.07

4%+9.80

(4) Line Equipment Man\$	45.62	4%+9.80
(5) Powdermen,		
Jackhammermen\$	34.22	4%+9.80
(6) Groundman\$	31.31	4%+9.80

ELEC1245-004 06/01/2013

ALL COUNTIES EXCEPT DEL NORTE, MODOC & SISKIYOU

	I	Rates	Fringes
LINE	CONSTRUCTION (1) Lineman; Cable splicer\$ (2) Equipment specialist (operates crawler tractors, commercial motor vehicles, backhoes, trenchers, cranes (50 tons	50.30	15
	<pre>and below), overhead & underground distribution line equipment)\$ (3) Groundman\$ (4) Powderman\$</pre>	30.73	14.56 13.48 13.48

HOLIDAYS: New Year's Day, M.L. King Day, Memorial Day, Independence Day, Labor Day, Veterans Day, Thanksgiving Day and day after Thanksgiving, Christmas Day

ELEV0008-001 01/01/2014

	1	Rates	Fringes
ELEVATOR	MECHANIC\$	59.19	26.785

FOOTNOTE:

PAID VACATION: Employer contributes 8% of regular hourly rate as vacation pay credit for employees with more than 5 years of service, and 6% for 6 months to 5 years of service. PAID HOLIDAYS: New Years Day, Memorial Day, Independence Day, Labor Day, Veterans Day, Thanksgiving Day, Friday after Thanksgiving, and Christmas Day.

ENGI0003-008 07/01/2013

		Rates	Fringes
Dredging:	(DREDGING:		
${\tt CLAMSHELL}$	& DIPPER DREDGING;		
HYDRAULIC	SUCTION DREDGING:)		
AREA	1:		
(1)	Leverman	\$ 40.53	27.81
(2)	Dredge Dozer; Heavy		
duty	y repairman	\$ 35.57	27.81
(3)	Booster Pump		
Ope	rator; Deck		
Eng	ineer; Deck mate;		
Dred	dge Tender; Winch		

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

Operator\$ 34.45	27.81
(4) Bargeman; Deckhand;	
Fireman; Leveehand; Oiler\$ 31.15	27.81
AREA 2:	
(1) Leverman\$ 42.53	27.81
(2) Dredge Dozer; Heavy	
duty repairman\$ 37.57	27.81
(3) Booster Pump	
Operator; Deck	
Engineer; Deck mate;	
Dredge Tender; Winch	
Operator\$ 36.45	27.81
(4) Bargeman; Deckhand;	
Fireman; Leveehand; Oiler\$ 33.15	27.81

AREA DESCRIPTIONS

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2: MODOC COUNTY

THE REMAINGING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Remainder Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY:

Area 1: Remainder Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border with Shasta County

Area 2: Remainder

MADERA COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

MARIPOSA COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

MONTERREY COUNTY

Area 1: Except Southwestern part

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County Area 2: Remainder

PLACER COUNTY:

Area 1: Al but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Remainder

TEHAMA COUNTY:

Area 1: All but the Western border with Mendocino & Trinity

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeastern border with

Shasta County Area 2: Remainder

TUOLUMNE COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

ENGI0003-018 06/30/2014

"AREA 1" WAGE RATES ARE LISTED BELOW

"AREA 2" RECEIVES AN ADDITIONAL \$2.00 PER HOUR ABOVE AREA 1 RATES.

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

SEE AREA DEFINITIONS BELOW

I	Rates	Fringes
OPERATOR: Power Equipment		
(AREA 1:)		
GROUP 1\$	39.85	27.44
GROUP 2\$		27.44
GROUP 3\$		27.44
GROUP 4\$	35.46	27.44
GROUP 5\$	34.19	27.44
GROUP 6\$	32.87	27.44
GROUP 7\$	31.73	27.44
GROUP 8\$	30.59	27.44
GROUP 8-A\$	28.38	27.44
OPERATOR: Power Equipment		
(Cranes and Attachments -		
AREA 1:)		
GROUP 1		
Cranes\$		27.44
Oiler\$		27.44
Truck crane oiler\$	37.33	27.44
GROUP 2	20 07	27 44
Cranes\$		27.44 27.44
Oiler\$ Truck crane oiler\$		27.44
GROUP 3	37.04	27.44
Cranes\$	37 23	27.44
Hydraulic\$		27.11
Oiler\$		27.11
Truck Crane Oiler\$		27.44
GROUP 4		_,,,,,
Cranes\$	34.19	27.44
OPERATOR: Power Equipment		
(Piledriving - AREA 1:)		
GROUP 1		
Lifting devices\$	41.07	27.44
Oiler\$	31.81	27.44
Truck crane oiler\$	34.09	27.44
GROUP 2		
Lifting devices\$	39.25	27.44
Oiler\$		27.44
Truck Crane Oiler\$	33.84	27.44
GROUP 3		
Lifting devices\$		27.44
Oiler\$		27.44
Truck Crane Oiler\$	33.55	27.44
GROUP 4	25 00	27 44
Lifting devices\$ GROUP 5	35.80	27.44
Lifting devices\$	2/ 50	27.44
GROUP 6	34.30	27.44
Lifting devices\$	33 16	27.44
OPERATOR: Power Equipment	55.10	2/,14
(Steel Erection - AREA 1:)		
GROUP 1		
Cranes\$	41.70	27.44

Sawmill 2B Bike Path and Erosion Control Project **Contract No. PW 11-30593, CIP No. 95192** ADDENDUM NO. 2, Attachment B

Oiler\$ Truck Crane Oiler\$ GROUP 2		27.44 27.44
Cranes\$	39.93	27.44
Oiler\$	31.88	27.44
Truck Crane Oiler\$	34.16	27.44
GROUP 3		
Cranes\$	38.45	27.44
Hydraulic\$		27.44
Oiler\$	31.66	27.44
Truck Crane Oiler\$	33.89	27.44
GROUP 4		
Cranes\$	36.43	27.44
GROUP 5		
Cranes\$	35.13	27.44
OPERATOR: Power Equipment		
(Tunnel and Underground Work		
- AREA 1:)		
SHAFTS, STOPES, RAISES:		
GROUP 1\$	35.95	27.44
GROUP 1-A\$	38.32	27.44
GROUP 2\$	34.59	27.44
GROUP 3\$	33.36	27.44
GROUP 4\$	32.22	27.44
GROUP 5\$	31.08	27.44
UNDERGROUND:		
GROUP 1\$	35.85	27.44
GROUP 1-A\$	38.32	27.44
GROUP 2\$	34.59	27.44
GROUP 3\$	33.26	27.44
GROUP 4\$		
GROOF 4	32.12	27.44
GROUP 5\$		27.44 27.44

FOOTNOTE: Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Licensed construction work boat operator, on site; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine assistant to engineer or mechanic; Crane mounted continuous flight tie back machine, tonnage to apply; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Long reach excavator; Multiple engine scraper (when used as push pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572 or larger; Track

loader 4 cu. yds. and over; Wheel excavator (up to and including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/box person; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pull- type elevating loader; Gradesetter, grade checker (GPS, mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber- tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Spider plow and spider puller; Tubex pile rig; Unlicensed constuction work boat operator, on site; Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boom- type backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving);

Self- propelled pipeline wrapping machine; Tractor; Self-loading chipper; Concrete barrier moving machine

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing mahcine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Truck- type loader

GROUP 8: Bit sharpener; Boiler tender; Box operator; Brakeperson; Combination mixer and compressor (shotcrete/gunite); Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete equipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator (includes vacuum sweeper); Slusher operator; Surface heater; Switchperson; Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader-Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe-trencher); Tub grinder wood chipper

ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Cranes 45 tons and under; Self-propelled boom-type lifting device 45 tons and under;

GROUP 4: Boom Truck or dual purpose A-frame truck, non-rotating over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons;

PILEDRIVERS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons; Fundex F-12 hydraulic pile rig

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer

GROUP 6: Deckhand; Fire tender

STEEL ERECTORS

GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under

GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

--

TUNNEL AND UNDERGROUND WORK

- GROUP 1: Heading shield operator; Heavy-duty repairperson; Mucking machine (rubber tired, rail or track type); Raised bore operator (tunnels); Tunnel mole bore operator
- GROUP 2: Combination slusher and motor operator; Concrete pump or pumpcrete gun; Power jumbo operator
- GROUP 3: Drill doctor; Mine or shaft hoist
 - GROUP 4: Combination slurry mixer cleaner; Grouting Machine operator; Motorman
 - GROUP 5: Bit Sharpener; Brakeman; Combination mixer and compressor (gunite); Compressor operator; Oiler; Pump operator; Slusher operator

AREA DESCRIPTIONS:

POWER EQUIPMENT OPERATORS, CRANES AND ATTACHMENTS, TUNNEL AND UNDERGROUND [These areas do not apply to Piledrivers and Steel Erectors]

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192
ADDENDUM NO. 2, Attachment B

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County Area 2: Remainder

MADERA COUNTY

Area 1: Remainder Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY

Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part Area 2: Remainder SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Reaminder

TEHAMA COUNTY:

Area 1: All but the Western border with mendocino & Trinity

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeaster border with

Shasta County Area 2: Remainder

TULARE COUNTY;

Area 1: Remainder Area 2: Eastern part

TUOLUMNE COUNTY:

Area 1: Remainder

Area 2: Eastern Part

ENGI0003-019 07/01/2013

SEE AREA DESCRIPTIONS BELOW

	I	Rates	Fringes
ODED 7. TOD .	Power Equipment		
(LANDSCAPE	WORK ONLY)		
GROUP	1		
AREA	1\$	29.64	25.71
AREA	2\$	31.64	25.71
GROUP	2		
AREA	1\$	26.04	25.71
AREA	2\$	28.04	25.71
GROUP	3		
	1\$		25.71
AREA	2\$	23.43	25.71

GROUP DESCRIPTIONS:

GROUP 1: Landscape Finish Grade Operator: All finish grade work regardless of equipment used, and all equipment with a rating more than 65 HP.

GROUP 2: Landscape Operator up to 65 HP: All equipment with a manufacturer's rating of 65 HP or less except equipment covered by Group 1 or Group 3. The following equipment shall be included except when used for finish work as long as manufacturer's rating is 65 HP or less: A-Frame and Winch Truck, Backhoe, Forklift, Hydragraphic Seeder Machine, Roller, Rubber-Tired and Track Earthmoving Equipment, Skiploader, Straw Blowers, and Trencher 31 HP up to 65 HP.

GROUP 3: Landscae Utility Operator: Small Rubber-Tired Tractor, Trencher Under 31 HP.

AREA DESCRIPTIONS:

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder Area 2: Eastern part

MARIPOSA COUNTY

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

Area 1: Remainder Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Reaminder

TEHAMA COUNTY:

Area 1: All but the Western border with mendocino & Trinity

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeaster border with

Shasta County Area 2: Remainder

TULARE COUNTY;

Area 1: Remainder Area 2: Eastern part

TUOLUMNE COUNTY:

Area 1: Remainder Area 2: Eastern Part

I	Rates	Fringes
Ironworkers:		
Fence Erector\$	26.58	17.74
Ornamental, Reinforcing		
and Structural\$	33.00	26.30

PREMIUM PAY:

\$6.00 additional per hour at the following locations:

China Lake Naval Test Station, Chocolate Mountains Naval Reserve-Niland, Edwards AFB, Fort Irwin Military Station, Fort Irwin Training Center-Goldstone, San Clemente Island, San Nicholas Island, Susanville Federal Prison, 29 Palms - Marine Corps, U.S. Marine Base - Barstow, U.S. Naval Air Facility - Sealey, Vandenberg AFB

\$4.00 additional per hour at the following locations:

Army Defense Language Institute - Monterey, Fallon Air Base, Naval Post Graduate School - Monterey, Yermo Marine Corps Logistics Center

\$2.00 additional per hour at the following locations:

Port Hueneme, Port Mugu, U.S. Coast Guard Station - Two Rock

TARON067_002 06/20/2014

LABO0067-002 06/29/2014

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL NORTE, EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LAKE, LASSEN, MADERA, MARIPOSA, MENDOCINO, MERCED, MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA, STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND YUBA COUNTIES

	Rates	Fringes
Asbestos Removal Laborer		
Areas A & B\$	19.66	9.02
LABORER (Lead Removal)		
Area A\$	29.02	19.42
Area B\$	28.02	19.42

ASBESTOS REMOVAL-SCOPE OF WORK: Site mobilization; initial site clean-up; site preparation; removal of asbestos-containing materials from walls and ceilings; or from pipes, boilers and mechanical systems only if they are being scrapped; encapsulation, enclosure and disposal of

asbestos-containing materials by hand or with equipment or machinery; scaffolding; fabrication of temporary wooden barriers; and assembly of decontamination stations.

LABO0067-006 06/30/2014

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, EL DORADO, FRESNO, GLENN, KINGS, LASSEN, MADERA, MARIPOSA, MERCED, MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA, STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND YUBA COUNTIES

	Rates	Fringes
Laborers: (CONSTRUCTION CRAFT		
LABORERS - AREA A:)		
Construction Specialist		
Group	\$ 29 09	19.57
GROUP 1		19.57
GROUP 1-a	•	19.57
GROUP 1-c	•	19.57
GROUP 1-e	'	19.57
GROUP 1-f	•	19.57
GROUP 1-g (Contra Costa		
County)	.\$ 28.59	19.57
GROUP 2		19.57
GROUP 3	.\$ 28.14	19.57
GROUP 4	.\$ 21.83	19.57
See groups 1-b and 1-d under 1	aborer classific	cations.
Laborers: (CONSTRUCTION CRAFT		
LABORERS - AREA B:)		
Construction Specialist		
Group	.\$ 28.09	19.57
GROUP 1	.\$ 27.39	19.57
GROUP 1-a	.\$ 27.61	19.57
GROUP 1-c	.\$ 27.44	19.57
GROUP 1-e	.\$ 27.94	19.57
GROUP 1-f	.\$ 27.97	19.57
GROUP 2	•	19.57
GROUP 3	.\$ 27.14	19.57
GROUP 4		19.57
See groups 1-b and 1-d under l	aborer classific	cations.
Laborers: (GUNITE - AREA A:)		
GROUP 1	•	19.57
GROUP 2		19.57
GROUP 3	•	19.57
GROUP 4	.\$ 28.14	19.57
Laborers: (GUNITE - AREA B:)		
GROUP 1	•	19.57
GROUP 2	•	19.57
GROUP 3	•	19.57
GROUP 4	.\$ 27.14	19.57
Laborers: (WRECKING - AREA A:)		

GROUP 1\$	28.39	19.57
GROUP 2\$	28.24	19.57
Laborers: (WRECKING - AREA B:)		
GROUP 1\$	27.39	19.57
GROUP 2\$	27.24	19.57
Landscape Laborer (GARDENERS,		
HORTICULTURAL & LANDSCAPE		
LABORERS - AREA A:)		
(1) New Construction\$	28.14	19.57
(2) Establishment Warranty		
Period\$	21.83	19.57
Landscape Laborer (GARDENERS,		
HORTICULURAL & LANDSCAPE		
LABORERS - AREA B:)		
(1) New Construction\$	27.14	19.57
(2) Establishment Warranty		
Period\$	20.83	19.57

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter;

Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. "Sewer cleaner" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including

repair of voids; Precast manhole setters, cast in place manhole form setters

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification "material cleaner" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.
C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of "form stripping, cleaning and oiling and moving to the next point of erection".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0185-002 07/01/2013

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

	Rates	Fringes
LABORER		
Mason Tender-Brick	.\$ 31.52	16.53
LABO0185-005 07/01/2013		

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

1	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	34.10	16.53
GROUP 2\$	33.87	16.53
GROUP 3\$	33.62	16.53
GROUP 4\$	33.17	16.53
GROUP 5\$	32.63	16.53
Shotcrete Specialist\$	36.12	16.53

TUNNEL AND SHAFT CLASSIFICATIONS

- GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen
- GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)
- GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman primer house
- GROUP 4: Vibrator operator, pavement breaker; Bull gang muckers, trackmen; Concrete crew includes rodding and spreading, Dumpmen (any method)
- GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0261-002 07/01/2013

MARIN COUNTY

F	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person\$	27.64	18.74
Traffic Control Person I\$		18.74
Traffic Control Person II\$	25.44	18.74

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0261-004 07/01/2013

MARIN COUNTY

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	34.10	16.53
GROUP 2\$	33.87	16.53
GROUP 3\$	33.62	16.53
GROUP 4\$	33.17	16.53
GROUP 5\$	32.63	16.53
Shotcrete Specialist\$	36.12	16.53

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

LABO0261-007 07/01/2013

MARIN COUNTY

	Rates	Fringe	es
LABORER			
Mason	Tender-Brick\$ 32.7	7 16	.53

LABO0324-004 07/01/2013

NAPA, SOLANO, AND SONOMA, COUNTIES

Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)	
Escort Driver, Flag Person\$ 26.64	18.74
Traffic Control Person I\$ 26.94	18.74
Traffic Control Person II\$ 24.44	18.74

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0324-008 07/01/2013

NAPA, SOLANO, AND SONOMA COUNTIES

	I	Rates	Fringes
Tunnel and	Shaft Laborers:		
GROUP	1\$	34.10	16.53
GROUP	2\$	33.87	16.53
GROUP	3\$	33.62	16.53
GROUP	4\$	33.17	16.53
GROUP	5\$	32.63	16.53
Shotc	rete Specialist\$	36.12	16.53

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High

pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0324-010 07/01/2013

NAPA, SOLANO AND SONOMA COUNTIES

	Rates	Fringes	
LABORER (Brick) Mason Tender-Brick	\$ 31.95	16.53	
LABO1414-005 08/07/2013			
	Rates	Fringes	

Plasterer tender......\$ 30.00 16.36

Work on a swing stage scaffold: \$1.00 per hour additional.
-----PAIN0016-004 01/01/2013

MARIN, NAPA, SOLANO & SONOMA COUNTIES

PREMIUMS:

EXOTIC MATERIALS - \$0.75 additional per hour.

SPRAY WORK: - \$0.50 additional per hour.

INDUSTRIAL PAINTING - \$0.25 additional per hour

[Work on industrial buildings used for the manufacture and processing of goods for sale or service; steel construction (bridges), stacks, towers, tanks, and similar structures]

HIGH WORK:

over 50 feet - \$2.00 per hour additional 100 to 180 feet - \$4.00 per hour additional Over 180 feet - \$6.00 per houir additional

PAIN0016-005 01/01/2013

ALPINE, BUTTE, COLUSA, EL DORADO (west of the Sierra Nevada Mountains), GLENN, LASSEN (west of Hwy. 395, excluding Honey Lake); MARIN, MODOC, NAPA, NEVADA (west of the Sierra Nevada

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

Mountains), PLACER (west of the Sierra Nevada Mountains), PLUMAS, SACRAMENTO, SHASTA, SIERRA (west of the Sierra Nevada Mountains), SISKIYOU, SOLANO, SONOMA, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

	Rates	Fringes	
DRYWALL FINISHER/TAPER	\$ 36.24	18.67	
PAIN0016-007 01/01/2013			

ALPINE, AMADOR, BUTTE, COLUSA. EL DORADO (west of the Sierra Nevada Mountains), GLENN, LASSEN (west of Highway 395, excluding Honey Lake), MODOC, NEVADA (west of the Sierra Nevada Mountains), PLACER (west of the Sierra Nevada Mountains), PLUMAS, SACRAMENTO, SHASTA, SIERRA (west of the Sierra Nevada Mountains), SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO & YUBA COUNTIES

Rates	Fringes

Painters:....\$ 29.06 15.98

SPRAY/SANDBLAST: \$0.50 additional per hour. EXOTIC MATERIALS: \$1.00 additional per hour.

HIGH TIME: Over 50 ft above ground or water level \$2.00 additional per hour. 100 to 180 ft above ground or water level \$4.00 additional per hour. Over 180 ft above ground or water level \$6.00 additional per hour.

PAIN0016-008 01/01/2013

MARIN, NAPA, SOLANO AND SONOMA COUNTIES

	Rates	Fringes
SOFT FLOOR LAYER	\$ 44.87	17.98
DATE 0160 004 01/01/2012		

PAIN0169-004 01/01/2013

MARIN , NAPA & SONOMA COUNTIES; SOLANO COUNTY (west of a line defined as follows: Hwy. 80 corridor beginning at the City of Fairfield, including Travis Air Force Base and Suisun City; going north of Manakas Corner Rd., continue north on Suisun Valley Rd. to the Napa County line; Hwy. 80 corridor south on Grizzly Island Rd. to the Grizzly Island Management area)

	Rates	Fringes
GLAZIER	\$ 41.88	21.59

^{*} PAIN0567-001 07/01/2014

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including

Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains); AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

I	Rates	Fringes
Painters:		
Brush and Roller\$	23.16	10.38
Spray Painter & Paperhanger.\$	24.01	10.38

PREMIUMS:

Special Coatings (Brush), and Sandblasting = \$0.50/hr Special Coatings (Spray), and Steeplejack = \$1.00/hr Special Coating Spray Steel = \$1.25/hr Swing Stage = \$2.00/hr

*A special coating is a coating that requires the mixing of 2 or more products.

PAIN0567-007 07/01/2014

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains) AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

	Rates	Fringes
SOFT FLOOR LAYER	.\$ 25.81	11.68
PAIN0567-010 07/01/2013		

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains); AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

	Rates	Fringes
Drywall (1) Taper	\$ 27.07	11.14
(2) Steeplejack - Taper, over 40 ft with open space		
below	\$ 28.57	11.14

PAIN0767-004 01/01/2013

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SOLANO (Remainder), SUTTER, TEHAMA, TRINITY, YOLO, YUBA

	Rates	Fringes
GLAZIER	\$ 32.24	19.88

PAID HOLIDAYS: New Year's Day, Martin Luther King, Jr. Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day.

Employee rquired to wear a body harness shall receive \$1.50 per hour above the basic hourly rate at any elevation.

PAIN1176-001 07/01/2013

HIGHWAY IMPROVEMENT

F	Rates	Fringes
Parking Lot Striping/Highway Marking:		
GROUP 1\$	28.27	11.65
GROUP 2\$		11.65
GROUP 3\$	26.96	11.65

CLASSIFICATIONS

GROUP 1: Striper: Layout and application of painted traffic stripes and marking; hot thermo plastic; tape, traffic stripes and markings

GROUP 2: Gamecourt & Playground Installer

GROUP 3: Protective Coating, Pavement Sealing

PAIN1237-001 01/01/2013

ALPINE; COLUSA; EL DORADO (west of the Sierra Nevada Mountains); GLENN; LASSEN (west of Highway 395, beginning at Stacey and including Honey Lake); MODOC; NEVADA (west of the Sierra Nevada Mountains); PLACER (west of the Sierra Nevada Mountains); PLUMAS; SACRAMENTO; SHASTA; SIERRA (west of the Sierra Nevada Mountains); SISKIYOU; SUTTER; TEHAMA; TRINITY; YOLO AND YUBA COUNTIES

	Rates	Fringes
SOFT FLOOR LAYER	\$ 28.25	16.73
PLAS0300-003 07/01/2009		

Rates Fringes

PLASTERER

AREA 295: Alpine, Amador, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc,

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192 ADDENDUM NO. 2, Attachment B

Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sutter, Tehema, Trinity, Yolo & Yuba Counties.....\$ 32.82 15.10 AREA 355: Marin, Napa & Sonoma Counties.....\$ 32.82 ______ PLAS0300-005 06/30/2014 Rates Fringes CEMENT MASON/CONCRETE FINISHER...\$ 30.00 22.07 ______ PLUM0038-002 07/01/2013 MARIN AND SONOMA COUNTIES Rates Fringes PLUMBER (Plumber, Steamfitter, Refrigeration Fitter) (1) Work on wooden frame structures 5 stories or less excluding hgih-rise buildings and commercial work such as hospitals, prisons, hotels, schools, casinos, wastewater treatment plants, and resarch facilities as well as refrigeration pipefitting, service and repair work - MARKET RECOVERY RATE.....\$ 62.00 42.39 (2) All other work - NEW CONSTRUCTION RATE.....\$ 62.00 42.39 PLUM0038-006 07/01/2013 MARIN & SONOMA COUNTIES Rates Fringes Landscape/Irrigation Fitter (Underground/Utility Fitter).....\$ 52.70 31.45 ______ PLUM0228-001 01/01/2014 BUTTE, COLUSA, GLENN, LASSEN, MODOC, PLUMAS, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY & YUBA COUNTIES Rates Fringes PLUMBER....\$ 34.50 25.24 ______

Sawmill 2B Bike Path and Erosion Control Project Contract No. PW 11-30593, CIP No. 95192
ADDENDUM NO. 2, Attachment B

PLUM0343-001 07/01/2014

NAPA AND SOLANO COUNTIES

I	Rates	Fringes
PLUMBER/PIPEFITTER		
Light Commercial\$	30.60	19.40
All Other Work\$	48.00	30.05

DEFINITION OF LIGHT COMMERICIAL:

Work shall include strip shopping centers, office buildings, schools and other commercial structures which the total plumbing bid does not exceed Two Hundred and Fifty Thousand (\$250,000) and the total heating and cooling does not exceed Two Hundred Fifty Thousand (\$250,000); or Any projects bid in phases shall not qualify unless the total project is less than Two Hundred Fifty Thousand (\$250,000) for the plumbing bid; and Two Hundred Fifty Thousand (\$250,000) for the heating and cooling bid. Excluded are hospitals, jails, institutions and industrial projects, regardless size of the project

FOOTNOTES: While fitting galvanized material: \$.75 per hour additional. Work from trusses, temporary staging, unguarded structures 35' from the ground or water: \$.75 per hour additional. Work from swinging scaffolds, boatswains chairs or similar devices: \$.75 per hour additional.

PLUM0350-001 01/01/2011

EL DORADO COUNTY (Lake Tahoe area only); NEVADA COUNTY (Lake Tahoe area only); AND PLACER COUNTY (Lake Tahoe area only)

	Rates	Fringes
PLUMBER/PIPEFITTER	.\$ 34.60	10.50
PLUM0355-001 07/01/2013		

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SOLANO, SUTTER, TEHAMA, TRINITY, YOLO, AND YUBA COUNTIES

	Rates	Fringes
Underground Utility Worker /Landscape Fitter	.\$ 28.55	8.30
PLUM0442-003 01/01/2014		
AMADOR (South of San Joaquin Riv	ver) and ALPINE C	OUNTIES
	Rates	Fringes

PLUMBER.....\$ 35.00

24.99

DT-TRO A 4 7 . 0.1 . 0.7 / 0.1 / 0.01.2

PLUM0447-001 07/01/2013

AMADOR (north of San Joaquin River), EL DORADO (excluding Lake Tahoe area), NEVADA (excluding Lake Tahoe area); PLACER (excluding Lake Tahoe area), SACRAMENTO AND YOLO COUNTIES

	Rates	Fringes			
PLUMBER/PIPEFITTER JourneymanLight Commercial Work		22.35 17.22			
ROOF0081-006 08/01/2011					
MARIN, NAPA, SOLANO AND SONOMA COUNTIES					
	Rates	Fringes			
Roofer	\$ 33.16	10.90			
ROOF0081-007 08/01/2012					
ALPINE, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO, AND YUBA COUNTIES					
	Rates	Fringes			
Roofer		11.97			
SFCA0483-003 01/01/2014					
MARIN, NAPA, SOLANO AND SONOMA	COUNTIES				
	Rates	Fringes			
SPRINKLER FITTER (Fire Sprinklers)		25.62			
SFCA0669-003 07/01/2013					
ALPINE, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES					
	Rates	Fringes			
SPRINKLER FITTER	\$ 34.19	19.37			
SHEE0104-006 07/01/2013					

MARIN, NAPA, SOLANO SONOMA & TRINITY COUNTIES

Fringes

Rates

Sheet Metal Worker				
Mechanical Contracts	d E1 20	25.06		
\$200,000 or less		35.96 34.46		
SHEE0104-009 07/01/2013				
AMADOR, COLUSA, EL DORADO, NEVAL	DA, PLACER,	SACRAMENTO, SUTTER,		
YOLO AND YUBA COUNTIES				
	.	- '		
	Rates	Fringes		
SHEET METAL WORKER	.\$ 38.43	29.31		
SHEE0104-010 07/01/2013				
Alpine County				
	Rates	Fringes		
SHEET METAL WORKER	.\$ 35.87	26.88		
SHEE0104-011 07/01/2013				
BUTTE, COLUSA, EL DORADO, GLENN,	LASSEN, M	ODOC, NEVADA, PLACER,		
PLUMAS, SACRAMENTO, SHASTA, SIER	RRA, SISKIY	OU, SUTTER, TEHAMA,		
YOLO AND YUBA COUNTIES				
	Datas	Design on a		
	Rates	Fringes		
Sheet Metal Worker (Metal decking and siding only)	.\$ 38.43	29.31		
SHEE0104-014 07/01/2013				
MARIN, NAPA, SOLANO, SONOMA AND	TRINITY CO	UNTIES		
	Rates	Fringes		
SHEET METAL WORKER (Metal				
Decking and Siding only)	.\$ 52.80	34.46		
SHEE0104-019 07/01/2013				
BUTTE, GLENN, LASSEN, MODOC, PLUMAS, SHASTA, SIERRA, SISKIYOU AND TEHAMA COUNTIES				
	Rates	Fringes		
SHEET METAL WORKER				
Mechanical Jobs \$200,000 & under	¢ 20 E1	27.16		
Mechanical Jobs over		2/.10		
\$200,000				
		29.31		

TEAM0094-001 07/01/2014

	Rates	Fringes
Truck drivers:		
GROUP 1	\$ 27.96	24.28
GROUP 2	\$ 28.26	24.28
GROUP 3	\$ 28.56	24.28
GROUP 4	\$ 28.91	24.28
GROUP 5	\$ 29.26	24.28

FOOTNOTES:

Articulated dump truck; Bulk cement spreader (with or without auger); Dumpcrete truck; Skid truck (debris box); Dry pre-batch concrete mix trucks; Dumpster or similar type; Slurry truck: Use dump truck yardage rate. Heater planer; Asphalt burner; Scarifier burner; Industrial lift truck (mechanical tailgate); Utility and clean-up truck: Use appropriate rate for the power unit or the equipment utilized.

TRUCK DRIVER CLASSIFICATIONS

GROUP 1: Dump trucks, under 6 yds.; Single unit flat rack (2-axle unit); Nipper truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump machine; Fork lift and lift jitneys; Fuel and/or grease truck driver or fuel person; Snow buggy; Steam cleaning; Bus or personhaul driver; Escort or pilot car driver; Pickup truck; Teamster oiler/greaser and/or serviceperson; Hook tender (including loading and unloading); Team driver; Tool room attendant (refineries)

GROUP 2: Dump trucks, 6 yds. and under 8 yds.; Transit mixers, through 10 yds.; Water trucks, under 7,000 gals.; Jetting trucks, under 7,000 gals.; Single-unit flat rack (3-axle unit); Highbed heavy duty transport; Scissor truck; Rubber-tired muck car (not self-loaded); Rubber-tired truck jumbo; Winch truck and "A" frame drivers; Combination winch truck with hoist; Road oil truck or bootperson; Buggymobile; Ross, Hyster and similar straddle carriers; Small rubber-tired tractor

GROUP 3: Dump trucks, 8 yds. and including 24 yds.; Transit mixers, over 10 yds.; Water trucks, 7,000 gals. and over; Jetting trucks, 7,000 gals. and over; Vacuum trucks under 7500 gals. Trucks towing tilt bed or flat bed pull trailers; Lowbed heavy duty transport; Heavy duty transport tiller person; Self- propelled street sweeper with self-contained refuse bin; Boom truck - hydro-lift or Swedish type extension or retracting crane; P.B. or similar type self-loading truck; Tire repairperson; Combination bootperson and road oiler; Dry distribution truck (A bootperson when employed on such equipment, shall receive the rate specified for the classification of road oil trucks or bootperson); Ammonia nitrate distributor, driver and mixer; Snow Go and/or plow

GROUP 4: Dump trucks, over 25 yds. and under 65 yds.; Water pulls - DW 10's, 20's, 21's and other similar equipment when pulling Aqua/pak or water tank trailers; Helicopter pilots (when transporting men and materials); Lowbedk Heavy Duty Transport up to including 7 axles; DW10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTourneau Pulls, Tournorocker, Euclid and similar type equipment when pulling fuel and/or grease tank trailers or other miscellaneous trailers; Vacuum Trucks 7500 gals and over and truck repairman

GROUP 5: Dump trucks, 65 yds. and over; Holland hauler; Low bed Heavy Duty Transport over 7 axles

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator

U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION