

COMMUNITY DEVELOPMENT AGENCY

TRANSPORTATION DIVISION

http://www.edcgov.us/DOT/

PLACERVILLE OFFICES:

MAIN OFFICE:

2850 Fairlane Court, Placerville, CA 95667 (530) 621-5900 / (530) 626-0387 Fax

CONSTRUCTION & MAINTENANCE:

2441 Headington Road, Placerville, CA 95667

(530) 642-4909 / (530) 642-0508 Fax

LAKE TAHOE OFFICES:

ENGINEERING:

924 B Emerald Bay Road, South Lake Tahoe, CA 96150

(530) 573-7900 / (530) 541-7049 Fax

MAINTENANCE:

1121 Shakori Drive, South Lake Tahoe, CA 96150

(530) 573-3180 / (530) 577-8402 Fax

DATE: June 10, 2015

TO: All Prospective Bidders

SUBJECT: Addendum No. 1

Tahoe Hills Erosion Control Project

Contract No. PW 14-31075, Project No. 95171

Submit proposals for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are essential parts of the Contract.

ITEM NO.	LOCATION, PAGE, OR DRAWING NO.	DESCRIPTION OF CHANGE
1.01	SP-50 through SP-89	Section 39 of the Special Provisions has been updated. Bidders are instructed to replace pages SP-50 through SP-89 with Attachment A.
1.02	Special Provisions – Appendix B (page AB-1 through AB-43)	Federal Prevailing Wages Replace the federal prevailing wages rates included in Appendix B of the Special Provisions with Attachment B attached to this addendum.
1.03	Special Provisions §5-1.20B(1) (page SP-12); Appendix C	In section 5-1.20B(1) replace bulleted Items 1 and 3 with the following: 1. Tahoe Regional Planning Agency Permit, No. 520-101-00, TRPA File #EIPC2013-0018. — Attachment C 3. USDA Forest Service Special Use Permit, Authorization ID: ELD100327. — Attachment D

Tahoe Hills Erosion Control Project Contract No. PW 14-31075, CIP No. 95171 Addendum No. 1

County of El Dorado Page 1 of 3

1.04	Special Provision §10-	Bidders are instructed to add the following new section to Section 10 of the Special Provisions:
	4	Replace section 10-4 with:
		10-4 WATER USAGE
		Section 10-4 includes general specifications for your use of water for construction activities.
		The Department encourages you to conserve water in all construction activities.
		The Engineer notifies you of any (1) water shortage or (2) mandate from a local water authority to ration water. Within 10 days of the notification, submit a water conservation plan. The plan must include:
		 List of construction activities that require water Measures you will implement for each activity to conserve water Method for curing concrete other than the water method if included in the work Dust palliative you will use for dust control
		Any unavailability of water that delays a controlling activity is a material shortage.
		Contractor is advised there is currently a Stage 2 water warning in the Tahoe City Public Utility District Service Area. Contractor is responsible for contacting the local water authorities to determine any impacts the water warnings will have on various items of work.
		Payment for any water conservation plan is included in the payment for the various items of work.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Holders who have already mailed their proposal can contact Patty Scott at (530) 573-7900 (email: patricia.scott@edcgov.us) or Daniel Kikkert at (530) 573-7914 (email: dan.kikkert@edcgov.us) to arrange return of their proposal.

Inform all suppliers and subcontractors as necessary.

Tahoe Hills Erosion Control Project Contract No. PW 14-31075, CIP No. 95171 Addendum No. 1 County of El Dorado Page 2 of 3 The Community Development Agency, Transportation Division is only sending this addendum by posting on QuestCDN's website at: https://www.questcdn.com/.

If you are not a Contract Documents Holder, but request a set of documents to bid on this project, you must comply with the requirements of this addendum when submitting your bid.

Attachments:

Attachment A SP-50rev -1 page

Attachment B Updated Federal Prevailing Wages -43 pages

Attachment C TRPA Permit -12 pages

Attachment D USDA Forest Service Special Use Permit -13 pages

End of Addendum No. 1

Recommended by:

John Kahling

Deputy Director, Headington Engineering Unit

Approved by:

Steven M. Pedretti

Community Development Agency Director

Date.

DIVISION V SURFACINGS AND PAVEMENTS

^^^^^^

39 HOT MIX ASPHALT

Add to section 39-1.01A:

Produce and place HMA Type A under the Method construction process.

Add to section 39-1.02C:

Asphalt binder used in HMA Type A must be PG 64-28 or PG 64-28PM.

Add to section 39-1.02E:

Aggregate used in HMA Type A must comply with the 1/2 inch HMA Type A and B gradation.

Replace item 2. of the first paragraph of section 39-1.03C with:

2. Proposed JMF dated within 6 months of submittal.

Add to section 39-1.09C:

Paint binder must be asphaltic emulsion SS-1.

FEDERAL WAGE RATE

General Decision Number: CA150009 06/05/2015 CA9

Superseded General Decision Number: CA20140009

State: California

Construction Types: Building, Heavy (Heavy and Dredging) and

Highway

Counties: Alpine, Amador, Butte, Colusa, El Dorado, Glenn, Lassen, Marin, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama, Trinity, Yolo and Yuba Counties in California.

BUILDING CONSTRUCTION PROJECTS (excluding Amador County only); DREDGING CONSTRUCTION PROJECTS (does not include hopper dredge work); HEAVY CONSTRUCTION PROJECTS (does not include water well drilling); AND HIGHWAY CONSTRUCTION PROJECTS

Note: Executive Order (EO) 13658 establishes an hourly minimum wage of \$10.10 for 2015 that applies to all contracts subject to the Davis-Bacon Act for which the solicitation is issued on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.10 (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract. The EO minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Numb	oer Publication Date
0	01/02/2015
1	01/16/2015
2	01/23/2015
3	01/30/2015
4	02/13/2015
5	02/20/2015
6	03/27/2015
7	04/17/2015
8	05/01/2015
9	06/05/2015

ASBE0016-001 01/01/2014

AREA 1: MARIN, NAPA, SAN BENITO, SAN FRANCISCO, SOLANO, & SONOMA COUNTIES

AREA 2: ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHEMA, TRINITY, YOLO, & YUBA COUNTIES

Rates Fringes

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-1rev Asbestos Workers/Insulator (Includes the application of all insulating materials, Protective Coverings, Coatings, and Finishes to all types of mechanical systems) Area 1.....\$ 57.15 18.72 Area 2.....\$ 44.05 18.62 ASBE0016-007 01/01/2015 AREA 1: ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA, SUTTER, TEHAMA, TRINITY, YOLO & YUBA COUNTIES AREA 2: MARIN & NAPA COUNTIES Rates Fringes Asbestos Removal worker/hazardous material handler (Includes preparation, wetting, stripping, removal, scrapping, vacuuming, bagging and disposing of all insulation materials from mechanical systems, whether they contain asbestos or not) AREA 1.....\$ 28.30 7.75 AREA 2.....\$ 32.38 7.75 BOIL0549-002 01/01/2013 Rates Fringes BOILERMAKER (1) Marin & Solano Counties.\$ 42.06 33.43 (2) Remaining Counties.....\$ 38.37 31.32 ______ BRCA0003-001 08/01/2013 Rates Fringes MARBLE FINISHER.....\$ 28.05 14.01 _____ BRCA0003-004 05/01/2013 AREA 1: ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SUTTER, TEHAMA, YOLO AND YUBA COUNTIES

AREA 2: MARIN, NAPA, SISKIYOU, SOLANO, SONOMA AND TRINITY COUNTIES

Rates Fringes

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-2rev

BRICKLAYER AREA 1		19.59 23.79
(A) Underground work such as manholes, catch basins, sewer shall be paid \$1.25 per hour in direct contact with raw sew hour in addition to the above. (B) Operating a saw or grinde above the regular rate. (C) Gunite nozzle person shal the regular rate.	pipes and teleph above the regula age shall receive r shall receive l receive \$1.25	one conduit r rate. Work e \$1.25 per \$1.25 per hour per hour above
BRCA0003-008 07/01/2013		
	Rates	Fringes
TERRAZZO FINISHER TERRAZZO WORKER/SETTER		13.93 24.39
BRCA0003-010 04/01/2014		
	Rates	Fringes
TILE FINISHER Area 1	.\$ 22.58 .\$ 22.76 .\$ 22.26 .\$ 38.13 .\$ 36.43 .\$ 40.59 .\$ 37.46 do, Glenn, Lasse ento, Shasta, Si	
BRCA0003-014 08/01/2013		
	Rates	Fringes
MARBLE MASON	.\$ 39.30 	22.48
CARP0034-001 07/01/2014		

Diver
Assistant Tender, ROV
Tender/Technician.....\$ 39.60 30.73

Rates

Fringes

Diver standby\$	44.56	30.73
Diver Tender\$	43.56	30.73
Diver wet\$	89.12	30.73
Manifold Operator (mixed		
gas)\$	48.56	30.73
Manifold Operator (Standby).\$	43.56	30.73

DEPTH PAY (Surface Diving):

050 to 100 ft \$2.00 per foot 101 to 150 ft \$3.00 per foot 151 to 220 ft \$4.00 per foot

SATURATION DIVING:

The standby rate shall apply until saturation starts. The saturation diving rate applies when divers are under pressure continuously until work task and decompression are complete. The diver rate shall be paid for all saturation hours.

DIVING IN ENCLOSURES:

Where it is necessary for Divers to enter pipes or tunnels, or other enclosures where there is no vertical ascent, the following premium shall be paid: Distance traveled from entrance 26 feet to 300 feet: \$1.00 per foot. When it is necessary for a diver to enter any pipe, tunnel or other enclosure less than 48" in height, the premium will be \$1.00 per foot.

WORK IN COMBINATION OF CLASSIFICATIONS:

Employees working in any combination of classifications within the diving crew (except dive supervisor) in a shift are paid in the classification with the highest rate for that shift.

CARP0034-003 07/01/2014

	Rates	Fringes	
Piledriver	\$ 40.60	30.73	
CARP0035-001 08/01/2014			

AREA 1: MARIN, NAPA, SOLANO & SONOMA

AREA 3: SACRAMENTO, WESTERN EL DORADO (Territory west of an including highway 49 and the territory inside the city limits of Placerville), WESTERN PLACER (Territory west of and including highway 49), & YOLO

AREA 4: ALPINE, BUTTE, COLUSA, EASTERN EL DORADO, GLENN, LASSEN, MODOC, NEVADA, EASTERN PLACER, PLUMAS, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, & YUBA

Ŧ	Rates	Fringes
Drywall Installers/Lathers:		
Area 1\$	40.35	27.97
Area 3\$	34.97	27.97

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-4rev

Area 4\$	33.62	27.97
Drywall Stocker/Scrapper		
Area 1\$	20.18	16.30
Area 3\$	17.49	16.30
Area 4\$	16.81	16.30

CARP0035-009 07/01/2014

Marin County

	Rates	Fringes
CARPENTER Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &	\$ 40.35	27.53
Steel Shoring Erector, Saw Filer	•	27.53
Journeyman Carpenter Millwright		27.53 29.12

CARP0035-010 07/01/2014

AREA 1: Marin, Napa, Solano & Sonoma Counties

AREA 2: Monterey, San Benito and Santa Cruz

AREA 3: Alpine, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou,

Sutter, Tehama, Trinity, Yolo & Yuba counties

I	Rates	Fringes
Modular Furniture Installer		
Area 1		
Installer I\$	23.36	18.31
Installer II\$	19.93	18.31
Lead Installer\$	26.81	18.81
Master Installer\$	31.03	18.81
Area 2		
Installer I\$	20.71	18.31
Installer II\$	17.76	18.31
Lead Installer\$	23.68	18.81
Master Installer\$	27.31	18.81
Area 3		
Installer I\$	19.76	18.31
Installer II\$	16.99	18.31
Lead Installer\$	22.56	18.81
Master Installer\$	29.58	18.81

CARP0046-001 07/01/2014

El Dorado (West), Placer (West), Sacramento and Yolo Counties

Rates Fringes

Carpenters

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-5rev

Bridge Builder/Highway	
Carpenter\$ 40.35	27.53
Hardwood Floorlayer,	
Shingler, Power Saw	
Operator, Steel Scaffold &	
Steel Shoring Erector, Saw	
Filer\$ 34.62	27.53
Journeyman Carpenter\$ 34.47	27.53
Millwright\$ 36.97	29.12

Footnote: Placer County (West) includes territory West of and including Highway 49 and El Dorado County (West) includes territory West of and including Highway 49 and territory inside the city limits of Placerville.

CARP0046-002 07/01/2014

Alpine, Colusa, El Dorado (East), Nevada, Placer (East), Sierra, Sutter and Yuba Counties

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &	·	27.53
Steel Shoring Erector, Saw		
Filer	\$ 33.27	27.53
Journeyman Carpenter	\$ 33.12	27.53
Millwright	\$ 35.62	29.12

CARP0152-003 07/01/2014

Amador County

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &	.\$ 40.35	27.53
Steel Shoring Erector, Saw Filer Journeyman Carpenter Millwright	.\$ 33.12	27.53 27.53 29.12

CARP0180-001 07/01/2014

Solano County

Rates Fringes

Carpenters

Bridge Builder/Highway

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-6rev

Carpenter	.\$ 40.35	27.53
Steel Shoring Erector, Saw Filer Journeyman Carpenter Millwright	.\$ 40.35	27.53 27.53 29.12
CARP0751-001 07/01/2014		
Napa and Sonoma Counties		
	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer,	.\$ 40.35	27.53
Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer Journeyman Carpenter Millwright	.\$ 40.35	27.53 27.53 29.12
CARP1599-001 07/01/2014		
Butte, Glenn, Lassen, Modoc, Plu and Trinity Counties	mas, Shasta, Si	skiyou, Tehama
	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter	.\$ 40.35	27.53
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw		
Filer	.\$ 33.12 .\$ 35.62	27.53 27.53 29.12
ELEC0180-001 06/01/2014		
NAPA AND SOLANO COUNTIES		
	Rates	Fringes
CABLE SPLICER		3%+20.13 3%+20.13
* ELEC0180-003 06/01/2015		
NAPA AND SOLANO COUNTIES		

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-7rev

Fringes

Rates

Installer\$	33.32	16.29
Technician\$	35.66	3%+15.30

SCOPE OF WORK INCLUDES-

SOUND & VOICE TRANSMISSION (Music, Intercom, Nurse Call, Telephone); FIRE ALARM SYSTEMS [excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs], TELEVISION & VIDEO SYSTEMS, SECURITY SYSTEMS, COMMUNICATIONS SYSTEMS that transmit or receive information and/or control

systems that are intrinsic to the above.

EXCLUDES-

Excludes all other data systems or multiple systems which include control function or power supply; excludes installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excludes energy management systems.

ELEC0340-002 12/08/2014

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, NEVADA, PLACER, PLUMAS, SACRAMENTO, TRINITY, YOLO, YUBA COUNTIES

F	Rates	Fringes
Communications System		
Sound & Communications		
Installer\$	27.85	13.80
Sound & Communications		
Technician\$	33.42	13.80

SCOPE OF WORK

Includes the installation testing, service and maintenance, of the following systems which utilize the transmission and/or transference of voice, sound, vision and digital for commercial, education, security and entertainment purposes for the following TV monitoring and surveillance, background-foreground music, intercom and telephone interconnect, inventory control systems, microwave transmission, multi-media, multiplex, nurse call system, radio page, school intercom and sound, burglar alarms, and low voltage master clock systems.

A. SOUND AND VOICE TRANSMISSION/TRANSFERENCE SYSTEMS
Background foreground music Intercom and telephone
interconnect systems, Telephone systems, Nurse call
systems, Radio page systems, School intercom and sound
systems, Burglar alarm systems, Low voltage master clock
systems, Multi-media/multiplex systems, Sound and musical
entertainment systems, RF systems, Antennas and Wave Guide.

B. FIRE ALARM SYSTEMS

- C. TELEVISION AND VIDEO SYSTEMS Television monitoring and surveillance systems, Video security systems, Video entertainment systems, Video educational systems, Microwave transmission systems, CATV and CCTV
- D. SECURITY SYSTEMS Perimeter security systems
 Vibration sensor systems Card access systems Access
 control systems Sonar/infrared monitoring equipment
- E. COMMUNICATIONS SYSTEMS THAT TRANSMIT OR RECEIVE INFORMATION AND/OR CONTROL SYSTEMS THAT ARE INTRINSIC THE ABOVE LISTED SYSTEMS SCADA (Supervisory Control and Data Acquisition) PCM (Pulse Code Modulation) Inventory Control Systems Digital Data Systems Broadband and Baseband and Carriers Point of Sale VSAT Data Systems Data Communication Systems Systems RF and Remote Control Systems Fiber Optic Data Systems WORK EXCLUDED Raceway systems are not covered (excluding Ladder-Rack for the purpose of the above listed systems). Chases and/or nipples (not to exceed 10 feet) may be installed on open wiring systems. Energy management systems. SCADA (Supervisory Control and Data Acquisition) when not intrinsic to the above listed systems (in the scope). Fire alarm systems when installed in raceways (including wire and cable pulling) shall be performed at the electrician wage rate, when either of the following two (2) conditions apply:
- 1. The project involves new or major remodel building trades construction.
- 2. The conductors for the fire alarm system are installed in conduit.

ELEC0340-003 12/01/2013

ALPINE (West of Sierra Mt. Watershed), AMADOR, BUTTE, COLUSA, EL DORADO (West of Sierra Mt. Watershed), GLENN, LASSEN, NEVADA (West of Sierra Mt. Watershed), PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA (West of Sierra Mt. Watershed), SUTTER, TEHAMA, TRINITY, YOLO & YUBA COUNTIES

	Rates	Fringes
ELECTRICIAN Remaining area\$ Sierra Army Depot, Herlong\$ Tunnel work\$	48.83	18.54 18.54 18.54

CABLE SPLICER: Receives 110% of the Electrician basic hourly rate.

ELEC0401-005 11/01/2014

ALPINE (east of the main watershed divide), EL DORADO (east of the main watershed divide), NEVADA (east of the main watershed), PLACER (east of the main watershed divide) and

	Rates	Fringes	
ELECTRICIAN		15.14	
* ELEC0551-004 06/01/2015			
MARIN AND SONOMA COUNTIES			
	Rates	Fringes	
ELECTRICIAN		16.97	
ELEC0551-005 12/01/2014			
MARIN & SONOMA COUNTIES			
	Rates	Fringes	
Sound & Communications Installer			
ELEC0659-006 01/01/2015			
DEL NORTE, MODOC and SISKIYOU CC	UNTIES		
	Rates	Fringes	
ELECTRICIAN		15.71	
ELEC0659-008 02/01/2013			
DEL NORTE, MODOC & SISKIYOU COUNTIES			
	Rates	Fringes	

Line Construction

(1) Cable Splicer	.\$ 51.09	4%+13.30
(2) Lineman, Pole Sprayer,	,	
Heavy Line Equipment Man		4%+13.30
(3) Tree Trimmer		4%+9.80
<pre>(4) Line Equipment Man (5) Powdermen,</pre>	.\$ 45.62	4%+9.80
Jackhammermen	\$ 34 22	4%+9.80
(6) Groundman		4%+9.80
ELEC1245-004 06/01/2013		
ALL COUNTIES EXCEPT DEL NORTE, M	MODOC & SISKI	IYOU
	Rates	Fringes
LINE CONSTRUCTION		
(1) Lineman; Cable splicer.	.\$ 50.30	15
(2) Equipment specialist		
(operates crawler		
tractors, commercial motor vehicles, backhoes,		
trenchers, cranes (50 tons		
and below), overhead &		
underground distribution		
line equipment)		14.56
(3) Groundman(4) Powderman	•	13.48 13.48
HOLIDAYS: New Year's Day, M.L. Independence Day, Labor Day, V		
and day after Thanksgiving, Ch		inaming iving bay
ELEV0008-001 01/01/2015		
ELEV0008-001 01/01/2015		
	Rates	Fringes
ELEVATOR MECHANIC	.\$ 60.39	28.38
ECOMMONIE :		
FOOTNOTE: PAID VACATION: Employer contr	ributes 8% of	regular hourly
rate as vacation pay credit for		
years of service, and 6% for 6		
PAID HOLIDAYS: New Years Day,		
Labor Day, Veterans Day, Thank		Friday after
Thanksgiving, and Christmas Da	ıy.	
ENGI0003-008 07/01/2013		
	Rates	Fringes
Dredging: (DREDGING: CLAMSHELL & DIPPER DREDGING;		
HYDRAILLIC SHCTION DREDGING:		

Dredging: (DREDGING:
CLAMSHELL & DIPPER DREDGING;
HYDRAULIC SUCTION DREDGING:)
AREA 1:
(1) Leverman.....\$ 40.53 27.81
(2) Dredge Dozer; Heavy

duty repairman..........\$ 35.57 27.81

(3) Booster Pump

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-11rev

Operator; Deck		
Engineer; Deck mate;		
Dredge Tender; Winch		
Operator\$	34.45	27.81
(4) Bargeman; Deckhand;		
Fireman; Leveehand; Oiler\$	31.15	27.81
AREA 2:		
(1) Leverman\$	42.53	27.81
(2) Dredge Dozer; Heavy		
duty repairman\$	37.57	27.81
(3) Booster Pump		
Operator; Deck		
Engineer; Deck mate;		
Dredge Tender; Winch		
Operator\$	36.45	27.81
(4) Bargeman; Deckhand;		
Fireman; Leveehand; Oiler\$	33.15	27.81

AREA DESCRIPTIONS

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2: MODOC COUNTY

THE REMAINGING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Remainder Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY:

Area 1: Remainder Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County

Area 2: Remainder

MADERA COUNTY:

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-12rev Area 1: Except Eastern part

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

MONTERREY COUNTY

Area 1: Except Southwestern part

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County Area 2: Remainder

PLACER COUNTY:

Area 1: Al but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Remainder

TEHAMA COUNTY:

Area 1: All but the Western border with Mendocino & Trinity

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeastern border with

Shasta County
Area 2: Remainder

TUOLUMNE COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

ENGI0003-018 06/30/2014

"AREA 1" WAGE RATES ARE LISTED BELOW

"AREA 2" RECEIVES AN ADDITIONAL \$2.00 PER HOUR ABOVE AREA 1

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-13rev

SEE AREA DEFINITIONS BELOW

I	Rates	Fringes
OPERATOR: Power Equipment		
GROUP 1 \$ GROUP 2 \$ GROUP 3 \$ GROUP 4 \$ GROUP 5 \$ GROUP 6 \$ GROUP 7 \$ GROUP 8 \$ GROUP 8-A \$ OPERATOR: Power Equipment (Cranes and Attachments -	38.32 36.84 35.46 34.19 32.87 31.73 30.59	27.44 27.44 27.44 27.44 27.44 27.44 27.44 27.44
AREA 1:)		
GROUP 1 Cranes\$ Oiler\$ Truck crane oiler\$	33.76	27.44 27.44 27.44
GROUP 2 Cranes\$ Oiler\$ Truck crane oiler\$ GROUP 3	33.50	27.44 27.44 27.44
Cranes\$ Hydraulic\$ Oiler\$ Truck Crane Oiler\$ GROUP 4	32.87 33.26 36.77	27.44 27.44 27.44 27.44
Cranes\$	34.19	27.44
OPERATOR: Power Equipment (Piledriving - AREA 1:) GROUP 1		
Lifting devices\$ Oiler\$ Truck crane oiler\$ GROUP 2	31.81	27.44 27.44 27.44
Lifting devices\$ Oiler\$ Truck Crane Oiler\$ GROUP 3	31.54	27.44 27.44 27.44
Lifting devices\$ Oiler\$ Truck Crane Oiler\$	31.32	27.44 27.44 27.44
GROUP 4 Lifting devices\$ GROUP 5	35.80	27.44
Lifting devices\$ GROUP 6	34.50	27.44
Lifting devices\$ OPERATOR: Power Equipment (Steel Erection - AREA 1:) GROUP 1 Cranes\$		27.44
CT allep	II. / U	27.44

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-14rev

Oiler\$ Truck Crane Oiler\$ GROUP 2		27.44 27.44
Cranes\$	39.93	27.44
Oiler\$	31.88	27.44
Truck Crane Oiler\$	34.16	27.44
GROUP 3		
Cranes\$	38.45	27.44
Hydraulic\$	32.67	27.44
Oiler\$	31.66	27.44
Truck Crane Oiler\$	33.89	27.44
GROUP 4		
Cranes\$	36.43	27.44
GROUP 5		
Cranes\$	35.13	27.44
OPERATOR: Power Equipment		
(Tunnel and Underground Work		
- AREA 1:)		
SHAFTS, STOPES, RAISES:		
GROUP 1\$		27.44
GROUP 1-A\$	38.32	27.44
GROUP 2\$		27.44
GROUP 3\$		27.44
GROUP 4\$		27.44
GROUP 5\$	31.08	27.44
UNDERGROUND:		
GROUP 1\$		27.44
GROUP 1-A\$		27.44
GROUP 2\$	34.59	27.44
GROUP 3\$		
		27.44
GROUP 4\$ GROUP 5\$	32.12	27.44 27.44 27.44

FOOTNOTE: Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Licensed construction work boat operator, on site; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine assistant to engineer or mechanic; Crane mounted continuous flight tie back machine, tonnage to apply; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Long reach excavator; Multiple engine scraper (when used as push pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572 or larger; Track loader 4 cu. yds. and over; Wheel excavator (up to and

GROUP 4: Asphalt plant engineer/box person; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pull- type elevating loader; Gradesetter, grade checker (GPS, mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber- tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Spider plow and spider puller; Tubex pile rig; Unlicensed constuction work boat operator, on site; Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boom- type backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving); Self- propelled pipeline wrapping machine; Tractor; Self-loading chipper; Concrete barrier moving machine

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing mahcine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Truck- type loader

GROUP 8: Bit sharpener; Boiler tender; Box operator; Brakeperson; Combination mixer and compressor (shotcrete/gunite); Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete equipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator (includes vacuum sweeper); Slusher operator; Surface heater; Switchperson; Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader-Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe-trencher); Tub grinder wood chipper

ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Cranes 45 tons and under; Self-propelled boom-type lifting device 45 tons and under;

GROUP 4: Boom Truck or dual purpose A-frame truck, non-rotating over 15 tons; Truck-mounted rotating

telescopic boom type lifting device, Manitex or similar (boom truck) over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons;

PILEDRIVERS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons; Fundex F-12 hydraulic pile rig

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer

GROUP 6: Deckhand; Fire tender

STEEL ERECTORS

GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under

GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

TUNNEL AND UNDERGROUND WORK

GROUP 1-A: Tunnel bore machine operator, 20' diameter or more

GROUP 1: Heading shield operator; Heavy-duty repairperson;

Mucking machine (rubber tired, rail or track type); Raised bore operator (tunnels); Tunnel mole bore operator

GROUP 2: Combination slusher and motor operator; Concrete pump or pumpcrete gun; Power jumbo operator

GROUP 3: Drill doctor; Mine or shaft hoist

GROUP 4: Combination slurry mixer cleaner; Grouting Machine operator; Motorman

GROUP 5: Bit Sharpener; Brakeman; Combination mixer and compressor (gunite); Compressor operator; Oiler; Pump operator; Slusher operator

AREA DESCRIPTIONS:

POWER EQUIPMENT OPERATORS, CRANES AND ATTACHMENTS, TUNNEL AND UNDERGROUND [These areas do not apply to Piledrivers and Steel Erectors]

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder

Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY

Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County

Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part

Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part

Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Reaminder

TEHAMA COUNTY:

Area 1: All but the Western border with mendocino & Trinity

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-20rev

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeaster border with

Shasta County Area 2: Remainder

TULARE COUNTY;

Area 1: Remainder

Area 2: Eastern part

TUOLUMNE COUNTY:

Area 1: Remainder Area 2: Eastern Part

ENGI0003-019 07/01/2013

SEE AREA DESCRIPTIONS BELOW

	I	Rates	Fringes
OPERATOR:	Power Equipment		
(LANDSCAPE	WORK ONLY)		
GROUP	1		
AREA	1\$	29.64	25.71
AREA	2\$	31.64	25.71
GROUP	2		
AREA	1\$	26.04	25.71
AREA	2\$	28.04	25.71
GROUP	3		
AREA	1\$	21.43	25.71
AREA	2\$	23.43	25.71

GROUP DESCRIPTIONS:

GROUP 1: Landscape Finish Grade Operator: All finish grade work regardless of equipment used, and all equipment with a rating more than 65 HP.

GROUP 2: Landscape Operator up to 65 HP: All equipment with a manufacturer's rating of 65 HP or less except equipment covered by Group 1 or Group 3. The following equipment shall be included except when used for finish work as long as manufacturer's rating is 65 HP or less: A-Frame and Winch Truck, Backhoe, Forklift, Hydragraphic Seeder Machine, Roller, Rubber-Tired and Track Earthmoving Equipment, Skiploader, Straw Blowers, and Trencher 31 HP up to 65 HP.

GROUP 3: Landscae Utility Operator: Small Rubber-Tired Tractor, Trencher Under 31 HP.

AREA DESCRIPTIONS:

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder

Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-22rev Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part

Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Reaminder

TEHAMA COUNTY:

Area 1: All but the Western border with mendocino & Trinity

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeaster border with

Shasta County Area 2: Remainder

TULARE COUNTY;

Area 1: Remainder

Area 2: Eastern part

TUOLUMNE COUNTY:

Area 1: Remainder

Area 2: Eastern Part

IRON0377-002 01/01/2015

Rates Fringes

Ironworkers:
Fence Erector......\$ 27.08 18.24
Ornamental, Reinforcing
and Structural......\$ 33.50 28.20

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-23rev

PREMIUM PAY:

\$6.00 additional per hour at the following locations:

China Lake Naval Test Station, Chocolate Mountains Naval Reserve-Niland,

Edwards AFB, Fort Irwin Military Station, Fort Irwin Training Center-Goldstone, San Clemente Island, San Nicholas Island, Susanville Federal Prison, 29 Palms - Marine Corps, U.S. Marine Base - Barstow, U.S. Naval Air Facility - Sealey, Vandenberg AFB

\$4.00 additional per hour at the following locations:

Army Defense Language Institute - Monterey, Fallon Air Base, Naval Post Graduate School - Monterey, Yermo Marine Corps Logistics Center

\$2.00 additional per hour at the following locations:

Port Hueneme, Port Mugu, U.S. Coast Guard Station - Two Rock

LABO0067-002 12/01/2014

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL NORTE, EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LAKE, LASSEN, MADERA, MARIPOSA, MENDOCINO, MERCED, MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA, STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND YUBA COUNTIES

	Rates	Fringes
Asbestos Removal Laborer Areas A & B LABORER (Lead Removal)	\$ 20.06	9.62
Area A	\$ 29.02	19.42
Area B	\$ 28.02	19.42

ASBESTOS REMOVAL-SCOPE OF WORK: Site mobilization; initial site clean-up; site preparation; removal of asbestos-containing materials from walls and ceilings; or from pipes, boilers and mechanical systems only if they are being scrapped; encapsulation, enclosure and disposal of asbestos-containing materials by hand or with equipment or machinery; scaffolding; fabrication of temporary wooden barriers; and assembly of decontamination stations.

LABO0067-006 06/30/2014

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, EL DORADO, FRESNO, GLENN, KINGS, LASSEN, MADERA, MARIPOSA, MERCED, MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA, STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND YUBA COUNTIES

F	Rates	Fringes
Laborers: (CONSTRUCTION CRAFT		
LABORERS - AREA A:)		
Construction Specialist		
Group\$	29.09	18.66
GROUP 1\$	28.39	18.66
GROUP 1-a\$		18.66
GROUP 1-c\$		18.66
GROUP 1-e\$		18.66
GROUP 1-f\$	28.97	18.66
GROUP 1-g (Contra Costa	20 50	10.66
County)\$		18.66
GROUP 2\$ GROUP 3\$		18.66 18.66
GROUP 4\$		18.66
See groups 1-b and 1-d under laborate		
Laborers: (CONSTRUCTION CRAFT	oldi diabbilida	2010115.
LABORERS - AREA B:)		
Construction Specialist		
Group\$	28.09	18.66
GROUP 1\$		18.66
GROUP 1-a\$	27.61	18.66
GROUP 1-c\$	27.44	18.66
GROUP 1-e\$	27.94	18.66
GROUP 1-f\$	27.97	18.66
GROUP 2\$		18.66
GROUP 3\$		18.66
GROUP 4\$		18.66
See groups 1-b and 1-d under laborated and 1-d under l	orer classifica	ations.
Laborers: (GUNITE - AREA A:)	20 25	10.66
GROUP 1\$ GROUP 2\$		18.66 18.66
GROUP 3\$		18.66
GROUP 4\$		18.66
Laborers: (GUNITE - AREA B:)	20.14	10.00
GROUP 1\$	28.35	18.66
GROUP 2\$		18.66
GROUP 3\$		18.66
GROUP 4\$	27.14	18.66
Laborers: (WRECKING - AREA A:)		
GROUP 1\$		18.66
GROUP 2\$	28.24	18.66
Laborers: (WRECKING - AREA B:)		
GROUP 1\$		18.66
GROUP 2\$	27.24	18.66
Landscape Laborer (GARDENERS,		
HORTICULTURAL & LANDSCAPE		
LABORERS - AREA A:) (1) New Construction\$	20 14	18.66
(2) Establishment Warranty	40.14	10.00
Period\$	21 83	18.66
reπτοαλ	41.00	10.00

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-25rev Landscape Laborer (GARDENERS, HORTICULURAL & LANDSCAPE LABORERS - AREA B:)

(1)	New Construction\$	27.14	18.66
(2)	Establishment Warranty		
Per	iod\$	20.83	18.66

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. "Sewer cleaner" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including repair of voids; Precast manhole setters, cast in place manhole form setters

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic

tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification "material cleaner" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of "form stripping, cleaning and oiling and moving to the next point of erection".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0185-002 06/30/2014

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

Rates Fringes

Mason	Tender	-Brick	\$ 31.11	17.34

LABO0185-005 06/30/2014

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1	.\$ 34.60	19.49
GROUP 2	.\$ 34.37	19.49
GROUP 3	.\$ 34.12	19.49
GROUP 4	.\$ 33.67	19.49
GROUP 5	.\$ 33.13	19.49
Shotcrete Specialist	.\$ 35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0261-002 06/30/2014

MARIN COUNTY

	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
,		
Escort Driver, Flag Person	3 28.14	19.03
Traffic Control Person I	28.44	19.03
Traffic Control Person II	25.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash

cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0261-004 06/30/2014

MARIN COUNTY

I	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	34.60	19.49
GROUP 2\$	34.37	19.49
GROUP 3\$	34.12	19.49
GROUP 4\$	33.67	19.49
GROUP 5\$	33.13	19.49
Shotcrete Specialist\$	35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0261-007 06/30/2014

MARIN COUNTY

	Rates	Fringes	
LABORER Mason Tender-Brick	\$ 32.36	17.34	
LABO0324-004 06/30/2014	-		

NAPA, SOLANO, AND SONOMA, COUNTIES

Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE	
CLOSURE)	
Escort Driver, Flag Person\$ 27.14	19.03
Traffic Control Person I\$ 27.44	19.03
Traffic Control Person II \$ 24 94	19 03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0324-008 06/30/2014

NAPA, SOLANO, AND SONOMA COUNTIES

]	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	34.60	19.49
GROUP 2\$	34.37	19.49
GROUP 3\$	34.12	19.49
GROUP 4\$	33.67	19.49
GROUP 5\$	33.13	19.49
Shotcrete Specialist\$	35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0324-010 06/30/2014

MARIN, NAPA, SOLANO & SONOMA COUNTIES

Rates Fringes
Painters:.....\$ 36.45 21.48

PREMIUMS:

EXOTIC MATERIALS - \$0.75 additional per hour.

SPRAY WORK: - \$0.50 additional per hour.

INDUSTRIAL PAINTING - \$0.25 additional per hour

[Work on industrial buildings used for the manufacture and processing of goods for sale or service; steel construction (bridges), stacks, towers, tanks, and similar structures]

HIGH WORK:

over 50 feet - \$2.00 per hour additional 100 to 180 feet - \$4.00 per hour additional Over 180 feet - \$6.00 per houir additional

PAIN0016-005 01/01/2015

ALPINE, BUTTE, COLUSA, EL DORADO (west of the Sierra Nevada Mountains), GLENN, LASSEN (west of Hwy. 395, excluding Honey Lake); MARIN, MODOC, NAPA, NEVADA (west of the Sierra Nevada Mountains), PLACER (west of the Sierra Nevada Mountains), PLUMAS, SACRAMENTO, SHASTA, SIERRA (west of the Sierra Nevada Mountains), SISKIYOU, SOLANO, SONOMA, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

	Rates	Fringes	
DRYWALL FINISHER/TAPER	\$ 36.24	19.88	
PAIN0016-007 01/01/2015			

ALPINE, AMADOR, BUTTE, COLUSA. EL DORADO (west of the Sierra Nevada Mountains), GLENN, LASSEN (west of Highway 395, excluding Honey Lake), MODOC, NEVADA (west of the Sierra Nevada Mountains), PLACER (west of the Sierra Nevada Mountains), PLUMAS, SACRAMENTO, SHASTA, SIERRA (west of the Sierra Nevada Mountains), SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO & YUBA

Rates Fringes

Painters:.....\$ 30.85 16.85

SPRAY/SANDBLAST: \$0.50 additional per hour. EXOTIC MATERIALS: \$1.00 additional per hour.

HIGH TIME: Over 50 ft above ground or water level \$2.00 additional per hour. 100 to 180 ft above ground or water level \$4.00 additional per hour. Over 180 ft above ground or water level \$6.00 additional per hour.

PAIN0016-008 01/01/2015

MARIN, NAPA, SOLANO AND SONOMA COUNTIES

F	Rates	Fringes
SOFT FLOOR LAYER\$	46.20	18.73

PAIN0169-004 01/01/2015

MARIN , NAPA & SONOMA COUNTIES; SOLANO COUNTY (west of a line defined as follows: Hwy. 80 corridor beginning at the City of Fairfield, including Travis Air Force Base and Suisun City; going north of Manakas Corner Rd., continue north on Suisun Valley Rd. to the Napa County line; Hwy. 80 corridor south on Grizzly Island Rd. to the Grizzly Island Management area)

	Rates	Fringes
GLAZIER	\$ 43.48	24.19

^{*} PAIN0567-001 07/01/2014

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains); AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

ŀ	Rates	Fringes
Painters:		
Brush and Roller\$	23.16	10.38
Spray Painter & Paperhanger.\$	24.01	10.38

PREMIUMS:

Special Coatings (Brush), and Sandblasting = \$0.50/hr Special Coatings (Spray), and Steeplejack = \$1.00/hr Special Coating Spray Steel = \$1.25/hr Swing Stage = \$2.00/hr

^{*}A special coating is a coating that requires the mixing of 2

PAIN0567-007 07/01/2014

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains) AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains); AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

	Rates	Fringes
Drywall (1) Haran	ċ 27 07	11.14
(1) Taper		11.14
below		11.14

PAIN0767-004 01/01/2015

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SOLANO (Remainder), SUTTER, TEHAMA, TRINITY, YOLO, YUBA

	Rates	Fringes
GLAZIER	\$ 33.79	22.49

PAID HOLIDAYS: New Year's Day, Martin Luther King, Jr. Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day.

Employee rquired to wear a body harness shall receive \$1.50 per hour above the basic hourly rate at any elevation.

PAIN1176-001 07/01/2014

HIGHWAY IMPROVEMENT

Rates Fringes

Parking Lot Striping/Highway

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-34rev

Marking: GROUP 1	\$ 29.12	11.65 11.65 11.65
CLASSIFICATIONS		
GROUP 1: Striper: Layout and stripes and marking; hot ther stripes and markings		
GROUP 2: Gamecourt & Playgrou	nd Installer	
GROUP 3: Protective Coating,	Pavement Seal	ing
PAIN1237-001 01/01/2015		
ALPINE; COLUSA; EL DORADO (west Mountains); GLENN; LASSEN (west Stacey and including Honey Lake Sierra Nevada Mountains); PLACE Mountains); PLUMAS; SACRAMENTO; Sierra Nevada Mountains); SISKI YOLO AND YUBA COUNTIES	of Highway 3); MODOC; NEV R (west of th SHASTA; SIER	995, beginning at VADA (west of the ne Sierra Nevada RRA (west of the
	Rates	Fringes
SOFT FLOOR LAYER		14.93
PLAS0300-003 07/01/2014		
	Rates	Fringes
PLASTERER AREA 295: Alpine, Amador, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sutter, Tehema, Trinity, Yolo & Yuba Counties AREA 355: Marin AREA 355: Napa & Sonoma		22.26 22.26
Counties		22.26
PLAS0300-005 06/30/2014		
	Rates	Fringes
	\$ 30 00	22 07

CEMENT MASON/CONCRETE FINISHER...\$ 30.00 22.07

PLUM0038-002 07/01/2014

MARIN AND SONOMA COUNTIES

Rates Fringes

PLUMBER (Plumber, Steamfitter, Refrigeration

> (1) Work on wooden frame structures 5 stories or less excluding hgih-rise buildings and commercial work such as hospitals, prisons, hotels, schools, casinos, wastewater treatment plants, and resarch facilities as well as refrigeration pipefitting, service and repair work - MARKET

RECOVERY RATE.....\$ 54.40 40.71

(2) All other work - NEW

CONSTRUCTION RATE.....\$ 64.00 ______

PLUM0038-006 07/01/2014

MARIN & SONOMA COUNTIES

	Rates	Fringes	
Landscape/Irrigation Fitter (Underground/Utility Fitter)	\$ 54.40	32.15	
PLUM0228-001 01/01/2015			

BUTTE, COLUSA, GLENN, LASSEN, MODOC, PLUMAS, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY & YUBA COUNTIES

	Rates	Fringes	
PLUMBER	\$ 37.50	26.39	
PLUM0343-001 07/01/2014			

NAPA AND SOLANO COUNTIES

	Rates	Fringes
PLUMBER/PIPEFITTER		
Light Commercial	\$ 30.60	19.40
All Other Work	\$ 48.00	30.05

DEFINITION OF LIGHT COMMERICIAL:

Work shall include strip shopping centers, office buildings, schools and other commercial structures which the total plumbing bid does not exceed Two Hundred and Fifty Thousand (\$250,000) and the total heating and cooling does not exceed Two Hundred Fifty Thousand (\$250,000); or Any projects bid in phases shall not qualify unless the total project is less than Two Hundred Fifty Thousand (\$250,000) for the plumbing bid; and Two Hundred Fifty Thousand (\$250,000) for the heating and cooling bid. Excluded are hospitals, jails, institutions and industrial projects, regardless size of the project

FOOTNOTES: While fitting galvanized material: \$.75 per hour additional. Work from trusses, temporary staging, unguarded structures 35' from the ground or water: \$.75 per hour additional. Work from swinging scaffolds, boatswains chairs or similar devices: \$.75 per hour additional.

PLUM0350-001 02/01/2015

EL DORADO COUNTY (Lake Tahoe area only); NEVADA COUNTY (Lake Tahoe area only); AND PLACER COUNTY (Lake Tahoe area only)

	Rates	Fringes
PLUMBER/PIPEFITTER	.\$ 30.88	11.51
PLUM0355-001 07/01/2014		

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SOLANO, SUTTER, TEHAMA, TRINITY, YOLO, AND YUBA COUNTIES

	Rates	Fringes
Underground Utility Worker /Landscape Fitter	\$ 28.55	9.25
PLUM0442-003 01/01/2015		
AMADOR (South of San Joaquin Rive	r) and ALPINE C	OUNTIES
	Rates	Fringes
PLUMBER	\$ 38.50	25.89

AMADOR (north of San Joaquin River), EL DORADO (excluding Lake Tahoe area), NEVADA (excluding Lake Tahoe area); PLACER (excluding Lake Tahoe area), SACRAMENTO AND YOLO COUNTIES

	Rates	Fringes
PLUMBER/PIPEFITTER JourneymanLight Commercial Work		22.35 17.22
ROOF0081-006 08/01/2014		
MARIN, NAPA, SOLANO AND SONOMA (COUNTIES	
	Rates	Fringes
Roofer	.\$ 35.06	13.89

Tahoe Hills Erosion Control Project Contract No. PW 14-31075/ CIP No. 95171 Addendum No.1, Attachment B

PLUM0447-001 07/01/2013

County of El Dorado, DOT **Appendix B – Federal Wage Rates** Page AB-37rev ALPINE, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO, AND YUBA COUNTIES

	Rates	Fringes	
Roofer	.\$ 33.23	13.79	
SFCA0483-003 01/01/2015			
MARIN, NAPA, SOLANO AND SONOMA (COUNTIES		
	Rates	Fringes	
SPRINKLER FITTER (Fire Sprinklers)	.\$ 56.02	27.77	
SFCA0669-003 07/01/2013			
ALPINE, BUTTE, COLUSA, EL DORADO PLACER, PLUMAS, SACRAMENTO, SHAS TEHAMA, TRINITY, YOLO AND YUBA (STA, SIERRA,		
	Rates	Fringes	
SPRINKLER FITTER	.\$ 34.19	19.37	
SHEE0104-006 01/01/2015			
MARIN, NAPA, SOLANO SONOMA & TRINITY COUNTIES			
	Rates	Fringes	
Sheet Metal Worker Mechanical Contracts \$200,000 or less	.\$ 45.26 .\$ 50.71	38.82 40.05	
SHEE0104-009 01/01/2015			
AMADOR, COLUSA, EL DORADO, NEVAL YOLO AND YUBA COUNTIES	DA, PLACER,	SACRAMENTO, SUTTER,	
	Rates	Fringes	
SHEET METAL WORKER	.\$ 39.05	31.24	
SHEE0104-010 01/01/2015			
Alpine COUNTY			
	Rates	Fringes	
SHEET METAL WORKER	.\$ 36.59	28.66	

BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, YOLO AND YUBA COUNTIES

	Rates	Fringes
Sheet Metal Worker (Metal decking and siding only)	.\$ 33.86	31.83
SHEE0104-014 01/01/2015		
MARIN, NAPA, SOLANO, SONOMA AND	TRINITY COUNTIES	
	Rates	Fringes
SHEET METAL WORKER (Metal Decking and Siding only)	.\$ 33.86	31.83
SHEE0104-019 01/01/2015		

BUTTE, GLENN, LASSEN, MODOC, PLUMAS, SHASTA, SIERRA, SISKIYOU AND TEHAMA COUNTIES

	Rates	Fringes
SHEET METAL WORKER		
Mechanical Jobs \$200,000 &		
under	.\$ 29.88	28.75
Mechanical Jobs over		
\$200,000	.\$ 39.05	31.24

TEAM0094-001 07/01/2014

	I	Rates	Fringes
Truck drive	rs:		
GROUP	1\$	27.96	24.28
GROUP	2\$	28.26	24.28
GROUP	3\$	28.56	24.28
GROUP	4\$	28.91	24.28
GROUP	5\$	29.26	24.28

FOOTNOTES:

Articulated dump truck; Bulk cement spreader (with or without auger); Dumpcrete truck; Skid truck (debris box); Dry pre-batch concrete mix trucks; Dumpster or similar type; Slurry truck: Use dump truck yardage rate. Heater planer; Asphalt burner; Scarifier burner; Industrial lift truck (mechanical tailgate); Utility and clean-up truck: Use appropriate rate for the power unit or the equipment utilized.

TRUCK DRIVER CLASSIFICATIONS

GROUP 1: Dump trucks, under 6 yds.; Single unit flat rack (2-

axle unit); Nipper truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump machine; Fork lift and lift jitneys; Fuel and/or grease truck driver or fuel person; Snow buggy; Steam cleaning; Bus or personhaul driver; Escort or pilot car driver; Pickup truck; Teamster oiler/greaser and/or serviceperson; Hook tender (including loading and unloading); Team driver; Tool room attendant (refineries)

GROUP 2: Dump trucks, 6 yds. and under 8 yds.; Transit mixers, through 10 yds.; Water trucks, under 7,000 gals.; Jetting trucks, under 7,000 gals.; Single-unit flat rack (3-axle unit); Highbed heavy duty transport; Scissor truck; Rubber-tired muck car (not self-loaded); Rubber-tired truck jumbo; Winch truck and "A" frame drivers; Combination winch truck with hoist; Road oil truck or bootperson; Buggymobile; Ross, Hyster and similar straddle carriers; Small rubber-tired tractor

GROUP 3: Dump trucks, 8 yds. and including 24 yds.; Transit mixers, over 10 yds.; Water trucks, 7,000 gals. and over; Jetting trucks, 7,000 gals. and over; Vacuum trucks under 7500 gals. Trucks towing tilt bed or flat bed pull trailers; Lowbed heavy duty transport; Heavy duty transport tiller person; Self- propelled street sweeper with self-contained refuse bin; Boom truck - hydro-lift or Swedish type extension or retracting crane; P.B. or similar type self-loading truck; Tire repairperson; Combination bootperson and road oiler; Dry distribution truck (A bootperson when employed on such equipment, shall receive the rate specified for the classification of road oil trucks or bootperson); Ammonia nitrate distributor, driver and mixer; Snow Go and/or plow

GROUP 4: Dump trucks, over 25 yds. and under 65 yds.; Water pulls - DW 10's, 20's, 21's and other similar equipment when pulling Aqua/pak or water tank trailers; Helicopter pilots (when transporting men and materials); Lowbedk Heavy Duty Transport up to including 7 axles; DW10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTourneau Pulls, Tournorocker, Euclid and similar type equipment when pulling fuel and/or grease tank trailers or other miscellaneous trailers; Vacuum Trucks 7500 gals and over and truck repairman

GROUP 5: Dump trucks, 65 yds. and over; Holland hauler; Low bed Heavy Duty Transport over 7 axles

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the

classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION



Mail PO Box 5310 Stateline, NV 89449-5310 Location 128 Market Street Stateline, NV 89449 Contact Phone: 775-588-4547 Fax: 775-588-4527 www.trpa.org



PERMIT

PROJECT DESCRIPTION	: Tahoe Hills Erosion Control	Project (EIP # 01.01.01.30)
---------------------	-------------------------------	-----------------------------

TRPA PROJECT NUMBER: 520-101-00

FILE #: EIPC2013-0018

PERMITTEE(S): El Dorado County COUNTY/LOCATION: El Dorado County/ Tahoe Hills

Having made the findings required by Agency ordinances and rules, TRPA approved the project on June 8, 2015, subject to the standard conditions of approval attached hereto (Attachment Q) and the special conditions found in this permit.

This permit shall expire on June 8, 2018 without further notice unless the construction has commenced prior to this date and diligently pursued thereafter. Diligent pursuit is defined as completion of the project within the approved construction schedule. The expiration date shall not be extended unless the project is determined by TRPA to be the subject of legal action which delayed or rendered impossible the diligent pursuit of the permit.

NO DEMOLITION, TREE REMOVAL, CONSTRUCTION OR GRADING SHALL COMMENCE UNTIL:

- (1) TRPA RECEIVES A COPY OF THIS PERMIT UPON WHICH THE PERMITTEE(S) HAS ACKNOWLEDGED RECEIPT OF THE PERMIT AND ACCEPTANCE OF THE CONTENTS OF THE PERMIT;
- (2) ALL PRE-CONSTRUCTION CONDITIONS OF APPROVAL ARE SATISFIED AS EVIDENCED BY TRPA'S ACKNOWLEDGEMENT OF THIS PERMIT;
- (3) A TRPA PRE-GRADING INSPECTION HAS BEEN CONDUCTED WITH THE PROPERTY OWNER AND/OR THE CONTRACTOR.

Sharrer Friedman	6/8/15	4
TRPA Executive Director/Designee	Date	

PERMITTEE'S ACCEPTANCE: I have read the permit and the conditions of approval and understand and accept them. I also understand that I am responsible for compliance with all the conditions of the permit and am responsible for my agents' and employees' compliance with the permit conditions. I also understand that if the property is sold, I remain liable for the permit conditions until or unless the new owner acknowledges the transfer of the permit and notifies TRPA in writing of such acceptance. I also understand that certain mitigation fees associated with this permit are non-refundable once paid to TRPA. I understand that it is my sole responsibility to obtain any and all required approvals from any other state, local or federal agencies that may have jurisdiction over this project whether or not they are listed in this permit.

	2/				
Signature of Permittee(s)	Budlfor	ver Date	6/10	0/15	
/sf	1				

imagine, plan, achieve,

Required plans determined to be in conform	mance with approval: Date:
TRPA ACKNOWLEDGEMENT: The permittee of approval as of this date:	e has complied with all pre-construction conditions
TRPA Executive Director/Designee	Date

SPECIAL CONDITIONS

- This permit specifically authorizes the installation of erosion control and water quality improvements including drainage improvements, infiltration facilities, revegetation and rock rip rap. The improvements are within the County right of way and drainage easements and special use permitted areas in El Dorado County, California.
- 2. The standard conditions listed in Attachment Q shall apply to this permit.
- Prior to permit acknowledgement submit three sets of final plans for TRPA review and approval.
- Prior to the pre-grade inspection, submit a construction schedule for TRPA approval which should include dates for the following:
 - When installation of temporary erosion control, and vegetation protection and construction site boundary fencing will occur;
 - When construction will start;
 - When all disturbed areas will be stabilized;
 - When initial grading will be completed;
 - When installation of permanent mechanical erosion control devices will occur;
 - When installation of permanent drainage improvements will occur;
 - When vegetation will be planted; and
 - When construction will be completed.

PERMIT CONTINUED ON NEXT PAGE

- An on-site inspection by TRPA staff is required prior to any construction or grading activity. TRPA staff shall determine if the on-site improvements required by Attachment Q (Standard Conditions of Approval) have been properly installed. No grading or construction shall commence until TRPA pre-grade conditions of approval are met.
- All above ground facilities, new or currently existing, such as sign posts, the back of signs, electrical boxes, etc. shall be colored brown, unless an alternative color is approved by TRPA.
- Temporary Best Management Practices (BMPs) are to be installed and maintained prior to excavation and during all phases of the proposed project.
- 8. All new and existing conveyance and treatment facilities shall be fitted with temporary Best Management Practices (BMPs) to prevent the transport of sediment during storm events occurring during construction. The permittee shall be responsible for ensuring that all temporary BMPs are constructed as directed by the TRPA Inspector.
- 9. TRPA waived the requirement to conduct any subsurface investigations and approved all excavations as proposed on the plans. The permittee is required to notify TRPA immediately if significantly different subsurface conditions are encountered than what has been interpreted, or if groundwater is intercepted during construction.
- 10. Any trees to be removed shall be shown on the approved drawings. All other trees within areas of construction not shown to be removed shall be retained and protected from damage during construction. In no case shall any additional trees be removed without the written approval of the TRPA.
- All construction equipment working in or near Stream Environment Zones (SEZ) areas must be steam cleaned prior to mobilization at the project site and maintained in clean and good working order with maintenance logs made available to TRPA at their request.
- Any normal construction activities creating noise in excess of the TRPA noise standards shall be considered exempt from said standards provided all such work is conducted between the hours of 8:00 A.M. and 6:30 P.M.

PERMIT CONTINUED ON NEXT PAGE

- 13. Grading is prohibited any time of the year during periods of precipitation and for the resulting period of time when the site is covered with snow, or is in a saturated, muddy, or unstable condition (pursuant to Subsection 64.2.C of the TRPA Code of Ordinances). If a storm event is predicted to occur during active construction, immediately stop work and ensure that all temporary BMPs are in place and functioning.
- 14. This site shall be winterized in accordance with the provisions of Attachment Q by October 15th of each construction season. All disturbed areas shall be stabilized with a 3-inch layer of mulch or covered with an erosion control blanket.
- 15. Vegetation shall not be disturbed, injured or removed except in accordance with the TRPA Code or the conditions of project approval. All trees, major roots, and other vegetation, not specifically designated or approved for removal shall be protected according to methods approved by TRPA. All vegetation outside the construction site/project area boundary shall not be disturbed. If possible, construction for any work within the riparian area should be done with hand work to minimize disturbance in the SEZ. All efforts should be made to retain existing vegetation such as grass swales, and willow and alder shrubs.
- 16. All rock material (gravel, cobble, and boulders) shall be clean prior to arrival at the site to ensure that the rock is free of any excess silt or clay particles.
- 17. The discharge of petroleum products, construction waste and litter (including sawdust), or earthen materials to the surface waters of the Lake Tahoe Region is prohibited. All surplus construction waste materials shall be removed from the project site and disposed of at approved points of disposal.
- 18. All waste resulting from the saw-cutting of pavement shall be removed using a vacuum (or other TRPA approved method) during the cutting process or immediately thereafter. Discharge of waste material to surface drainage features is prohibited and constitutes a violation of this permit.
- Any modifications to the TRPA approved plans shall be submitted to TRPA for review and approval.
- Once the project is complete contact TRPA for a final inspection.

PERMIT CONTINUED ON NEXT PAGE

Page 4

21. To the maximum extent allowable by law, each party ("Indemnitor") agrees to indemnify, defend, and hold harmless the other party, its governing board, officers, employees and its agents (collectively "Indemnitee") from and against any and all suits, losses, damages, injuries, liabilities, and claims proximately caused by the Indemnitor. To the extent permitted by law, where the foregoing indemnity applies, it includes any and all suits, losses, damages, injuries, liabilities, and claims by any person from any cause whatsoever arising out of or in connection with either directly or indirectly, and in whole or in part (1) the processing, conditioning, issuance, or implementation of this permit; (2) any failure to comply with all applicable laws and regulations; and (3) the design, installation, or operation of any improvements.

END OF PERMIT



Mail PO Box 5310 Stateline, NV 89449-5310 Location 128 Market Street Stateline, NV 89449 Contact Phone: 775-588-4547 Fax: 775-588-4527 www.trpa.org



FINDING OF NO SIGNIFICANT EFFECT

PROJECT DESCRIPTION: Tahoe Hills Erosion Control Project (EIP # 01.01.01.30)

TRPA PROJECT NUMBER: 520-101-00

FILE #: EIPC2013-0018

PERMITTEE(S): El Dorado County COUNTY/LOCATION: El Dorado County/ Tahoe Hills

<u>Staff Analysis</u>: In accordance with Article IV of the Tahoe Regional Planning Compact, as amended, and Section 6.3 of the TRPA Rules and Regulations of Practice and Procedure, the TRPA staff has reviewed the information submitted with the subject project. On the basis of this initial environmental evaluation, Agency staff has found that the subject project will not have a significant effect on the environment.

<u>Determination</u>: Based on the above-stated finding, the subject project is conditionally exempt from the requirement to prepare an Environmental Impact Statement. The conditions of this exemption are the conditions of permit approval.

TRPA Chairman or Executive Director

Date



OFFICE 128 Market St. Stateline, NV

Phone: (775) 588-4547 Fax: (775) 588-4527 MAIL PO Box 5310 Stateline, NV 89449-5310

> trpa@trpa.org www.trpa.org

HOURS Mon. Wed. Thurs. Fri 9 am-12 pm/1 pm-4 pm Closed Tuesday

New Applications Until 3:00 pm

ATTACHMENT Q STANDARD CONDITIONS OF APPROVAL FOR GRADING PROJECTS

This handout on the standard conditions that must be met in all projects involving grading is divided into the following three sections:

- Pre-Grading Conditions (Pre-activity, where applicable)
- II. Construction/Grading Conditions
- III. General Conditions/Design Standards

Please read all of the conditions carefully to avoid any delays in construction of your project.

NOTE: Your plans have been reviewed and approved as required under Tahoe Regional Planning Agency (TRPA) Rules, Regulations and Ordinances only. TRPA has not reviewed and shall not be responsible for any elements contained in your plans, i.e., structural, electrical, mechanical, etc., which are not required for review under said Rules, Regulations and Ordinances.

I. PRE-GRADING/PRE-ACTIVITY CONDITIONS:

The following conditions must be completely complied with prior to any site disturbance or commencement of activity.

A. Final Construction Plans:

Final construction plans must be submitted to and reviewed by TRPA to determine conformance with the approval. Said plans shall clearly depict the following:

- Slope stabilization methods to stabilize all existing and proposed cut and fill slopes.
- Areas to be revegetated, including complete specifications for such revegetation.
- Fencing for vegetation protection.
- Temporary and permanent erosion control devices.
- Utility trenches.
- Dust control measures.
- All water quality improvements (BMPs) required in the conditional approval. Drainage facilities shall be designed to be capable of retaining runoff water for a two (2) year, six (6) hour storm.
- The final plans shall contain equipment specifications necessary to establish compliance with Standard Conditions III. A-F.

B. Securities:

A security shall be posted with the TRPA to insure compliance with all permit conditions. The security shall include an amount equal to 110 percent of the cost of the BMPs and other erosion control and water quality improvements required. For further information on the acceptable types of securities, see Attachment J.

C. Mitigation Fees:

All required air quality, water quality, and excess coverage and offsite coverage mitigation fees shall be paid to TRPA.

D. Temporary BMPs:

The following temporary BMPs are required to be installed onsite prior to any grading activity occurring:

- Installation of temporary erosion controls.
- Installation of vegetation protection measures.
- Installation of construction site boundary fencing.

E. Required Inspection:

An onsite inspection by TRPA staff is required prior to any construction or grading activity occurring. TRPA staff shall determine if the onsite improvements required by Condition II (1), above, have been properly installed. No grading or construction shall be undertaken by the permittee until receipt of TRPA notification that the pre-grading/pre-activity conditions of approval have been satisfied.

F. Required Notices:

The following notices to the TRPA are required prior to any grading or construction occurring on the project site:

- Notice for Pre-Grading Inspection: The permittee shall notify the TRPA when all onsite improvements required under Condition II(1), above, have been installed so that the required pre-grading inspection may be scheduled.
- Notice of Commencement of Construction: The permittee shall notify the TRPA at least 48
 hours prior to commencement of construction or grading on the project site. Said notice
 shall include the date when construction will commence.

II. CONSTRUCTION/GRADING CONDITIONS:

The following conditions shall be complied with during the grading and construction phase of the project.

- All construction shall be accomplished in strict compliance with the plans approved by TRPA.
- B. The TRPA permit and the final construction drawings bearing the TRPA stamp of approval shall be present on the construction site from the time construction commences to final TRPA site inspection. The permit and plans shall be available for inspection upon request by any TRPA employee. Failure to present the TRPA permit and approved plans may result in the issuance of a Cease and Desist Order by the TRPA.
- Whenever possible, utilities shall occupy common trenches to minimize site disturbance.
- D. There shall be no grading or land disturbance performed with respect to the project between October 15 and May 1, except as follows:
 - The grading or land disturbance is for excavation and backfilling for a volume not in excess of three cubic yards.
 - The activity is completed within a 48-hour period.
 - The excavation site is stabilized to prevent erosion.
 - The pregrade inspection is performed by TRPA staff, and the activity passes the inspection.

 The grading/project does not represent or involve a series of excavations, which, when viewed as a whole, would exceed the provisions of this Standard Condition of Approval, and Subsection 2.3 of the TRPA Code of Ordinances.

Grading is prohibited any time of the year during periods of precipitation and for the resulting period of time when the site is covered with snow, or is in a saturated, muddy, or unstable condition (pursuant to Subsection 33.3.1.A of the TRPA Code of Ordinances.)

- E. All material obtained from any excavation work that is not contained within foundations, retaining walls, or by other methods approved by TRPA shall be removed form the subject parcel and disposed of at a site approved by TRPA.
- F. Replanting of all exposed surfaces, in accordance with the revegetation and slope stabilization plan, shall be accomplished within the first growing season following disturbance, unless an approved construction/inspection schedule establishes otherwise.
- G. All trees and natural vegetation to remain on the site shall be fenced for protection. Scarring of trees shall be avoided and, if scarred, damaged areas shall be repaired with tree seal.
 - Fencing specified shall be at least 48 inches high and shall be constructed
 of metal posts and either orange construction fencing or metal mesh fencing
 also at least 48 inches high (Section 33.6.1). Job sites with violations of the
 fencing standards will be required to re-fence the job site with a high gauge
 metal fencing.
 - No material or equipment shall enter or be placed in the areas protected by fencing or outside the construction areas without prior approval from TRPA. Fences shall not be moved without prior approval (Section 33.6).
 - 3. To reduce soil disturbance and damage to vegetation, the area of disturbance during the construction of a structure shall be limited to the area between the footprint of the building and the public road. For the remainder of the site the disturbance areas shall not exceed 12 feet from the footprint of the structure, parking area or cut/fill slope. The approved plans should show the fencing and approved exceptions (Section 36.2).
- H. Soil and construction material shall not be tracked off the construction site. Grading operations shall cease in the event that a danger of violating this condition exists. The site shall be cleaned up and road right-of-way swept clean when necessary.
- During grading and construction, environmental protection devices such as erosion control devices, dust control, and vegetation protection barriers shall be maintained.
- J. Loose soil mounds or surfaces shall be protected from wind or water erosion by being appropriately covered when construction is not in active progress or when required by TRPA.
- K. Excavated material shall be stored upgrade from the excavated areas to the extent possible. No material shall be stored in any stream zone or wet areas.
- L. Only equipment of a size and type that, under prevailing site conditions, and considering the nature of the work to be performed, will do the least amount of damage to the environment shall be used.
- M. Limit idling time for diesel powered vehicles exceeding 10,000 GVW and self-propelled equipment exceeding 25 hp to no more than 15 minutes in Nevada and 5 minutes in California, or as otherwise required by state or local permits.
- N. Utilize existing power sources (e.g. power poles) or clean-fuel generators rather than temporary diesel power generators wherever feasible.
- No washing of vehicles or construction equipment, including cement mixers, shall be permitted anywhere on the subject property unless authorized by TRPA in writing.

- P. No vehicles or heavy equipment shall be allowed in any stream environment zone or wet areas, except as authorized by TRPA.
- Q. Locate construction staging areas as far as feasible from sensitive air pollution receptors (e.g. schools or hospitals).
- R. All construction sites shall be winterized by October 15 to reduce the water quality impacts associated with winter weather as follows:
 - For the sites that will be inactive between October 15 and May 1:
 - (a) Temporary erosion controls shall be installed;
 - (b) Temporary vegetation protection fencing shall be installed;
 - (c) Disturbed areas shall be stabilized;
 - (d) Onsite construction slash and debris shall be cleaned up and removed;
 - (e) Where feasible, mechanical stabilization and drainage improvements shall be installed; and
 - (f) Spoil piles shall be removed from the site.
 - For sites that will be active between October 15 and May 1, in addition to the above requirements:
 - (a) Permanent mechanical erosion control devices shall be installed, including paving of driveway and parking areas; and
 - (b) Parking of vehicles and storage of building materials shall be restricted to paved areas.

III. GENERAL CONDITIONS/DESIGN STANDARDS:

- A. Projects approved by TRPA shall be subject to inspections by TRPA at any reasonable time. The permittee shall be responsible for making the project area accessible for inspection purposes. TRPA shall not be liable for any expense incurred by the permittee as a result of TRPA inspections.
- B. Construction shall be completed in accordance with an approved construction schedule. An extension of a completion schedule for a project may be granted provided the request is made in writing prior to the expiration of the completion schedule, a security is posted to ensure completion or abatement of the project, and TRPA makes either of the following findings:
 - The project was diligently pursued, as defined in Subparagraph 2.2.4.C of the Code of Ordinances, during each building season (May 1 - October 15) since commencement of construction.
 - That events beyond the control of the permittee, which may include engineering problems, labor disputes, natural disasters, or weather problems, have prevented diligent pursuit of the project.
- C. Water conservation appliances and fixtures shall be installed in all new facilities or, when replaced, in existing facilities: low flow flush toilets; low flow showerheads (3 gpm rated maximum flow); faucet aerators; and water-efficient appliances (e.g., washing machines and dishwaters).
- Water heaters shall not emit nitrogen oxides greater than 40 nanograms of nitrogen oxide (NO2) per joule of heat output.
- E. Space heaters shall not emit greater than 40 nanograms of nitrogen oxides (as NO2) per joule of useful heat delivered to the heated space.

- F. Wood heaters to be installed in the Region shall meet the safety regulations established by applicable city, county, and state codes. Coal shall not be used as a fuel source.
 - Emission Standards: Wood heaters installed in the Region shall not cause emissions of more than 7.5 grams of particulates per hour for noncatalytic wood heaters or 4.1 grams per hour for catalytically equipped wood heaters.
 - Limitations: Wood heaters shall be sized appropriately for the space they are designed to serve. Multi-residential projects of five or more units, tourist accommodations, commercial, recreation and public service projects shall be limited to one wood heater per project area.
 - 3. List of Approved Heaters: TRPA shall maintain a list of wood heaters which may be installed in the Region. The list shall include the brand names, model number, description of the model and the name and address of the manufacturer. Wood heaters certified for use in either Colorado or Oregon shall be considered in compliance with 6(a), above.
- G. Construction materials shall be secured to prevent them from rolling, washing, or blowing off the project site. Rehabilitation and clean-up of the site following construction must include removal of all construction waste and debris.
- H. Plant species on the TRPA Recommended Native and Adapted Plant List shall be used for lawns and landscaping.
- The following sizes and spacing shall be required for woody plant materials at time of planting:
 - Trees shall be a minimum six feet tall or 1-1/2 inch caliper size or diameter at breast height;
 - Shrubs shall be a minimum three gallon pot size where upright shrubs have a minimum height of 18 inches and a minimum spread of 18 inches; and spreading shrubs have a minimum spread of 18-24 inches.
 - Groundcovers shall be a minimum four inch pot size or one gallon container and shall be maximum 24 inches on center spacing.
- J. Plant species not found on the TRPA Recommended Native and Adapted Plant List may be used for landscaping as accent plantings but shall be limited to borders, entryways, flower-beds, and other similar locations to provide accent to the overall native or adapted landscape design.
- K. The following exterior lighting standards shall apply:
 - Exterior lights shall not blink, flash or change intensity. String lights, building or roofline tube lighting, reflective or luminescent wall surfaces are prohibited.
 - Exterior lighting shall not be attached to trees except for Christmas season.
 - Parking lot, walkway, and building lights shall be directed downward.
 - Fixture mounting height shall be appropriate to the purpose. The height shall not exceed the limitations set forth in Chapter 37 of the Code.
 - Outdoor lighting shall be used for purposes of illumination only, and shall not be designed for, or used as, an advertising display. Illumination for aesthetic or dramatic purposes of any building or surrounding landscape utilizing exterior light fixtures projected above the horizontal is prohibited.
 - The commercial operation of searchlights for advertising or any other purpose is prohibited.
 Seasonal lighting displays and lighting for special events which conflict with other provisions of this section may be permitted on a temporary basis.

- L. Any normal construction activities creating noise in excess of the TRPA noise standards shall be considered exempt from said standards provided all such work is conducted between the hours of 8:00 a.m. and 6:30 p.m.
- M. Engine doors shall remain closed during periods of operation except during necessary engine maintenance.
- N. Stationary equipment (e.g. generators or pumps) shall be located as far as feasible from noisesensitive receptors and residential areas. Stationary equipment near sensitive noise receptors or residential areas shall be equipped with temporary sound barriers.
- O. Sonic pile driving shall be utilized instead of impact pile driving, wherever feasible. Pile driving holes shall be predrilled to the extent feasible subject to design engineer's approval.
- P. Fertilizer use on this property shall be managed to include the appropriate type of fertilizer, rate, and frequency of application to avoid release of excess nutrients and minimize use of fertilizer.
- Q. No trees shall be removed or trimmed without prior TRPA written approval unless otherwise specifically exempted under Chapter 2 of the Code of Ordinances.
- R. The architectural design of this project shall include elements that screen from public view all external mechanical equipment, including refuse enclosures, satellite receiving disks, communication equipment, and utility hardware on roofs, buildings or the ground. Roofs, including mechanical equipment and skylights, shall be constructed of nonglare finishes that minimize reflectivity.
- S. The permittee is responsible for insuring that the project, as built, does not exceed the approved land coverage figures shown on the site plan. The approved land coverage figures shall supersede scaled drawings when discrepancies occur.
- The adequacy of all required BMPs as shown on the final construction plans shall be confirmed at the time of the TRPA pre-grading inspection. Any required modifications, as determined by TPRA, shall be incorporated into the project permit at that time.
- U. It is the permittee's obligation to locate all subsurface facilities and/or utilities prior to any grading, dredging or other subsurface activity. The permittee is responsible for contacting the Northern Underground Service Alert (USA, usually known as USA DIGS 1-800-227-2600) prior to commencement of any activity on the site.
- V. This approval is based on the permittee's representation that all plans and information contained in the subject application are true and correct. Should any information or representation submitted in connection with the project application be incorrect or untrue, TRPA may rescind this approval or take other appropriate action.

Authorization ID: ELD100327 Contact ID: ELDORADO COUNTY Expiration Date: 12/31/2025

Use Code: 921

FS-2700-4 (10/09) OMB No. 0596-0082

U.S. DEPARTMENT OF AGRICULTURE FOREST SERVICE SPECIAL USE PERMIT

Authority: FEDERAL LAND POLICY AND MGMT ACT, AS AMENDED October 21, 1976 (Ref.: FSH 2709.11, section 41.53)

El Dorado County Department of Transportation, 924B Emerald Bay Road, South Lake Tahoe, CA 96150 (hereinafter called "the holder") is hereby authorized to use or occupy National Forest System lands in the Lake Tahoe Basin Management Unit, subject to the terms and conditions of this special use permit (the permit).

This permit covers .09 acres in the Sec. 29, T. 14 N., R. 17 E., Mt. Diablo Meridian, ("the permit area"), as shown on the map attached as Appendix A. This permit issued for the purpose of:

Construction, operation and maintenance of erosion control facilities in the Meeks Bay-Rubicon Bay vicinity, as described below, known as the Tahoe Hills project. Temporary disturbance must be completed no later than October 1, 2016.

APN	AUTHORIZED FACILITIES	TEMPORARY DISTURBANCE	PERMANENT DISTURBANCE
016-321-17	Basin, berm, rock stabilization, pipe, and revegetation	740 SF (148' x 5')	2,666 SF (43' x 62')
016-321-18	Conveyance channel, basin, berm, and revegetation	925 SF (43'x10' + 69'x5' + 25'x6')	1,198 SF (30' x 9' + 58' x 16')
	TOTALS	1665 SF (.04 acre)	3,864 SF (.09 acre)

TERMS AND CONDITIONS

1. GENERAL TERMS

- A. AUTHORITY. This permit is issued pursuant to the Federal Land Policy and Management Act (FLPMA), as amended October 21, 1976 and 36 CFR Part 251, Subpart B, as amended, and is subject to their provisions.
- B. AUTHORIZED OFFICER. The authorized officer is the Forest or Grassland Supervisor or a subordinate officer with delegated authority.
- C. TERM. This permit shall expire at midnight on 12/31/2025, 10 years from the date of issuance.
- D. RENEWAL. This permit is not renewable. Prior to expiration of this permit, the holder may apply for a new permit that would renew the use and occupancy authorized by this permit. Applications for a new

permit must be submitted at least 6 months prior to expiration of this permit. Renewal of the use and occupancy authorized by this permit shall be at the sole discretion of the authorized officer. At a minimum, before renewing the use and occupancy authorized by this permit, the authorized officer shall require that (1) the use and occupancy to be authorized by the new permit is consistent with the standards and guidelines in the applicable land management plan; (2) the type of use and occupancy to be authorized by the new permit is the same as the type of use and occupancy authorized by this permit; and (3) the holder is in compliance with all the terms of this permit. The authorized officer may prescribe new terms and conditions when a new permit is issued.

E. AMENDMENT. This permit may be amended in whole or in part by the Forest Service when, at the discretion of the authorized officer, such action is deemed necessary or desirable to incorporate new terms that may be required by law, regulation, directive, the applicable forest land and resource management plan, or projects and activities implementing a land management plan pursuant to 36 CFR Part 215.

F. COMPLIANCE WITH LAWS, REGULATIONS, AND OTHER LEGAL REQUIREMENTS. In exercising the rights and privileges granted by this permit, the holder shall comply with all present and future federal laws and regulations and all present and future state, county, and municipal laws, regulations, and other legal requirements that apply to the permit area, to the extent they do not conflict with federal law, regulation, or policy. The Forest Service assumes no responsibility for enforcing laws, regulations, and other legal requirements that fall under the jurisdiction of other governmental entities.

G. NON-EXCLUSIVE USE. The use or occupancy authorized by this permit is not exclusive. The Forest Service reserves the right of access to the permit area, including a continuing right of physical entry to the permit area for inspection, monitoring, or any other purpose consistent with any right or obligation of the United States under any law or regulation. The Forest Service reserves the right to allow others to use the permit area in any way that is not inconsistent with the holder's rights and privileges under this permit, after consultation with all parties involved. Except for any restrictions that the holder and the authorized officer agree are necessary to protect the installation and operation of authorized temporary improvements, the lands and waters covered by this permit shall remain open to the public for all lawful purposes.

H. ASSIGNABILITY. This permit is not assignable or transferable.

II.IMPROVEMENTS

A. LIMITATIONS ON USE. Nothing in this permit gives or implies permission to build or maintain any structure or facility or to conduct any activity, unless specifically authorized by this permit. Any use not specifically authorized by this permit must be proposed in accordance with 36 CFR 251.54. Approval of such a proposal through issuance of a new permit or permit amendment is at the sole discretion of the authorized officer.

B. PLANS. All plans for development, layout, construction, reconstruction, or alteration of improvements in the permit area, as well as revisions to those plans must be prepared by a professional engineer, architect, landscape architect, or other qualified professional based on federal employment standards acceptable to the authorized officer. These plans and plan revisions must have written approval from the authorized officer before they are implemented. The authorized officer may require the holder to furnish as-built plans, maps, or surveys upon completion of the work.

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

C. CONSTRUCTION. Any construction authorized by this permit shall commence by September 15, 2015, and shall be completed by October 1, 2016.

III. OPERATIONS.

- A. PERIOD OF USE. Use or occupancy of the permit area shall be exercised at least 365 days each year.
- B. CONDITION OF OPERATIONS. The holder shall maintain the authorized improvements and permit area to standards of repair, orderliness, neatness, sanitation, and safety acceptable to the authorized officer and consistent with other provisions of this permit. Standards are subject to periodic change by the authorized officer when deemed necessary to meet statutory, regulatory, or policy requirements or to protect national forest resources. The holder shall comply with inspection requirements deemed appropriate by the authorized officer.
- C. OPERATING PLAN. The holder shall prepare and annually revise by January 1 an operating plan. The operating plan shall be prepared in consultation with the authorized officer or the authorized officer's designated representative and shall cover all operations authorized by this permit. The operating plan shall outline steps the holder will take to protect public health and safety and the environment and shall include sufficient detail and standards to enable the Forest Service to monitor the holder's operations for compliance with the terms and conditions of this permit. The operating plan shall be submitted by the holder and approved by the authorized officer or the authorized officer's designated representative prior to commencement of operations and shall be attached to this permit as an appendix. The authorized officer may require an annual meeting with the holder to discuss the terms and conditions of the permit or operating plan, annual use reports, or other concerns either party may have.
- D. INSPECTION BY THE FOREST SERVICE. The Forest Service shall monitor the holder's operations and reserves the right to inspect the permit area and transmission facilities at any time for compliance with the terms of this permit. The holder's obligations under this permit are not contingent upon any duty of the Forest Service to inspect the permit area or transmission facilities. A failure by the Forest Service or other governmental officials to inspect is not a justification for noncompliance with any of the terms and conditions of this permit.

IV. RIGHTS AND LIABILITIES

- A. LEGAL EFFECT OF THE PERMIT. This permit, which is revocable and terminable, is not a contract or a lease, but rather a federal license. The benefits and requirements conferred by this authorization are reviewable solely under the procedures set forth in 36 CFR 251, Subpart C and 5 U.S.C. 704. This permit does not constitute a contract for purposes of the Contract Disputes Act, 41 U.S.C. 601. The permit is not real property, does not convey any interest in real property, and may not be used as collateral for a loan.
- B. VALID OUTSTANDING RIGHTS. This permit is subject to all valid outstanding rights. Valid outstanding rights include those derived under mining and mineral leasing laws of the United States. The United States is not liable to the holder for the exercise of any such right.
- C. ABSENCE OF THIRD-PARTY BENEFICIARY RIGHTS. The parties to this permit do not intend to confer any rights on any third party as a beneficiary under this permit.

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

- D. SERVICES NOT PROVIDED. This permit does not provide for the furnishing of road or trail maintenance, water, fire protection, search and rescue, or any other such service by a government agency, utility, association, or individual.
- E. RISK OF LOSS. The holder assumes all risk of loss associated with use or occupancy of the permit area, including but not limited to theft, vandalism, fire and any fire-fighting activities (including prescribed burns), avalanches, rising waters, winds, falling limbs or trees, and other forces of nature. If authorized temporary improvements in the permit area are destroyed or substantially damaged, the authorized officer shall conduct an analysis to determine whether the improvements can be safely occupied in the future and whether rebuilding should be allowed. If rebuilding is not allowed, the permit shall terminate.
- F. DAMAGE TO UNITED STATES PROPERTY. The holder has an affirmative duty to protect from damage the land, property, and other interests of the United States. Damage includes but is not limited to fire suppression costs, damage to government-owned improvements covered by this permit, and all costs and damages associated with or resulting from the release or threatened release of a hazardous material occurring during or as a result of activities of the holder or the holder's heirs, assigns, agents, employees, contractors, or lessees on, or related to, the lands, property, and other interests covered by this permit. For purposes of clause IV.F and section V, "hazardous material" shall mean (a) any hazardous substance under section 101(14) of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 42 U.S.C. § 9601(14); (b) any pollutant or contaminant under section 101(33) of CERCLA, 42 U.S.C. § 9601(33); (c) any petroleum product or its derivative, including fuel oil, and waste oils; and (d) any hazardous substance, extremely hazardous substance, toxic substance, hazardous waste, ignitable, reactive or corrosive materials, pollutant, contaminant, element, compound, mixture, solution or substance that may pose a present or potential hazard to human health or the environment under any applicable environmental laws.
- 1. The holder shall avoid damaging or contaminating the environment, including but not limited to the soil, vegetation (such as trees, shrubs, and grass), surface water, and groundwater, during the holder's use or occupancy of the permit area. If the environment or any government property covered by this permit becomes damaged during the holder's use or occupancy of the permit area, the holder shall immediately repair the damage or replace the damaged items to the satisfaction of the authorized officer and at no expense to the United States.
- 2. The holder shall be liable for all injury, loss, or damage, including fire suppression, prevention and control of the spread of invasive species, or other costs in connection with rehabilitation or restoration of natural resources associated with the use or occupancy authorized by this permit. Compensation shall include but not be limited to the value of resources damaged or destroyed, the costs of restoration, cleanup, or other mitigation, fire suppression or other types of abatement costs, and all administrative, legal (including attorney's fees), and other costs. Such costs may be deducted from a performance bond required under clause IV.I.
- 3. The holder shall be liable for damage caused by use of the holder or the holder's heirs, assigns, agents, employees, contractors, or lessees to all roads and trails of the United States to the same extent as provided under clause IV.F.1, except that liability shall not include reasonable and ordinary wear and tear.

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

G. HEALTH, SAFETY, AND ENVIRONMENTAL PROTECTION. The holder shall promptly abate as completely as possible and in compliance with all applicable laws and regulations any activity or condition arising out of or relating to the authorized use or occupancy that causes or threatens to cause a hazard to public health or the safety of the holder's employees or agents or harm to the environment (including areas of vegetation or timber, fish or other wildlife populations, their habitats, or any other natural resources). The holder shall prevent impacts to the environment and cultural resources by implementing actions identified in the operating plan to prevent establishment and spread of invasive species. The holder shall immediately notify the authorized officer of all serious accidents that occur in connection with such activities. The responsibility to protect the health and safety of all persons affected by the use or occupancy authorized by this permit is solely that of the holder. The Forest Service has no duty under the terms of this permit to inspect the permit area or operations and activities of the holder for hazardous conditions or compliance with health and safety standards.

H. INDEMNIFICATION OF THE UNITED STATES. The holder shall indemnify, defend, and hold harmless the United States for any costs, damages, claims, liabilities, and judgments arising from past, present, and future acts or omissions of the holder in connection with the use or occupancy authorized by this permit. This indemnification provision includes but is not limited to acts and omissions of the holder or the holder's heirs, assigns, agents, employees, contractors, or lessees in connection with the use or occupancy authorized by this permit which result in (1) violations of any laws and regulations which are now or which may in the future become applicable, and including but not limited to those environmental laws listed in clause V.A of this permit; (2) judgments, claims, demands, penalties, or fees assessed against the United States; (3) costs, expenses, and damages incurred by the United States; or (4) the release or threatened release of any solid waste, hazardous waste, hazardous materials, pollutant, contaminant, oil in any form, or petroleum product into the environment. The authorized officer may prescribe terms that allow the holder to replace, repair, restore, or otherwise undertake necessary curative actions to mitigate damages in addition to or as an alternative to monetary indemnification.

- BONDING. The authorized officer may require the holder to furnish a surety bond or other security for any of the obligations imposed by the terms and conditions of this permit or any applicable law, regulation, or order.
- J. INSURANCE. The holder shall furnish proof of insurance, such as a certificate of insurance, to the authorized officer prior to issuance of this permit and each year thereafter that this permit is in effect. The Forest Service reserves the right to review and approve the insurance policy prior to issuance. The holder shall send an authenticated copy of any insurance policy obtained pursuant to this clause to the authorized officer immediately upon issuance of the policy. Any insurance policies obtained by the holder pursuant to this clause shall name the United States as an additional insured, and the additional insured provision shall provide for insurance coverage for the United States as required under this clause. Such policies also shall specify that the insurance company shall give 30 days prior written notice to the authorized officer of cancellation of or any modification to the policies. The certificate of insurance, the authenticated copy of the insurance policy, and written notice of cancellation or modification of insurance policies should be sent to the Lands Department, Lake Tahoe Basin Management Unit, US Forest Service, 35 College Dr., S, Lake Tahoe, CA 96150. Minimum amounts of coverage and other insurance requirements are subject to change at the sole discretion of the authorized officer on the anniversary date of this permit.

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

V. RESOURCE PROTECTION

A. COMPLIANCE WITH ENVIRONMENTAL LAWS. The holder shall in connection with the use or occupancy authorized by this permit comply with all applicable federal, state, and local environmental laws and regulations, including but not limited to those established pursuant to the Resource Conservation and Recovery Act, as amended, 42 U.S.C. 6901 et seq., the Federal Water Pollution Control Act, as amended, 33 U.S.C. 1251 et seq., the Oil Pollution Act, as amended, 33 U.S.C. 2701 et seq., the Clean Air Act, as amended, 42 U.S.C. 7401 et seq., CERCLA, as amended, 42 U.S.C. 9601 et seq., the Toxic Substances Control Act, as amended, 15 U.S.C. 2601 et seq., the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, 7 U.S.C. 136 et seq., and the Safe Drinking Water Act, as amended, 42 U.S.C. 300f et seq.

B. VANDALISM. The holder shall take reasonable measures to prevent and discourage vandalism and disorderly conduct and when necessary shall contact the appropriate law enforcement officer.

C. PESTICIDE USE. Pesticides may not be used outside of buildings to control undesirable woody and herbaceous vegetation (including aquatic plants), insects, rodents, fish, and other pests and weeds without prior written approval from the authorized officer. A request for approval of planned uses of pesticides shall be submitted annually by the holder on the due date established by the authorized officer. The report shall cover a 12-month period of planned use beginning 3 months after the reporting date. Information essential for review shall be provided in the form specified. Exceptions to this schedule may be allowed, subject to emergency request and approval, only when unexpected outbreaks of pests or weeds require control measures that were not anticipated at the time an annual report was submitted. Only those materials registered by the U.S. Environmental Protection Agency for the specific purpose planned shall be considered for use on National Forest System lands. Label instructions and all applicable laws and regulations shall be strictly followed in the application of pesticides and disposal of excess materials and containers.

D. ARCHAEOLOGICAL-PALEONTOLOGICAL DISCOVERIES. The holder shall immediately notify the authorized officer of all antiquities or other objects of historic or scientific interest, including but not limited to historic or prehistoric ruins, fossils, or artifacts discovered in connection with the use and occupancy authorized by this permit. The holder shall leave these discoveries intact and in place until directed otherwise by the authorized officer. Protective and mitigative measures specified by the authorized officer shall be the responsibility of the holder.

E. NATIVE AMERICAN GRAVES PROTECTION AND REPATRIATION. In accordance with 25 U.S.C. 3002(d) and 43 CFR 10.4, if the holder inadvertently discovers human remains, funerary objects, sacred objects, or objects of cultural patrimony on National Forest System lands, the holder shall immediately cease work in the area of the discovery and shall make a reasonable effort to protect and secure the items. The holder shall immediately notify the authorized officer by telephone of the discovery and shall follow up with written confirmation of the discovery. The activity that resulted in the inadvertent discovery may not resume until 30 days after the authorized officer certifies receipt of the written confirmation, if resumption of the activity is otherwise lawful, or at any time if a binding written agreement has been executed between the Forest Service and the affiliated Indian tribes that adopts a recovery plan for the human remains and objects.

F. PROTECTION OF HABITAT OF THREATENED, ENDANGERED, AND SENSITIVE SPECIES. The location of sites within the permit area needing special measures for protection of plants or animals listed as

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

threatened or endangered under the Endangered Species Act (ESA) of 1973, 16 U.S.C. 1531 et seq., as amended, or identified as sensitive or otherwise requiring special protection by the Regional Forester under Forest Service Manual (FSM) 2670, pursuant to consultation conducted under section 7 of the ESA, may be shown on the ground or on a separate map. The map shall be attached to this permit as an appendix. The holder shall take any protective and mitigative measures specified by the authorized officer. If protective and mitigative measures prove inadequate, if other sites within the permit area containing threatened, endangered, or sensitive species or species otherwise requiring special protection are discovered, or if new species are listed as threatened or endangered under the ESA or identified as sensitive or otherwise requiring special protection by the Regional Forester under the FSM, the authorized officer may specify additional protective and mitigative measures. Discovery of these sites by the holder or the Forest Service shall be promptly reported to the other party.

G. CONSENT TO STORE HAZARDOUS MATERIALS. The holder shall not store any hazardous materials at the site without prior written approval from the authorized officer. This approval shall not be unreasonably withheld. If the authorized officer provides approval, this permit shall include, or in the case of approval provided after this permit is issued, shall be amended to include specific terms addressing the storage of hazardous materials, including the specific type of materials to be stored, the volume, the type of storage, and a spill plan. Such terms shall be proposed by the holder and are subject to approval by the authorized officer.

H. CLEANUP AND REMEDIATION

- 1. The holder shall immediately notify all appropriate response authorities, including the National Response Center and the authorized officer or the authorized officer's designated representative, of any oil discharge or of the release of a hazardous material in the permit area in an amount greater than or equal to its reportable quantity, in accordance with 33 CFR Part 153, Subpart B, and 40 CFR Part 302. For the purposes of this requirement, "oil" is as defined by section 311(a)(1) of the Clean Water Act, 33 U.S.C. 1321(a)(1). The holder shall immediately notify the authorized officer or the authorized officer's designated representative of any release or threatened release of any hazardous material in or near the permit area which may be harmful to public health or welfare or which may adversely affect natural resources on federal lands.
- 2. Except with respect to any federally permitted release as that term is defined under Section 101(10) of CERCLA, 42 U.S.C. 9601(10), the holder shall clean up or otherwise remediate any release, threat of release, or discharge of hazardous materials that occurs either in the permit area or in connection with the holder's activities in the permit area, regardless of whether those activities are authorized under this permit. The holder shall perform cleanup or remediation immediately upon discovery of the release, threat of release, or discharge of hazardous materials. The holder shall perform the cleanup or remediation to the satisfaction of the authorized officer and at no expense to the United States. Upon revocation or termination of this permit, the holder shall deliver the site to the Forest Service free and clear of contamination.
- I. CERTIFICATION UPON REVOCATION OR TERMINATION. If the holder uses or stores hazardous materials at the site, upon revocation or termination of this permit the holder shall provide the Forest Service with a report certified by a professional or professionals acceptable to the Forest Service that the permit area is uncontaminated by the presence of hazardous materials and that there has not been a release or discharge of hazardous materials upon the permit area, into surface water at or near the permit area, or into groundwater below the permit area during the term of the permit. This certification

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

requirement may be waived by the authorized officer when the Forest Service determines that the risks posed by the hazardous material are minimal. If a release or discharge has occurred, the professional or professionals shall document and certify that the release or discharge has been fully remediated and that the permit area is in compliance with all federal, state, and local laws and regulations.

VI. LAND USE FEE AND ACCOUNTING ISSUES

A. LAND USE FEES. The use or occupancy authorized by this permit is exempt from a land use fee or the land use fee has been waived in full pursuant to 36 CFR 251.57(b)(1) and Forest Service Handbook 2709.11, Chapter 30.

B. MODIFICATION OF THE LAND USE FEE. The land use fee may be revised whenever necessary to reflect the market value of the authorized use or occupancy or when the fee system used to calculate the land use fee is modified or replaced.

C. FEE PAYMENT ISSUES.

- Crediting of Payments. Payments shall be credited on the date received by the deposit facility, except that if a payment is received on a non-workday, the payment shall not be credited until the next workday.
- Disputed Fees. Fees are due and payable by the due date. Disputed fees must be paid in full. Adjustments will be made if dictated by an administrative appeal decision, a court decision, or settlement terms.

3. Late Payments

- (a) Interest. Pursuant to 31 U.S.C. 3717 et seq., interest shall be charged on any fee amount not paid within 30 days from the date it became due. The rate of interest assessed shall be the higher of the Prompt Payment Act rate or the rate of the current value of funds to the Treasury (i.e., the Treasury tax and loan account rate), as prescribed and published annually or quarterly by the Secretary of the Treasury in the Federal Register and the Treasury Fiscal Requirements Manual Bulletins. Interest on the principal shall accrue from the date the fee amount is due.
- (b) Administrative Costs. If the account becomes delinquent, administrative costs to cover processing and handling the delinquency shall be assessed.
- (c) Penalties. A penalty of 6% per annum shall be assessed on the total amount that is more than 90 days delinquent and shall accrue from the same date on which interest charges begin to accrue.
- (d) Termination for Nonpayment. This permit shall terminate without the necessity of prior notice and opportunity to comply when any permit fee payment is 90 calendar days from the due date in arrears. The holder shall remain responsible for the delinquent fees.
- 4. Administrative Offset and Credit Reporting. Delinquent fees and other charges associated with the permit shall be subject to all rights and remedies afforded the United States pursuant to 31 U.S.C. 3711 et seq. and common law. Delinquencies are subject to any or all of the following:

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

- (a) Administrative offset of payments due the holder from the Forest Service.
- (b) If in excess of 60 days, referral to the Department of the Treasury for appropriate collection action as provided by 31 U.S.C. 3711(g)(1).
- (c) Offset by the Secretary of the Treasury of any amount due the holder, as provided by 31 U.S.C. 3720 et seg.
- (d) Disclosure to consumer or commercial credit reporting agencies.
- VII. REVOCATION, SUSPENSION, AND TERMINATION
- A. REVOCATION AND SUSPENSION. The authorized officer may revoke or suspend this permit in whole or in part:
- 1. For noncompliance with federal, state, or local law.
- 2. For noncompliance with the terms of this permit.
- 3. For abandonment or other failure of the holder to exercise the privileges granted.
- 4. With the consent of the holder.
- 5. For specific and compelling reasons in the public interest.

Prior to revocation or suspension, other than immediate suspension under clause VII.B, the authorized officer shall give the holder written notice of the grounds for revocation or suspension. In the case of revocation or suspension based on clause VII.A.1, 2, or 3, the authorized officer shall give the holder a reasonable time, typically not to exceed 90 days, to cure any noncompliance.

- B. IMMEDIATE SUSPENSION. The authorized officer may immediately suspend this permit in whole or in part when necessary to protect public health or safety or the environment. The suspension decision shall be in writing. The holder may request an on-site review with the authorized officer's supervisor of the adverse conditions prompting the suspension. The authorized officer's supervisor shall grant this request within 48 hours. Following the on-site review, the authorized officer's supervisor shall promptly affirm, modify, or cancel the suspension.
- C. APPEALS AND REMEDIES. Written decisions by the authorized officer relating to administration of this permit are subject to administrative appeal pursuant to 36 CFR Part 214 as amended. Revocation or suspension of this permit shall not give rise to any claim for damages by the holder against the Forest Service.
- D. TERMINATION. This permit shall terminate when by its terms a fixed or agreed upon condition, event, or time occurs without any action by the authorized officer. Examples include but are not limited to expiration of the permit by its terms on a specified date and termination upon change of control of the business entity. Termination of this permit shall not require notice, a decision document, or any environmental analysis or other documentation. Termination of this permit is not subject to

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

administrative appeal and shall not give rise to any claim for damages by the holder against the Forest Service.

E. RIGHTS AND RESPONSIBILITIES UPON REVOCATION OR TERMINATION WITHOUT RENEWAL. Upon revocation or termination of this permit without renewal of the authorized use, the holder shall remove all structures and improvements, except those owned by the United States, within a reasonable period prescribed by the authorized officer and shall restore the site to the satisfaction of the authorized officer. If the holder fails to remove all structures and improvements within the prescribed period, they shall become the property of the United States and may be sold, destroyed, or otherwise disposed of without any liability to the United States. However, the holder shall remain liable for all costs associated with their removal, including costs of sale and impoundment, cleanup, and restoration of the site.

VIII. MISCELLANEOUS PROVISIONS

- A. MEMBERS OF CONGRESS. No member of or delegate to Congress or resident commissioner shall benefit from this permit either directly or indirectly, except to the extent the authorized use provides a general benefit to a corporation.
- B. CURRENT ADDRESSES. The holder and the Forest Service shall keep each other informed of current mailing addresses, including those necessary for billing and payment of land use fees.
- C. SUPERIOR CLAUSES. If there is a conflict between any of the preceding printed clauses and any of the following clauses, the preceding printed clauses shall control.
- E. NOXIOUS WEEDS. The permit holder shall prepare, in cooperation with the Forest Service, a noxious weed plan for surveying, preventing, reporting, controlling and monitoring noxious weed populations on the authorized areas and within the holder's area of responsibility. These measures may include, where appropriate, equipment inspection for soil, seeds, and vegetative matter, equipment cleaning, and use of weed-free materials (soil, gravel, straw, mulch) and seed mixes. A current list of noxious weeds of concern is available at the Forest Supervisor's Office.
- F. REMOVAL AND PLANTING OF VEGETATION AND OTHER RESOURCES. This permit does not authorize the cutting of timber or other vegetation. Trees or shrubbery may be removed or destroyed only after the authorized officer or the authorized officer's designated representative has approved in writing and marked or otherwise identified what may be removed or destroyed. Timber cut or destroyed shall be paid for at current stumpage rates for similar timber in the Lake Tahoe Basin Management Unit. The Forest Service reserves the right to dispose of the merchantable timber to those other than the holder at no stumpage cost to the holder. Unmerchantable material shall be disposed of as directed by the authorized officer. Trees, shrubs, and other plants may be planted within the permit area with prior written approval of the authorized officer.
- G. GROUND SURFACE PROTECTION AND RESTORATION. The holder shall prevent and control soil erosion and gullying on National Forest System lands in and adjacent to the permit area resulting from construction, operation, maintenance, and termination of the authorized use. The holder shall construct authorized improvements so as to avoid accumulation of excessive amounts of water in the permit area and encroachment on streams. The holder shall revegetate or otherwise stabilize (for example, by constructing a retaining wall) all ground where the soil has been exposed as a result of the holder's construction, maintenance, operation, or termination of the authorized use.

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327

H. TIMBER PAYMENT. All National Forest timber cut or destroyed in the construction of the permitted improvements shall be paid for at current stumpage rates for similar timber in the National Forest. Young-growth timber below merchantable size will be paid for at current damage-appraisal value; and all slash and debris resulting from the cutting or destruction of such timber shall be disposed of as necessary or as the Forest Service may direct.

THIS PERMIT IS ACCEPTED SUBJECT TO ALL ITS TERMS AND CONDITIONS.

EL DORADO COUNTY DEPARTMENT OF TRANSPORTATION

U.S. DEPARTMENT OF AGRICULTURE Forest Service: Lake Tahoe Basin Mgmt Unit

Bard Lower

Director of Transportation

Date: 5/13/15

JEFF MARSOLAIS
Forest Supervisor

Date: 18 may 2015

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0596-0082. The time required to complete this information collection is estimated to average one hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call (800) 975-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer

The Privacy Act of 1974 (5 U.S.C. 552a) and the Freedom of Information Act (5 U.S.C. 552) govern the confidentiality to be provided for information received by the Forest Service.

El Dorado County special use permit Tahoe Hills Rubicon area erosion control ELD100327



