### INDEX OF SHEETS PLAN SHEET SHEET TITLE TITLE SHEET LAYOUT AND STRIPING PLAN PROFILE AND SUPERELEVATION DRAINAGE PLAN D-2DRAINAGE PLAN DD-1 DRAINAGE DETAIL GP-1 GRADING PLAN FROSION CONTROL EC-1 DETOUR PLAN

## COUNTY OF EL DORADO, CA DEPARTMENT OF TRANSPORTATION


PROJECT PLANS FOR THE CONSTRUCTION OF


# AIRPORT ROAD STORM DAMAGE REPAIR PROJECT


IN THE COUNTY OF EL DORADO, DISTRICT 3

LOCATED ON AIRPORT ROAD (PM 0.31), 0.16 MILES EAST OF THE PLACERVILLE AIRPORT ENTRANCE


To be supplemented with Standard Plans and Specifications dated 2015, including the 2015 Revised Standard Specifications, of the California Department of Transportation, unless otherwise noted.











FUNDING AGENCY

No. C74978


License Expires
12-31-19


SUBMITTED BY:
CIVIL ENGINEER
STATE OF CALIFORNIA NO.


CONTRACTOR'S LICENSE CLASSIFICATION: Bidders shall be properly licensed to perform the Work pursuant to the State Contractor's License Act (Business and Professions Code section 7000 et seq.) and shall possess a CLASS A LICENSE or equivalent combination of Classes required by the categories and type of Work included in the Contract Documents and Plans. Failure of the successful Bidder to obtain proper and adequate licensing at the time bids are submitted shall constitute a failure to execute the Contract, and forfeiture as provided under that section.


REVISIONS						
MARK	DATE		BY.			
MARK	DATE		راط			













#### **GENERAL NOTES:**

- 1. RSP FABRIC (CLASS 8) TO BE EMBEDDED 0.5'.
- 2. SEE SHEET D-2 FOR SCHEMATIC UNDERDRAIN LAYOUT AND DETAIL.
- 3. KEYWAY TRENCH SHALL BE EXCAVATED TO A MINIMUM WIDTH OF 10' AND A MINIMUM DEPTH OF 3' INTO FIRM, COMPETENT MATERIAL.
- 4. CUT BACKSLOPE SHALL BE NO STEEPER THAN 1H:1V.
- 5. BENCHING WITHIN 12' OF THE KEYWAY SHALL BE 2:1, UNLESS OTHERWISE SPECIFIED BY THE ENGINEER. ALL OTHER BENCHING SHALL BE 1:1 MAX.
- BENCHING SHALL BE CUT INTO THE ORIGINAL SLOPE A MINIMUM OF 3' INTO FIRM, COMPETENT MATERIALS.



KEYWAY TRENCH DETAIL



DRAWN:
DZ
DZ
ECKED: DATE:
BF 3/21/18
AD NUMBER:


COUNTY OF EL DORADO
COMMUNITY DEVELOPMENT AGENCY
TRANSPORTATION DIVISION


AIRPORT ROAD STORM DAMAGE REPAIR PROJECT SHEET


DD-1

6 OF 9

W.O. No. 78711







PORTABLE CHANGEABLE MESSAGE SIGN (PCMS) TABLE				
PCMS No.	FIRST FLASH	SECOND FLASH	THIRD FLASH	
1	AIRPORT ROAD CLOSED	1 MILE AHEAD	USE DETOUR	
2	AIRPORT ROAD CLOSED	1.5 MILE AHEAD	USE DETOUR	

### <u>LEGEND</u>

--- DETOUR ROUTE

— PCMS – PORTABLE CHANGEABLE MESSAGE SIGN

\_\_\_ TEMPORARY SIGN

TYPE III BARRICADE(S)
w/ FLASHING BEACON

ARPORT ROAD DETOUR

A M4-9 SIGN, BLACK LETTERING ON ORANGE BACKGROUND (ARROW FACING RIGHT)

AIRPORT ROAD DETOUR

B M4-9 SIGN, BLACK LETTERING ON ORANGE BACKGROUND (ARROW FACING LEFT)

AIRPORT ROAD
DETOUR

ON ORANGE BACKGROUND
(ARROW FACING UP)

ROAD CLOSED - D R11-2 SIGN WITH C29(CA), BLACK LETTERING ON ORANGE BACKGROUND

ROAD CLOSED R11-2 SIGN, BLACK LETTERING ON ORANGE BACKGROUND, MOUNTED ON TYPE III
BARRICADE W/FLASHING BEACON

DETOUR PLAN SCALE : AS SHOWN

NUMBER DATE

DESCRIPTION

BY

PROFESSION
PRO

PREPARED UNDER THE SUPERVISION OF :

No. C74978

REGISTERED CIVIL ENGINEER

12-31-19

DATE:



ECKED:

03/19/18

COUNTY OF EL DORADO
DEPARTMENT OF TRANSPORTATION

AIRPORT ROAD STORM DAMAGE REPAIR PROJECT

SHEET **DE-1**9 OF 9

O. No. **78717**