

9/10/2018

Edcgov.us Mail - Help expand internet access in El Dorado County!



LATE DISTRIBUTION

DATE

9/10/2018

#38,39,40,41,42,43

EDC COB <edc.cob@edcgov.us>

## Help expand internet access in El Dorado County!

BOS 9/11/2018

1 message

Diana Mittelberger <Diana.Mittelberger.126721010@p2a.co>

Mon, Sep 10, 2018 at 1:03 PM

Reply-To: dmittelberger@gmail.com

To: Clerk of the Board <edc.cob@edcgov.us>

Dear El Dorado County Clerk of the Board,

I am writing in support of the construction of new wireless communications facilities in El Dorado County.

Wireless and high speed broadband has many positive benefits for vital institutions like schools, hospitals and police and fire departments, and residents. New infrastructure delivers community benefits including enhanced public safety, educational access, health care and more.

The approval of this wireless communications facility will help increase network coverage and improve call quality, including emergency response services to improve public safety.

I ask for your support of the proposed new wireless communications facility in El Dorado County.

Regards,

Diana Mittelberger  
3820 Cherry Acres Rd  
Cool, CA 95614



EDC COB <edc.cob@edcgov.us>

---

## Help expand internet access in El Dorado County!

1 message

---

**Richard Black** <Richard.Black.126768875@p2a.co>

Mon, Sep 10, 2018 at 1:09 PM

Reply-To: rb5232@att.com

To: Clerk of the Board <edc.cob@edcgov.us>

Dear El Dorado County Clerk of the Board,

I am writing in support of the construction of new wireless communications facilities in El Dorado County.

Wireless and high speed broadband has many positive benefits for vital institutions like schools, hospitals and police and fire departments, and residents. New infrastructure delivers community benefits including enhanced public safety, educational access, health care and more.

The approval of this wireless communications facility will help increase network coverage and improve call quality, including emergency response services to improve public safety.

I ask for your support of the proposed new wireless communications facility in El Dorado County.

Regards,

Richard Black  
Big Oak Rd  
, CA 95667

LATE DISTRIBUTION

DATE

9/10/2018

#38

Dear Board of Supervisors,

BOS 9/11/2018

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

Pam Williams  
2868 Birch Ave  
Concord CA 95709

# CUP-A18-0005 Site 2 Newtown

Printed Name: David Ocean  
Signature: David Ocean  
Occupation: Contractor  
Phone: 530-903-7201  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Scott Sowa

Signature: Scott Sowa

Phone: 530-621-3154

Address: 2681 Glenview Drive Placerville 95667

E-Mail: S-Sowa@hotmail.com

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Leila Monaddiss

Signature: Leila Monaddiss

Occupation: RN

Phone: 916-749-8056

Address: \_\_\_\_\_

E-Mail: leila.monaddiss@gmail.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

Dear Board of Supervisors,

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

*Lawrence Turner*

Dear Board of Supervisors,

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

A handwritten signature in black ink, consisting of several overlapping, sweeping strokes that form the name "Sally Storamski".

Sally Storamski



Dear Board of Supervisors,

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

 Chelsey Shanks

Dear Board of Supervisors,

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

*Lela Moore (Privacy Infringement Act.)*

*Kody Tillotson*

# CUP-A18-0005 Site 2 Newtown

Printed Name: Hailei Markraf  
Signature: [Handwritten Signature]  
Phone: 530-503-7307  
Address: 7220 GRIZZLY Flat Road, Smelter  
E-Mail: hailei@icloud.com 95084

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

Dear Board of Supervisors,

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

*Shirley Martini*

# CUP-A18-0005 Site 2 Newtown

Printed Name: Stephanie Allen  
Signature: Stephanie Allen  
Occupation: Customer Service  
Phone: 530) 957-5165  
Address: 332 Peacerville DR. Pite 95667  
E-Mail: sda.illge5@gmail

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: BARBARA HANNON  
Signature: Barbara Hannon  
Occupation: retired  
Phone: 530 409 9872  
Address: PLACERVILLE  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: Nichole Smith  
Signature: Nichole Smith  
Phone: 775-316-2122  
Address: 4640 Pony Express Trail  
E-Mail: STEAMCRAFTED@GMAIL.COM

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: Roni Llewellyn  
Signature:   
Phone: 916-933-2982  
Address: 1921 Hylan Dr Ekt 95162  
E-Mail: Roni2LL67@gmail.com

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.



Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: Cheryl Heussler  
Signature: Cheryl Heussler  
Phone: 530 676 4098  
Address: 3450 Farway Dr CP 9582  
E-Mail: cherylheussler@gmail.com

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: Allison Hellesoy  
Signature: Allison Hellesoy  
Phone: 531-306-1508  
Address: Placerville, C.A.  
E-Mail: Hallison53@yahoo.com

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Phone: \_\_\_\_\_

Address: \_\_\_\_\_

E-Mail: \_\_\_\_\_

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: Alexandra Diehl  
Signature: Alexandra Diehl  
Phone: (530) 957-5836  
Address: 901 Union St  
E-Mail: AlexandraDiehl882@yahoo.com

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP-A-18-0005

Printed Name: Cass Horrell

Signature: 

Phone: 530-350-0865

Address: 8537 Annette Engel way

E-Mail: horrellc@gmail.com

The tower proposed for Site 2 has a fatal flaw of being too close to the property at lot 1 Oro Court Rancho Del Sol. The setback needs to be increased to the height of the tower plus 10%, similar to other counties near by. This will be necessary to prevent the tower or objects from falling onto this property and people working or walking on lot 1.

Dear Board of Supervisors,

I am opposed to a cell tower being built 400 ft from snows rd on the Historic Snow Ridge. The visual effect of them cutting the 13 giant canyon live oaks and them placing an out of place 12 story fake tree will be very oppressive and disturbing.

*Bin Frase*

Dear Board of Supervisors,  
Concerning S17-0016 or  
CUP<sup>A</sup>18-0005, the tower proposed for  
Site 2 has a fatal flaw of being too  
close to the property at lot 1 Oro  
Court Rancho Del Sol. The setback  
needs to be increased to the height of  
the tower plus 10%, similar to other  
counties near by. This will be  
necessary to prevent the tower or  
objects from falling onto this property  
and people working or walking  
on lot 1.

Printed Name: RICHARD C. BAILEY

Signature: 

Phone: 530-333-1270 & 919-1270

Address: P.O. BOX 305 GARDEN VALLEY, CA. 95633

E-Mail: RCBAILEY@FOOTHILL.NET

# CUP-A18-0005 Site 2 Newtown

Printed Name: Sarah Erson  
Signature: SE  
Occupation: Assistant  
Phone: 916-693-4292  
Address: 10754 Basic way  
E-Mail: zamn420@gmail.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.



# CUP-A18-0005 Site 2 Newtown

Printed Name: Daniela de Lara  
Signature: Daniela de Lara  
Occupation: 8 free lance make up artist  
Phone: 408.781.5296  
Address: 2530 Avenida Way Rancho Cordova  
E-Mail: msdaniela@xmanie@gmail.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Selena Zuntas  
Signature: [Handwritten Signature]  
Occupation: Artist  
Phone: 831 420 1010  
Address: \_\_\_\_\_  
E-Mail: sczuntas@yahoo.com

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Katie Mackenzie  
Signature: Katie Mackenzie  
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Michele LaMontagne  
Signature: M. LaMontagne  
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Daniel A. F. S. Mow  
Signature:   
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Adria Starrs  
Signature:   
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Kyle Davison  
Signature:   
Occupation: 1  
Phone: (951) 748-8167  
Address: Wolf RD  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Matthew Simpson  
Signature:   
Occupation: framer  
Phone: 831-325-6564  
Address: 911069 wofford,  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.



# CUP-A18-0005 Site 2 Newtown

Printed Name: TRENT JEFFERSON  
Signature: Trent Jefferson  
Occupation: Retired  
Phone: 530-626-3933  
Address: Po Box 204 / ~~St~~ SOMERSET  
E-Mail: trent.jefferson@ATT.NET



We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: TAMMY MAZNIO  
Signature: Tammy Maznio  
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Quin Mae  
Signature:   
Occupation: retail  
Phone: 580 318 0401  
Address:   
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Olivea Flickinger-Renzi  
Signature:   
Occupation: Student  
Phone: 415-559-0327  
Address: 38 Manning Lane  
E-Mail: Olivous@gmail.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Bryson Barlow  
Signature: [Handwritten Signature]  
Occupation: Physical Therapist  
Phone: 775 420 2222  
Address: 1600 Canyon Dr.  
E-Mail: brysonbarlow@gmail.com

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Amber Brown  
Signature: [Signature]  
Occupation: None  
Phone: 930 457 5469  
Address: NA  
E-Mail: NA


We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: BRETT DAVIS  
Signature: [Signature]  
Occupation: CARPENTER  
Phone: 408 857 1917  
Address: 200 Bucks Bar Ct FLORENCE  
E-Mail: brettdavis@gmail

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Sofia Renzi  
Signature:   
Occupation: Billionaire  
Phone: 14155590326  
Address: 38 Chancery Lane SPCT  
E-Mail: SMR427@gmail.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.



# CUP-A18-0005 Site 2 Newtown

Printed Name: Michael Wagner  
Signature: Michael Wagner  
Occupation: Nurse  
Phone: 1-955-1095  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Ruban Rodgers  
Signature: [Signature]  
Occupation: Entrepreneur  
Phone: 510-510-209-7391  
Address: 685 Placerville Ct 95667  
E-Mail:

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Madison Rosano  
Signature:   
Occupation: \_\_\_\_\_  
Phone: 530 391 8250  
Address: \_\_\_\_\_  
E-Mail: madisonrosano@hotmail.com


We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown


Printed Name: Cindy Bowen  
Signature: Cindy Bowen  
Occupation: Substance abuse Counselor  
Phone: 530-864-1183  
Address: 12 Vaquero DR. Oroville CA  
E-Mail: brggscindy@yahoo.com

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Nichole  
Signature:   
Occupation: RDA  
Phone: 510-209-7391  
Address: 553 Manzanita Lane, Avila  
E-Mail: NIKKI.OCCUMAL@gmail.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.



# CUP-A18-0005 Site 2 Newtown

Printed Name: CLAIRE CONNOR

Signature: 

Occupation: MANAGER

Phone: 530 391-4292

Address: Claire-mc@uwp.com

E-Mail: 4582 El Dorado Rd. 95623

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Wahy Cardwell  
Signature: Wahy Cardwell  
Occupation: Barista/Crystal Shop Manager  
Phone: 530 903 2922  
Address: 889 Reservoir St. Placerville, CA 95667  
E-Mail: WahyCardwell@gmail.com

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.


# CUP-A18-0005 Site 2 Newtown

Printed Name: CHARLES V. BAPTISTA  
Signature: Charles V. Baptista  
Occupation: RETIRED AT&T  
Phone: 530-622-9499  
Address: 11 DOWN LN. PLACERVILLE, CA.  
E-Mail: CVBapt@MSN.COM

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.



# CUP-A18-0005 Site 2 Newtown

Printed Name: Rick NATTRASS  
Signature:   
Occupation: ART DEALER  
Phone: 530 - 903 - 0100  
Address: 3580 DEER PARK DR. PINE  
E-Mail: ricknattrass@yahoo.com

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Robin King  
Signature: Robin King  
Phone: 916-833-1177  
Address: 3922 Ferni Rd. Placerville, CA 95667  
E-Mail: rking1177@gmail.com

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Brian Reuser

Signature: Brian Reuser

Phone: 520-391-8124

Address: 300 Pleasant Valley Rd. Diamond Springs

E-Mail: \_\_\_\_\_

This site needs to be moved because of many fatal faults in this location.

This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: CHARLES V. BAPTISTA

Signature: Charles V. Baptista

Phone: 580-622-9499


Address: 11 DAWN LN. READERVILLE, CALIF.

E-Mail: cvbap@msn.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Adam Moore

Signature: 

Phone: 916-969-9821


Address: 3220 Home glenn dr

E-Mail: \_\_\_\_\_

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: John Nicodemus  
Signature:   
Phone: 530 644-2136  
Address: 2712 Kingfisher  
E-Mail: John.Nicodemus@USC Global.net

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Nicholas Running

Signature: Nick N

Phone: 916 798 2690

Address: 287 S Laurel Dr Pollock Pines, CA 95726


E-Mail: rocktime@rocktime.com

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: dolly Casper

Signature: 

Phone: 530 748 6982

Address: POB 364 Camino CA

E-Mail: laughinllama@gmail.com

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.



# CUP-A18-0005 Site 2 Newtown

Printed Name: Patricia Agri

Signature: Patricia Agri

Phone: 530 621 2243

Address: 6276 Dickinson Rd Pharrville

E-Mail: ticiaagri@gmail.com

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: MARILYN OPENETM

Signature: Marilyn Plain

Phone: (530) 919-1760

Address: P.O. Box 485 SOMERSET 95684

E-Mail: \_\_\_\_\_

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Dale Wallerstein

Signature: 

Phone: 530-621-3322

Address: 4717 Bambi Placenta

E-Mail: DrDaleW@aol.com

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown


Printed Name: Claire Van Dam  
Signature: Claire Van Dam  
Phone: 916-801-5459  
Address: Placerville  
E-Mail: \_\_\_\_\_

AT&T presented a woefully inaccurate environmental assessment at this site. They show no mines or historical mining activity nearby. Sierra Rock is clearly visible to the south, the property adjacent to this property. Many acres of gravel and sand removed and 2 tunnels going north toward this site.

The frog pond is 60' north of this site, and was Joesph Snows hydraulic water containment pond in 1854. The pond still stores water, also an air shaft to the north of the site 30' deep. Also 2 hydrolic cuts with possible tunnels N.W of the sire in line with gravel pit. AT&T has had time to do ground penetrating radar and has failed to properly asses this site. The tower needs to be relocated.

# CUP-A18-0005 Site 2 Newtown

Printed Name: KRISTIN SCHEER

Signature: 

Phone: 530-786-3148

Address: 32745 MAIN ST. DUTCH FLAT, CA


E-Mail: KRISSCHEER@HOTMAIL.COM

This site needs to be moved because of many fatal faults in this location.

This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: JULIE HAGEN

Signature: 

Phone: 530. 786. 3148

Address: 32745 MAIN ST. DUTCH FLAT, CA

E-Mail: KRISCHAEER@HOTMAIL.COM

This site needs to be moved because of many fatal faults in this location.

This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Angelina Valenty  
Signature: angelina valenty  
Phone: 916-690-9742  
Address: 8512 Almaz ave  
E-Mail: angelina.valenty@yahoo.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown


Printed Name: Jessana Carmena  
Signature: Jessana Carmena  
Phone: (530) 353-9401  
Address: 15 Cold Creek Lane  
E-Mail: Jessana.Carmena@gmail.com

This site needs to be moved because of many fatal faults in this location.

This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.



# CUP-A18-0005 Site 2 Newtown


Printed Name: Mat Law  
Signature:   
Phone: (925) 822-5757  
Address: 1344 Woodland Way, Tahoe City  
E-Mail: Frostbite515@yahoo.com

This site needs to be moved because of many fatal faults in this location.

This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Tobi Johnson

Signature: 

Phone: 911.308.2842


Address: 7015 Kilmer Lane #234

E-Mail: tobijohnson14@gmail.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Antonio A Rodriguez

Signature: 

Phone: 707-698-0442

Address: \_\_\_\_\_

E-Mail: calroots277@gmail.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Dan Knowlton  
Signature: [Signature]  
Phone: 202-961-0472  
Address: P.O. Box 2536 Redway CA  
E-Mail:

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Damon Owen

Signature: Dan Owen

Phone: 705 - 291 9297

Address: Slaty Fork WV 26291

E-Mail: dowense@yahoo.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Ni de King

Signature: [Signature]

Phone: 925-980-5552

Address: nicdking@gmail.com

E-Mail: 629 Mystic Ct Discovery Bay, CA 94505

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Jesse Ferguson

Signature: [Handwritten Signature]

Phone: 530 620 6228

Address: \_\_\_\_\_

E-Mail: @jamesferg@yahoo.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Brend Carter  
Signature: Brend Carter  
Phone: 250-400-1111  
Address: 116 Antennas, Folsom CA  
E-Mail: bcart@unccomcast.net

This site needs to be moved because of many fatal faults in this location.

This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.



Printed Name: \_\_\_\_\_

Signature: Wylea Sullivan Jayle Sullivan

Phone: (209) 502-3970

Address: \_\_\_\_\_

E-Mail: \_\_\_\_\_

CUP-A18-0005

AT&T has had 6 months to correct the site location which has been located by 2 of their surveyors 3' too close to the set back. The paper work submitted by them to planning is 3' off according to Peter Brewsters survey. How can you okay a site like that with paperwork in error and so many errors in the environmental assessment.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Layla Sullivan  
Signature: Layla Sullivan  
Phone: (209) 502-5970  
Address: \_\_\_\_\_  
E-Mail: layla.sullivanaph16@gmail.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Louisa Sullivan  
Signature: Louisa Sullivan  
Occupation: Vendor  
Phone: (209) 502-5970  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Benni Giovannini

Signature: 

Phone: 707-331-4521

Address: \_\_\_\_\_

E-Mail: benni.g@gmail.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown


Printed Name: Thane  
Signature: [Signature]  
Phone: \_\_\_\_\_  
Address: Mendocino CA  
E-Mail: \_\_\_\_\_

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

# CUP-A18-0005 Site 2 Newtown


Printed Name: Caitlyn Edwards  
Signature: Caitlyn Edwards  
Phone: 916 500 3826  
Address: 10411 Malaga Way Rancho Cordova CA  
E-Mail: CaitlynEdwards141@gmail.com

This site needs to be moved because of many fatal faults in this location. This is an extreme danger fire area where some can not get fire insurance. This is an updraft area on Snow Ridge with 100mph winds at times a fire on or near this tower will endanger all of Rancho Del Sol. I have started the process to have a possible satellite fire station to house a fire truck that I have purchased.

Printed Name: Cassidy Large  
Signature:   
Phone: 916  
Address: \_\_\_\_\_  
E-Mail: Cassidy.l@blue sky@gmail.com

CUP-A18-0005

AT&T has had 6 months to correct the site location which has been located by 2 of their surveyors 3' too close to the set back. The paper work submitted by them to planning is 3' off according to Peter Brewsters survey. How can you okay a site like that with paperwork in error and so many errors in the environmental assessment.

Printed Name: BRET RIMMER  
Signature:   
Phone: 209-985-1828  
Address: PO BOX 1307 PINECREST CA 95364  
E-Mail: BretRimmer1@gmail.com

CUP-A18-0005

AT&T has had 6 months to correct the site location which has been located by 2 of their surveyors 3' too close to the set back. The paper work submitted by them to planning is 3' off according to Peter Brewsters survey. How can you okay a site like that with paperwork in error and so many errors in the environmental assessment.



# CUP-A18-0005 Site 2 Newtown

Printed Name: ERIC ALLEN  
Signature: ERIC ALLEN  
Occupation: Firefighter  
Phone: (508) 791-1229  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 NEWTOWN

Printed Name: JAN LUREE JEFFERSON  
Signature: Jan Luree Jefferson  
Occupation: Retired 18 Wheeler DRIVER  
Phone: 530 - 626 - 3933  
Address: P.O. BOX 204  
E-Mail: JANJEFFERSON @ATT.NET

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

Printed Name: Kristen Robson  
Signature: Kristen Robson  
Occupation: Manager  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: Kjrobson@gmail

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Jennifer Roide  
Signature: Jennifer Roide  
Occupation: Dental Hygienist  
Phone: 916-865-8476  
Address: 6913 Broughton Ct Rocklin CA 95767  
E-Mail: Soccermom@surrewest.net

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Tippy Dowell  
Signature: Tippy Dowell  
Occupation: Property Mngt  
Phone: \_\_\_\_\_  
Address : PO Box 441 Folsom CA  
E-Mail: \_\_\_\_\_ 95763

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: James Dowell  
Signature: James Dowell  
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_


We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Lissy Anderson  
Signature: [Handwritten Signature]  
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: paylode@aol.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.


# CUP-A18-0005 Site 2 Newtown

Printed Name: LYNN BEDRI  
Signature:   
Occupation: retired  
Phone: 530-676-0937  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.



# CUP-A18-0005 Site 2 Newtown

Printed Name: MATT JAMES  
Signature:   
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real copper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: D Fassio  
Signature: [Signature]  
Occupation: Retired  
Phone: 530-263-0119  
Address: 436 Main St.  
E-Mail: fassioek@aol.com

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: AHRIE Shin  
Signature: [Signature]  
Occupation: Student  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.

# CUP-A18-0005 Site 2 Newtown

Printed Name: Sherry Alger  
Signature: Sherry Alger  
Occupation: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Address: \_\_\_\_\_  
E-Mail: \_\_\_\_\_

We prefer the safety and security of having a real capper pair of wires and the speed and flexibility of fiber, over the placement of a cell tower at an inappropriate location on Snow Ridge in a high fire danger area.