THIRD AMENDMENT TO FUNDING AGREEMENT NO. 013-DMV-05/06-11 WITH THE EL DORADO COUNTY DEPARTMENT OF TRANSPORTATION

This Third Amendment to Agreement No. 013-DMV-05/06-11 made and entered into the 25th day of October, 2005, and the First Amendment made and entered into the 26th day of September, 2006, and the Second Amendment made and entered into the 29th day of April, 2008 by and between the EL DORADO COUNTY AIR QUALITY MANAGEMENT DISTRICT, a county Air Quality Management District formed pursuant to California Health and Safety Code section 40100, et seq. (hereinafter referred to as "AQMD"); and the EL DORADO COUNTY DEPARTMENT OF TRANSPORTATION, a political subdivision of the State of California (hereinafter referred to as "COUNTY") hereby amends the Agreement to read as follows;

1. PROJECT

The project description shall be amended to include the attached "Amendment III to the Proposal for the Diesel Fleet Retrofits," marked Exhibit "A" incorporated herein and made by reference a part hereof.

2. PERIOD OF PERFORMANCE/TIMETABLE

Shall be amended to extend the time within which to complete the **Diesel Fleet Retrofits** for fourteen (14) additional months, expiring on December 31, 2010.

8/28/2009 9:24:15 AM Page 1 of 809-1142.C.1

All other sections of the Agreement dated the 25th day of October, 2005, the First Amendment dated the 26th day of September, 2006, and the Second Amendment dated the 29th day of April, 2008 shall remain unchanged and in full force.

CONTRACT ADMINISTRATOR CONCURRENCE:

By: Moulte not apret Dated: 08-28-2009

Marcella McTaggart
Air Pollution Control Officer

El Dorado County Air Quality Management District

REQUESTING DEPARTMENT CONCURRENCE:

By: gener Sich Dated: Systember 2,2003

Gerri Silva, M.S., R.E.H.S

Director

El Dorado County Environmental Management Department

By: Morelle Mic 1 a furt _____ Dated: 08-28-2009

Marcella McTaggart
Air Pollution Control Officer

El Dorado County Air Quality Management District

IN WITNESS WHEREOF, the parties hereto have caused this Amended Agreement to be executed as of the day and year first herein below written.

COUNTY	AQMD
EL DORADO COUNTY DEPARTMENT OF TRANSPORTATION	EL DORADO COUNTY AIR QUALITY MANAGEMENT DISTRICT
Date: 9/15/09	Date:
By: () WW &	Ву:
James W. Ware Director of Transportation	Ron Briggs Chairman
	Attest: Suzanne Allen de Sanchez Clerk of the Board
	Date:
	By:

EXHIBIT "A"

Amendment III to the Proposal for the Diesel Fleet Retrofits

Amendment III to Proposal for the Diesel Fleet Retrofits

Motor Vehicle Emission Reduction Project

This Amendment III is to the **Diesel Fleet Retrofits** proposal submitted by the El Dorado County Department of Transportation to reduce diesel emissions through the installation and proper use of pollution control technologies retrofitted on thirty-two (32) vehicles in the heavy equipment fleet.

The El Dorado County Air Quality Management District (EDCAQMD) agreed to provide funding in the amount of \$487,076 under Agreement No. 013-DMV-05/06-11 for the Diesel Fleet Retrofits emissions reduction project, based on the proposal submitted by the El Dorado County Department of Transportation in June of 2005.

The Diesel Fleet Retrofits proposal was prepared using the most current information available at the time; however, emission control technology has not developed as industry experts had predicted.

Amendment I to the proposal was executed on September 26, 2006 and included the following changes:

- 1. addition of the Cleaire Horizon as an emission control device eligible to meet the project objectives:
- 2. addition of spare filters and a filter cleaning device required for effective use of the Horizon device;
- 3. addition of one (1) unit of equipment to the project scope; and
- 4. extension of the term through October 24, 2008.

Amendment II to the proposal was executed on April 29, 2008 and included the following changes:

- 1. addition of the Huss Umwelttechnik FS-MK series device as an emission control device eligible to meet the project objectives;
- 2. addition of spare filters for the Cleaire Longview and Huss devices;
- 3. addition of two (2) new vehicles to the project scope; and
- 4. elimination of seven (7) vehicles from the project scope based on lack of cost effective technology available for these vehicles.
- 5. extension of term through October 24, 2009

Amendment III to the proposal is to include the following changes:

- 1. addition of two (2) vehicles (#25-11 and #25-12) that were eliminated in Amendment II
- 2. extension of the term through December 31, 2010.

The Diesel Fleet Retrofits proposal is amended as follows:

Project Description

The funding under the amended project budget will allow the Department to retrofit a total of thirtytwo (32), instead of the originally approved thirty-four (34) diesel powered on-road vehicles. As detailed on the attached schedule marked "Exhibit D - Amendment III - Project Budget (Revised 08-26-2009)," five (5) units of equipment have been eliminated from the original proposal due to unavailability of economically feasible verified technology from the California Air Resources Board (CARB). The year and use of this equipment would require the installation of two devices on each unit of equipment resulting in a cost that is twice the original estimate. One (1) existing vehicle was added with Amendment I and two (2) new vehicles were added with Amendment II. which have been purchased since the original proposal was submitted, and added to the retrofits list.

Project Organization/Background

Based on the criteria established for the project, the emission control devices selected are the Cleaire Longview, the Cleaire Horizon and the Huss FS-MK Series emission control devices. The Cleaire Horizon and the Huss FS-MK Series devices both reduce PM10 while the Cleaire Longview system reduces both PM10 and NOX. The Cleaire Longview device is effective when used with engines manufactured between 1994 and 2002 and some non-EGR motors through 2006. The Cleaire Horizon device and the Huss FS-MK Series devices are effective when used with engines manufactured in 2006 or earlier. The Cleaire Longview device and the Huss FS-MK Series device do not require the equipment to be out of service during the cleaning cycle. The Cleaire Horizon device requires cleaning through the use of electricity or a cleaning unit. It is only feasible to use the Cleaire Horizon device on equipment that may be taken out of service for five (5) hours at a time to allow for the cleaning cycle. The cleaning unit for the Horizon device and spare filters for all three types of devices have been added to the Diesel Fleet Retrofits proposal.

Emission Benefits/Cost Effectiveness

As shown on "Exhibit D - Amendment III - Project Budget (Revised 08-26-2009)," a total of thirty-two (32) on-road diesel fueled vehicles will be modified to reduce NOx and PM10. and two cleaning units for use with the Cleaire Horizon device and spare filters for all devices will be purchased. The El Dorado County Air Quality Management District funding dollars of \$487,076 will remain the same and the Road Fund matching funds will remain the same at \$162,358. The reduction of NOx and PM10 has been reduced from the original proposal primarily due to the elimination of five (5) vehicles with high baseline pollution rates and significant reduction in pollutants with the application of the filtering devices. The five (5) vehicles have been eliminated from the proposal because the technology to retrofit them would be too costly to warrant the investment in aging equipment. The revised project (32 vehicles total) could potentially result in NOx emissions reductions of 1.235 pounds per vear. and PM10 emissions reductions of 376.62 pounds per year, with a revised cost effectiveness of funding dollars per pound of \$32.00 (up from \$30.83 after Amendment II to the proposal).

8/28/2009 9:24:15 AM Page 6 of 8 09-1142.C.6

Amended Work Statement

As of the date of this letter, thirty (30) vehicles have been retrofitted: twelve (12) units with the Longview device, ten (10) units with the Horizon device, and eight (8) units with the Huss device. The following Amended Work Statement provides the time frame for completing the retrofit project for the remaining two (2) units (2004 International Dump Trucks, Equipment ID 25-11 and 25-12), will be retrofitted as soon as a CARB verified Level 3 device is available, which will be no later than December 31, 2010.

Funding Request/Breakdown of Cost

The attached schedule titled "Exhibit D – Amendment III – Project Budget (Revised 08-26-2009)" provides a list of thirty-two (32) units of on-road diesel fueled equipment that are eligible for the emissions reduction retrofit. The original proposal contained thirty-four (34) vehicles; one (1) vehicle was added with Amendment I; two (2) vehicles were added and seven (7) vehicles were removed with Amendment II. This Amendment III adds back two (2) vehicles that were eliminated with Amendment II, since economically feasible retrofit technology is expected to be verified by CARB in the near future. The total cost under the amended proposal remains the same at \$649,434, with \$487,076 in AB2766 DMV Surcharge funds being used and the match of \$162,358 being provided by the Road Fund. The unit cost for each retrofit device is provided in "Exhibit D – Amendment III – Project Budget (Revised 08-26-2009)." Actual unit costs are effective as of the date of this Amendment III. The contribution of \$487,076 in AB2766 DMV Surcharge funds from the EDCAQMD will remain the same regardless of changes in unit costs.

8/28/2009 9:24:15 AM Page 7 of 8
09-1142.C.7

EXHIBIT "D"

Amendment III to the Proposal for the Diesel Fleet Retrofits

El Dorado County Department of Transportation Cost Effectiveness of Emission Benefits Exhibit D - Amendment III - Project Budget (Revised 08-29-2009)

Completed Comp	-			ŀ	╁						ш	ŋ	I	_	7	×	-	3	2	Ć
		Equip#	Description			Total Cost	Matching Funds	Funding Request 2		Year Completed	oz.	8	2	<u>چ</u>		676	<u> </u>			
State Control Cont														i d	7		D × (H-i)/454 = Ibs/yr			NAEMNON-PAN Cost Mediveness of unding \$ PER
State Stat	1	4	1990 International Dump Truck	22	0	ادا	5		Eliminated		_	NA W	DE PORTO	0 vecuced to	_	Reduced to	red	reduced		POUND
Continue c	1	23 62	1000 D. T.	2	9	ا		•	Eliminated		ş	¥.				200	ĺ	00.0	0.100	
State Stat		30.35	1904 Letters in P. T.	2	ð	ا	•	· \$	Eliminated		ş	¥2					1		9	
Control Cont		26.07	19001 - Handington Could Hook	2	6	ا	5		Eliminated		≨	¥					1	1	9	
Continuential Description		30.75	1992 Instructional Dump Truck	_	ő		s	•	Н	L	≸	ž					1		9	
Continue material broad Continue materia		2 5	1991 International Water Truck	4	9 8 8	ı	.,	\$ 16.117	Н	2008	¥	¥	ΨN	L				1	9	,
1257	1	23.18	1962 International Dump Truck	4	3000	- 1	9	s	-	2008	ΑM	ΥN	ΑN	Y N			⊥	e c	0 100	1
Color Colo	1	34.57	1900 Intermetional Mater Taxal	1	3		6	<u>بر</u>	-	2008	ΑN	≸	¥	A/N			┸	l		1
Septemble Particle	,	89-03	1992 Ford Daint Orace	⊥	000		9	S	_	2008	¥,	ΑN	¥	¥N) c		1	ı		1
1982 Particle and the Patrick 12 20000 19 19 19 19 19 19 19	1	39-02	1609 Interestional De Catalant	_			,	ß	-	2008	Ν	Ϋ́	¥	¥N	C		1	ı		1
The control of the	1	39-03	1993 International DR Datcher				,	s	_	2008	ΥN	ΝA	¥	¥	ò		L		30,0	ı
1985 Electricational Damp Flocks and 19 19 19 19 19 19 19 1	Ł	25-09	1996 International Direct	1			'n	,	_	2008	Ν	WA	¥	ž	0		┸	ı		80.00
1935 Figure Fig	ı	24-04	1996 International Dimo Track Aug	1			2	,	-	2008	ΝA	ΑN		3 8 7			L	ı	300	740.30
1357 Trestational Dump Track 12 2000 19 101 2 4776 14 436 Longview 2000 NA NA NA 13 975 0.05	ı	38-03	ofernational Harbicide Society	L		- 1	ı	<u>بر</u>	_	2006	N/A	ΑN		3 9.7			L	ı	36,0	6 19
1937 March 1942 March 1943	ĺ	23-19	oteronional District Shayer	┙	200	- 1	- 1	-		2007	ΥN	ΑN		3 9 7		l	1	200	3	6.19
Color International Dump Frack 12 100001 5 14,775 14,326 Longview 2006 NA NA 13 9.75 0.3 0.045 71,866 5.82 0.100 5.82 0.	1	23-20	1997 International Dump Trial	1		- 1	_ا م	ß	_	2006	٧×	ΥN		3 97			L	١	3	73.64
Cold Hermaticial Dump Track 12 100001 3 101 3 4770 5 4326 Longview 2006 NA NA NA 13 976 0.3 0.045 71,896 562 0.100 5 0.010 5	ı	24-05	2000 International Dump Teach	l			۸.	,	_	2006	ΨN	N/A		3 97			L	l	36	8
State Continue alternational Purple Continue alternation		23-22	2001 International Dump Truck	L		1	٠.	۸.	-1	9002	≨	¥		3 97	L			5 62		8 9
Solid Schwarze Sweeper 12 20000 14,010 1,010		23-21	2001 international Dump Truck	L.			, ,	9 4		9000	¥.	¥.	1	3 97				5.62	0 100	18.56
COOR Serve at Each County 12 20000 St. 143 101 4 (1778) St. 14320 Longy-lew 2006 NA NA NA NA NA NA NA 11 0.005 143.172 11.23 0.100 St. 143 20 0.005 143.172 11.23 0.100 St. 143 20 0.005 0.005 143.172 11.23 0.100 St. 143 20 0.005 0.005 0.005 0.100 St. 143 20 0.005 <	ı	71-04	2001 Schwarze Sweeper	L		1				3000	≨!	¥.						5.62	0 100	8.8
SOUGE Friedrick	- 1	71-05	2001 Schwarze Sweeper		0000		6		_	300	2 2	≨						11.23	0 100	928
Colored Region Fig. Colored Region Regio	- 1	25-10	2002 International Dump Truck			ı	5	ļ.,										11.23	0.100	9.28
2003 Figure Figure Figure 12 2000 5 14 944 5 3736 5 11,200 NA 0 0 0 0 0 0 0 1000 11 63 0 100 1 60 0 100 <td>- [</td> <td>21-06</td> <td>2003 Fara F680 Dump Truck</td> <td>Ш</td> <td></td> <td></td> <td>5</td> <td></td> <td>_</td> <td>300</td> <td>2 2</td> <td>¥ 2</td> <td></td> <td>- 1</td> <td></td> <td></td> <td></td> <td>3.08</td> <td>0.100</td> <td>ľ</td>	- [21-06	2003 Fara F680 Dump Truck	Ш			5		_	300	2 2	¥ 2		- 1				3.08	0.100	ľ
Control Engine	-	70-17	3		22000		s	5	-	2000		5 2		¥	ő			11.63	0 100	
Continue that the continue t	1	20-02 20-02	2002 / J. Forta Faco Dump Truck 4x4		32000		s	s	_	2008	¥	NAME OF THE PERSON OF THE PERS	S A	¥ ×			1	±	0.100	l
12 22000 5 4,944 5 3736 5 1,200 14,004 5 3736 5 1,200 14,004 5 3736 1,200 14,004 5 3736 1,200 14,004 5 3,736 1,200 14,004 5 3,736 1,200 14,004 1,000 1	ı	00.00	ZUUS IRIEMATIONAL Shop Service Truck		80		s	\$		2006	ş	A/A		l			1	÷	0.100	96.37
12 22000 14,944 5 3756 5 11,200 NV NV NV NV NV NV NV	1	3			888		s	S	_	2008	\$	472	N/A					3.70	0 100	387.14
2004 International Cump Truck 12 20000 \$ 14944 \$ 3.736 \$ 11,208 Houzon 2006 N/A N/A N/A N/A N/A N/A 18D 0.000 1.63 0.100 \$ 1.000 \$ 1.000 1.63 0.100 \$ 1.000 \$ 1.000 1.000 \$ 1.000 1.000 \$ 1.000 1.00	1	1 00 0E	5.7 4 7 7 4 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5		22000		s	s	_	2008	¥	V.N		2	ó			11.83	0.100	96.37
1.0004 Telephone Track 12 30000 \$ 19,101 \$ 4,775 \$ 14,326 Telephone Track 12 30000 \$ 19,101 \$ 4,775 \$ 14,326 Telephone Track Telephone Tra	ı	53-27 53-27	LINE TOTAL ENGINEER OF		22000 \$		S	s		2008	MVA	N/N		§	30		ı	11.63	0.100	96.37
12 20000 19,101 5 4775 5 4,326 TED NA NA NA TED DS 0.000 16,86 0.100 15,86 0.100	1	11-07	2004 International Dump Truck				s	Ļ	_		Y.	T	1		ő			11.63	0.100	
12 10000 5 14.944 5 3736 5 11.200 NA	J	71-07	2004 International Dump Truck	L			ŀ	s	٠.		V/N	T	Ten	200	0			15.86	0.100	
12 2000 14,944 5 3,736 5 11,200 Horizon NA	ı	3 5 5 5	2004 Intratonal PE Patcher	L			ı	s	-	9000	1	T	- 1		20			15.86	\$ 1001.0	ĺ
15 Ford Water Truck 12 10000 \$ 21,459 \$ 5,372 \$ 16,117 Huss 2008 NA NA NA NA NA NA NA N	- 1	3	List fraction Trues	L		ı	6	9	-			X	¥.	¥ _N	0.0			5.29	0.100	ľ.
12 22000 \$ 14,944 \$ 3,736 \$ 11,208 Horizon NA	ı	35-01	1987 Ford Water Truck	L			s	4	+	388		ž.	¥.	¥	0 3			10.57	0.100	l
12 22000 \$ 14,944 \$ 3,736 \$ 11,208 Holizon device cleaning unifiaparities 12 28000 \$ 14,944 \$ 3,736 \$ 11,208 Holizon device cleaning unifiaparities 12 28000 \$ 14,161 12 2000 12.36 11,100 \$	ı	21-08	550LW533	L			6	1 200	-	3 8		¥	¥	≸	0.7			15.26	0.100	ļ
\$ 56,065 \$ 24,718 \$ 74,151 \$ 0.000 12.36 0.100	ı	32-04 32-04					u	1 200	4	886	\$	§.	¥	≨	0.3			12.36	0.100	
660020 \$ 667,636 \$ 171,906 \$ 616,728	J		Horizon device cleaning unit/sper filters	L			ľ	S 74 1K1	4	989	≨	¥	¥	¥	0.3			12.36	0 100	
1,236.00 1378.00 010,748			Project Total Calculation	2	0520	89,696	١÷	0 40 40 40]		1	1					L		-	
							-,	010/28	_				! .				1,236,00	378.83		l

Eliminated based on lack of technology available Huss Device
Longview Device
Horizon Device