



County of El Dorado

330 Fair Lane, Building A
Placerville, California
530 621-5390
FAX 622-3645
www.edcgov.us/bos/

Legislation Details (With Text)

File #: 06-0814 **Version:** 19
Type: Agenda Item **Status:** Approved
File created: 5/17/2006 **In control:** Board Of Supervisors
On agenda: 12/12/2006 **Final action:** 12/12/2006

Title: Environmental Management recommending the Board accept the emergency work performed at the Union Mine Wastewater Treatment facility as substantially complete and terminate the action taken on May 23, 2006, pursuant to Public Contract Code Section 22035 and 22050, an emergency condition existing at the Union Mine Wastewater Treatment Facility as a result of the record rainfall received during the 2005-2006 wet weather season. (Continued 12-5-06, Item 26) (4/5 vote required)
RECOMMENDED ACTION: Approve.

Sponsors:

Indexes:

Code sections:

Attachments: 1. Cont'd Emerg. Union Mine Wastewater Treatment Plant.pdf, 2. Env. Mgmt. -Terminate Emergency Conditions 12-12-2006

Date	Ver.	Action By	Action	Result
12/12/2006	19	Board Of Supervisors	Approved	Pass
12/5/2006	18	Board Of Supervisors	Approved	Pass
11/21/2006	17	Board Of Supervisors	Approved	Pass
11/14/2006	16	Board Of Supervisors	Approved	Pass
11/7/2006	15	Board Of Supervisors	Approved	Pass
10/31/2006	14	Board Of Supervisors	Approved	Pass
10/24/2006	14	Board Of Supervisors	Approved	Pass
10/17/2006	13	Board Of Supervisors	Approved	Pass
10/3/2006	12	Board Of Supervisors	Approved	Pass
9/26/2006	11	Board Of Supervisors	Approved	Pass
9/19/2006	10	Board Of Supervisors	Approved	Pass
9/12/2006	10	Board Of Supervisors	Approved	Pass
8/29/2006	9	Board Of Supervisors	Approved	Pass
8/22/2006	8	Board Of Supervisors	Approved	Pass
8/9/2006	7	Board Of Supervisors	Approved	
7/18/2006	6	Board Of Supervisors	Approved	
7/11/2006	5	Board Of Supervisors	Approved	Pass
6/27/2006	4	Board Of Supervisors	Approved	
6/20/2006	3	Board Of Supervisors	Approved	
6/6/2006	2	Board Of Supervisors	Approved	Pass

5/23/2006

1

Board Of Supervisors

Approved

Environmental Management recommending the Board accept the emergency work performed at the Union Mine Wastewater Treatment facility as substantially complete and terminate the action taken on May 23, 2006, pursuant to Public Contract Code Section 22035 and 22050, an emergency condition existing at the Union Mine Wastewater Treatment Facility as a result of the record rainfall received during the 2005-2006 wet weather season. (Continued 12-5-06, Item 26) (4/5 vote required)

RECOMMENDED ACTION: Approve.