



County of El Dorado

330 Fair Lane, Building A
Placerville, California
530 621-5390
FAX 622-3645
www.edcgov.us/bos/

Legislation Details (With Text)

File #: 13-0381 **Version:** 1

Type: Agenda Item **Status:** Approved

File created: 4/1/2013 **In control:** Board of Supervisors

On agenda: 4/9/2013 **Final action:** 4/9/2013

Title: Supervisor Veerkamp recommending the Board authorize the chair to sign a letter of support for Assembly Bill 350 Forest Fire Prevention Act. Current law allows for trees less than 18 inches in stump diameter to be cleared and in special circumstances trees less than 24 inches in stump diameter to be cleared. AB350 would raise the diameter of a tree that qualifies under Forest Fire Prevention Exemption (FFPE) to 28 inches in most instances and 34 inches where it is necessary to achieve the State's fuel reduction goals.

Sponsors:

Indexes:

Code sections:

Attachments: 1. A - AB350 Support Letter.pdf, 2. B - AB 350 Fact Sheet.pdf, 3. C - AB 350 Background.pdf

Date	Ver.	Action By	Action	Result
4/9/2013	1	Board of Supervisors	Approved	Pass

Supervisor Veerkamp recommending the Board authorize the chair to sign a letter of support for Assembly Bill 350 Forest Fire Prevention Act. Current law allows for trees less than 18 inches in stump diameter to be cleared and in special circumstances trees less than 24 inches in stump diameter to be cleared. AB350 would raise the diameter of a tree that qualifies under Forest Fire Prevention Exemption (FFPE) to 28 inches in most instances and 34 inches where it is necessary to achieve the State's fuel reduction goals.